



QUICK START GUIDE

Autonomous Mobile Robot

Model: Scout

1. Safety Instructions

READ AND SAVE THESE INSTRUCTIONS. This product is fully compliant with all relevant electromagnetic field standards, and is when handled as described in this Guide, safe to use. Therefore, always read the instructions in this Guide carefully before using the device, and save it for later use.

- Scout is not a toy. Do not allow children to play with it without parental care.
- Keep this Guide for future reference.
- Use of other 2.4GHz and 5GHz products, such as other wireless networks, Bluetooth systems, or microwave ovens may cause interference with this product. Keep Scout away from these types of products, or turn them off if they appear to be causing interference.
- Always ensure that you have a good Wi-Fi connection available.

2. What's in the box?

- ✓ Scout Robot
- ✓ Charging Station (recommend to tape to ground)
- ✓ Type-C USB cable
- ✓ Quick Start Guide
- ✓ Lubricant for Mecanum wheels

Important note:

- Scout doesn't provide power adaptor in the package. It is recommended to use USB adaptor with 5V and >2A output.
- Place the charging station with good lighting condition. Not recommended to stick the charging station to wood floor with paint.

3. What can Scout do?

- Monitoring. Scout is a smart robot with an FHD camera on wheels. Once connected, the App can control Scout move around. Night vision is supported. Scout by default recognizes many objects including human bodies and pets. Scout is IP65 waterproof. It works in the outdoor environment.
- Record videos and take pictures on demand.
 Use the "Moorebot Scout" App or send commands

from Amazon Alexa or Google Home, videos and pictures can be recorded. Cloud service is also available.

- Patrol. Scout is capable of patrolling the house on its own. Set up the patrol path in the App as well as the triggers such as the timer, sound, sensors from the smart home system, etc. During the autonomous patrols, Scout can avoid obstacles on the way, calculate its path and go back to its Charging Station once done. Scout may have difficulties navigating in a narrow and/or crowded environment with many obstacles.
- Programming add-on tools. Scratch and supported in the App. language is Learning programming becomes easy. Users can also design new extension tools for Scout and add on to the extension port. Explore the endless possibilities. For details, please refer to information more on www.moorebot.com.



4. Product Overview

5. Place the Charging Station

Scout is charged by its own Charging Station. Place the Charging Station against the wall using the adhesive tape. To support autonomous patrol, it is important to make sure that the charging station does NOT move around. Provide power via USB port. Scout is capable of identifying its Charging Station and backing into it. It is much easier for Scout the recognize its charging station under good lighting condition. During night, Scout relies on its own IR light source. The Battery Indicator will reflect the charging status.

Several tasks can only be performed when Scout is in the charging station, including software OTA (overthe-air) update, monitoring with motion detect, and reboot.

Avoid heat sources or other battery-unfriendly conditions to place the Charging Station.

6. Powering Scout On & Off

Press the "On & OFF" button for 2 seconds until the Power LED lights up. The system will boot up. Press and hold the button for 3 seconds to turn it off.

When Scout is turned off and is placed in the charging station, the bot will automatically boot up.

Important note:

Features that require Scout to boot up, such as OTA (Over-the-Air) update and Reset-to-Factory condition, are better to have the bot in the charging station. Otherwise, users must manually power up the bot again.

7. Reset to Factory Condition

To reset the robot, long press the "RESET" hole at the rear of the robot. It will restore the factory condition and unbind the robot from previous user account.

8. Connecting Scout

What you need:

- Smartphone or tablet with Android OS 6.0 and later or iOS 11.0 and later. The smartphone shall support the 5GHz band of the Wi-Fi.
- Wireless network (for Wi-Fi Router mode)

8.1 Download Scout App

For Android devices

Go to Google Play Store, search for "Moorebot Scout", then download and install the App on your Android device.

For iOS devices

Go to App Store, search for "Moorebot Scout", then download and install the App on your iOS device.

8.2 Connect to Scout

There are two ways that a mobile phone can connect to Scout, Wi-Fi Direct Mode (or AP mode) and Wi-Fi Router Mode. Out of factory, the Wi-Fi on Scout is set to the Wi-Fi Direct Mode. The LED indicator shall reflect that status. When the LED indicator blinks, it indicates that the robot is not connected. When the LED indicator stays on, it indicates that the robot is connected.

In the Wi-Fi Direct Mode, mobile phones can link to Scout directly. Users can see in the mobile phone a Wi-Fi named "**robot_scout_XXXXXX**". Follow the App and use the default password (e.g. "**r0123456**") to connect. Once connected to Scout, users shall control the robot and view the video. The second mode is Wi-Fi Router mode. In this mode, the robot connects to the home Wi-Fi router as an Internet-of-Things (IoT) device and can be accessed from the internet via a secured Peer-to-Peer connection. Simply press the "Wi-Fi mode select button" to change to this mode. The home Wi-Fi SSID and Password need to be provided to Scout in Wi-Fi Direct Mode. Then Switch to Wi-Fi Router mode to go online. Just follow the App.

Important note: Scout is optimized to rely on the 5GHz band of the Wi-Fi.

9. Get started with Scout

9.1 Overview of Scout App

Moorebot Scout App allows users to connect the robot to mobile phones either directly or through the internet. Users can control the robot's movement and view its video with different resolutions (e.g. 720P/1080P). Scout, when it is in its charging station, can become an IP camera or monitor. It supports motion detect, and many other standard IP cameras features.

Patrol path can be set up for Scout to autonomously conduct patrol with different triggers, such as the timer, voice control through Alexa or Google Home, even sensors in your smart home system. Scout can generate a report and send a notice after each patrol. If human bodies or pets are detected, a 13-second video clip can be uploaded to the cloud server. The cloud server can be disabled on the setup page.

Moorebot Scout App also supports Scratch Programming. Users can program and control the robot with this graphical programming interface.

9.1.1 Register and Set up Wi-Fi

Users need to register an account with correct email. Depending on your email security setting, sometimes the confirmation email may go to your spam folder.

HD ⁴⁴ .11 🙃 + ‡	❻ ≱ 玲 100% 🖦 8:51
<	
Sign	Up
Email	
Username	
Password	Ø
Confirm Password	Ø
By signing up y	rou agree to our
Terms & Cor	ditions
SIGNU	ID
Sidir	51
< ○	

Once registered, the next step is to set up Wi-Fi. Turn on the robot. After it powers up, the Wi-Fi shall stay in the "Wi-Fi Direct" Mode, which is the out-of-factory condition. Use this App to scan Wi-Fi. There should be Wi-Fi with the SSID name "robot_scout_XXXXX". This is Scout. Connect to it with default password "r0123456789". You can play with the robot already. If you want to set up the robot as an IoT device, follow the App, select or type in your home Wi-Fi SSID and provide the password. This must be done in the "WiFi Direct" mode when the mobile phone connects to Scout. If successful, the robot can switch to the "Wi-Fi Router" mode automatically and connects to the internet. You can control the robot and view the video from worldwide in "Wi-Fi Router" mode.

< Config WiFi Router			
WiFi List		Please type a WiFi network	
test	Ŷ		
pilot-labs3	<u></u>	Password	0
CU_pymP	(?		
ASUS_Pilot_5G	ই	① 5GHz and 2.4Ghz WiFi are suppo	rted.
ASUS_Pilot	ই		
H3C_92C010	হি	Next	

9.1.2 Live video with movement control

The main control panel is shown below. The controller is overlaid with the camera view from Scout.



The following table illustrates the icons in the App.

Icon	Functions or Status	
	Status showing Scout is Wi-Fi direct	
	mode, where Scout connects to the	
	mobile phone directly. Green indicates	
	that the mobile phone is connected	
	with Scout. Red indicates unconnected.	
- +> 10 +> 5	Status showing Scout is Wi-Fi router	

mode, where Scout connects to home Wi-Fi router and goes online. Green indicates that the mobile phone is connected with Scout. Red indicates unconnected.

Indicate that the robot is in the charging station. Press to get out of the charging station. Only when the robot is outside the charging station, it can be controlled to move around. User must press this button to release the robot first.

Indicate that the robot is outside the charging station. Press to return to the charging station autonomously.

Set up patrol path. Users control Scout to navigate. A path is drawn. When Scout returns to its charging station, it saves the path and follows path for future patrol.



Setup motion detect. Motion detect only works when Scout is in the

 charging station.		
Take a photo and store in local		
memory.		
Record video clip and store in local		
memory.		
Enable and Disable speaker.		

9.1.3 Set up patrol

Multiple patrol paths can be set up with different names. To set up the patrol path, users must tap the "path" symbol in the App and manually control the robot to create the desired path. The patrol path setup must start with Scout in its charging station. The charging station is coordinates (0,0). When Scout goes back to its charging station whether autonomously or guided by users, the patrol path will be saved. Scout will remember it, follow the path to patrol whenever needed and go back to its charging station once the job is complete. The video of each patrol can be stored locally onto the flash memory inside Scout. When enabled in the setup and human bodies and/or pets are detected, Scout would upload 13-second video clips to the cloud server.

Once the patrol path is set, users can trigger patrol using timer, triggering events in smart home system (e.g. door sensor), and Alexa/Google Home/Siri voice.



9.1.4 Scratch Programming

The following is the UI for Scratch Programming. Try it out. It is quite fun.



9.1.5 Work with Alexa and Google

Scout is a "work with Alexa and Google Home" device. Users can pair the robot with Alexa and/or Google Home account. Video can be streamed to Echo Show or other screen devices. Voice commands can control the movement of the robot.



Alexa Voice Commands

The following table contains the voice commands to control the robot.

	Skills	Launch	Description
		Phrase	
1	Video skill	"Alexa, show	Stream video to Echo
		my camera."	Show and Spot.
			Camera name can be
			customized.
2	Start patrol	"Alexa, ask	Voice command to start
		robot Scout	autonomous patrol.
		to start	Only default patrol path
		patrol."	can be activated by
			voice.
3	Stop patrol	"Alexa, ask	Voice command to stop
		robot Scout	autonomous patrol.
		to stop	Scout is expected to go
		patrol."	back to its charging
			station autonomously.
4	Leave the	"Alexa, ask	Scout will come out of

	charging	robot Scout	its charging station.
	station	to leave the	
		charging	
		station."	
5	Return to	"Alexa, ask	Scout will go back to its
	the	robot Scout	charging station, if it
	charging	to return to	can identify a right
	station	the charging	path.
_		station."	
6	Start	"Alexa, ask	Start video recording
	recording	robot Scout	and store in local
		to start	on-board flash.
		recording."	
7	Stop	"Alexa, ask	Stop video recording.
	recording	robot Scout	
		to stop	
		recording."	
8	Take photo	"Alexa, ask	Take a photo and store
		robot Scout	in local on-board flash.
		to take a	
		photo."	
9	Turn left	"Alexa, ask	Make Scout turn left.

		robot Scout	
		to turn left."	
10	Turn right	"Alexa, ask	Make Scout turn right.
		robot Scout	
		to turn	
		right."	
11	Move to the	"Alexa, ask	Move to the left. XYZ is
	left	robot Scout	a number. The default is
		to move to	1inch.
		the left by	
		XYZ	
		inch(es)."	
12	Move to the	inch(es)." "Alexa, ask	Move to the right. XYZ
12	Move to the right	inch(es)." "Alexa, ask robot Scout	Move to the right. XYZ is a number. The default
12	Move to the right	inch(es)." "Alexa, ask robot Scout to move to	Move to the right. XYZ is a number. The default is 1inch.
12	Move to the right	inch(es)." "Alexa, ask robot Scout to move to the right by	Move to the right. XYZ is a number. The default is 1inch.
12	Move to the right	inch(es)." "Alexa, ask robot Scout to move to the right by XYZ	Move to the right. XYZ is a number. The default is 1inch.
12	Move to the right	inch(es)." "Alexa, ask robot Scout to move to the right by XYZ inch(es)."	Move to the right. XYZ is a number. The default is 1inch.
12	Move to the right Move	inch(es)." "Alexa, ask robot Scout to move to the right by XYZ inch(es)." "Alexa, ask	Move to the right. XYZ is a number. The default is 1inch. Make Scout move
12	Move to the right Move forward	inch(es)." "Alexa, ask robot Scout to move to the right by XYZ inch(es)." "Alexa, ask robot Scout	Move to the right. XYZ is a number. The default is 1inch. Make Scout move forward. XYZ is a
12	Move to the right Move forward	inch(es)." "Alexa, ask robot Scout to move to the right by XYZ inch(es)." "Alexa, ask robot Scout to move	Move to the right. XYZ is a number. The default is 1inch. Make Scout move forward. XYZ is a number. The default is 1

		XYZ	
		inch(es)."	
14	Move	"Alexa, ask	Make Scout move
	backward	robot Scout	backward. XYZ is a
		to move	number. The default is 1
		backward by	inch.
		XYZ	
		inch(es)."	
15	Clockwise	"Alexa, ask	Make Scout rotate
	rotate	robot Scout	clockwise. XYZ is a
		to rotate	number. The default is
		clockwise by	45 degrees.
		XYZ	
		degree(s)."	
16	Counter-clo	"Alexa, ask	Make Scout rotate
	ckwise	robot Scout	counter clockwise. XYZ
	rotate	to rotate	is a number. The default
		counter	is 45 degrees.
		clockwise by	
		XYZ	
		degree(s)."	

Google Home Voice Commands

Google Home voice commands are the same as above, only with the wake word "Hey Google" or "OK Google". For example, "Hey Google, ask robot Scout to start patrol."

10. Add-on tools

Scout is also a robotic development platform. A UART port is available on the top of the robot. Remove the metal panel, the UART port is accessible. One can use 3D printing to design new tools for Scout. From LED torch, to toy gun, to robotic arm. Only the imagination is the limit. Complex tools may require C/C++ programming. Scout's robotic control layer is open source. For serious developer, please contact us at contactus@moorebot.com for more information.

11. Contact us

If you need help, please don't hesitate to contact us via

the following emails:

customerservice@moorebot.com

12. Disposal of the Device (Environment)

At the end of the product life cycle, you should not dispose of this product with normal household waste. Take this product to a collection point for the recycling of electrical and electronic equipment.

Please contact your local authorities in case you need more information on the collection points in your area.

13. FCC and IC regulations

FCC Part 15

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device,

pursuant to Part 15 of the Federal Communication Commission (FCC) rules. These limits are designed to provide reasonable protection against harmful the residential installation. This interference in equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TA technician for help.

Changes or modifications to this equipment not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept an interference received, including interference that may cause undesired operation.

Caution: To maintain compliance with the FCC's RF exposure guideline, place the unit at least 20cm away from nearby persons. To ensure safety of users, the FCC has established criteria for the amount of radio frequency energy that can be safely absorbed by a user or bystander according to the intended usage of the product. This product has been tested and found to comply with the FCC criteria.

Warning

Changes or modifications, to this equipment not expressively approved by the party responsible for compliance could void the user's authority to operate the equipment.

The Socket-outlet shall be installed near the equipment and shall be easily accessible.

Industry Canada

This device complies with Industry Canada license-exempt RSS standard(s); Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

The term "IC" before the certification/registration number only signifies that the Industry Canada technical specifications were met. This product meets the applicable Industry Canada Technical specifications.

14. Technical Specifications

Communication

Dual-band 2.4G/5G Wi-Fi 802.11 a/b/g/n Bluetooth 4.2 (off by default) Power Supply

USB 5V, >2A

Battery

Battery Type: 18650 Rechargeable Li-ion Battery Battery Capacity: 2000mAh (expected to

operate for >2 hours, without Night Vision)

Camera

Sensor: 2M Pixel CMOS (1080P)

Angle: Wide Angle 120 degree

Night Vision: IR Infrared (mechanical IR cut)

Audio

1W Speaker

1x Microphone

CPU

Quad-Core ARM A7 @1.2GHz

512MB LPDDR III

4GB eMMC Storage

OS

Linux + ROS

Motors & Wheels

4x high-speed DC motors

4x novel Mecanum wheels

Sensors

6DoF IMU

Light sensor

ToF (Time to Flight)

Waterproof

IP65 (Splatter-proof)

Maximum Speed

~2km/h or ~1.2miles/h

Operating Temperature

-10C to 45C