

LIGHTING CATALOG 2022




LUMIMAN
Wizard of Light

Contents

1. Products

1. Smart Flood Light
2. Smart String Light
3. Smart Floor Lamp
4. Smart Ceiling Lamp
5. Smart Light Source Series





2. Support





Smart Flood Light

WiFi+Bluetooth RGBCW Flood Light



Item Number	Power	Input Voltage	Wireless Type	Material	LED Type	Color	Dimension (mm)	Lumens	IP Grade	Life hours
FTF-020-WN	20W	AC100-240V	WiFi & Bluetooth	Aluminum	5050/2835	RGBCW	135*90*32	1800	IP66	50,000
FTF-030-WN	30W	AC100-240V	WiFi & Bluetooth	Aluminum	5050/2835	RGBCW	174*124*40	2700	IP66	50,000
FTF-060-WN	60W	AC100-240V	WiFi & Bluetooth	Aluminum	5050/2835	RGBCW	245*165*41	5400	IP66	50,000
FTF-100-WN	100W	AC100-240V	WiFi & Bluetooth	Aluminum	5050/2835	RGBCW	332*222*50	9000	IP66	50,000

Bluetooth(Mesh) RGBCW Flood Light

tuya



Brightness Variation



White Variation



Color Variation



App Control



Group Control



Music Mode



Time Schedule



Scenes mode



DIY Scenes mode



US/UK/EU plug



Item Number	Power	Input Voltage	Wireless Type	Material	LED Type	Color	Dimension (mm)	Lumens	IP Grade	Life hours
FTF-020-MN	20W	AC100-240V	Bluetooth-Mesh	Aluminum	5050/2835	RGBCW	135*90*32	1800	IP66	50,000
FTF-030-MN	30W	AC100-240V	Bluetooth-Mesh	Aluminum	5050/2835	RGBCW	174*124*40	2700	IP66	50,000
FTF-060-MN	60W	AC100-240V	Bluetooth-Mesh	Aluminum	5050/2835	RGBCW	245*165*41	5400	IP66	50,000
FTF-100-MN	100W	AC100-240V	Bluetooth-Mesh	Aluminum	5050/2835	RGBCW	332*222*50	9000	IP66	50,000

Bluetooth(Beacon) RGBCW Flood Light



Item Number	Power	Input Voltage	Wireless Type	Material	LED Type	Color	Dimension (mm)	Lumens	IP Grade	Life hours
FTF-020-BN	20W	AC100-240V	Bluetooth-Beacon	Aluminum	5050/2835	RGBCW	135*90*32	1800	IP66	50,000
FTF-030-BN	30W	AC100-240V	Bluetooth-Beacon	Aluminum	5050/2835	RGBCW	174*124*40	2700	IP66	50,000
FTF-060-BN	60W	AC100-240V	Bluetooth-Beacon	Aluminum	5050/2835	RGBCW	245*165*41	5400	IP66	50,000
FTF-100-BN	100W	AC100-240V	Bluetooth-Beacon	Aluminum	5050/2835	RGBCW	332*222*50	9000	IP66	50,000

IR Remote RGB Flood Light



Item Number	Power	Input Voltage	Wireless Type	Material	LED Type	Color	Dimension (mm)	Lumens	IP Grade	Life hours
FTF-020-IN	20W	AC100-240V	IR remote Controller	Aluminum	5050	RGB	135*90*32	1800	IP66	50,000
FTF-030-IN	30W	AC100-240V	IR remote Controller	Aluminum	5050	RGB	174*124*40	2700	IP66	50,000
FTF-060-IN	60W	AC100-240V	IR remote Controller	Aluminum	5050	RGB	245*165*41	5400	IP66	50,000
FTF-100-IN	100W	AC100-240V	IR remote Controller	Aluminum	5050	RGB	332*222*50	9000	IP66	50,000

White Flood Light




Item Number	Power	Input Voltage	Dimmable	Material	LED Type	Color	Dimension (mm)	Lumens	IP Grade	Life hours
FTF-020-WH	20W	AC100-240V	No	Aluminum	2835	3000/6000K	135*90*32	2000	IP66	50,000
FTF-030-WH	30W	AC100-240V	No	Aluminum	2835	3000/6000K	174*124*40	3000	IP66	50,000
FTF-060-WH	60W	AC100-240V	No	Aluminum	2835	3000/6000K	245*165*41	6000	IP66	50,000
FTF-100-WH	100W	AC100-240V	No	Aluminum	2835	3000/6000K	332*222*50	10000	IP66	50,000



Smart String Light

WiFi+Bluetooth String Light




Item Number	Power	Input Voltage	Wireless Type	Material	LED Type	Color	Length(ft)	Bulbs	Lumens	IP Grade	Life hours
LSA-012-W3	12W	AC100-240V	WiFi & Bluetooth	Acrylic bulb	3030/2835	RGBCW	24	12	960	IP65	50,000
LSA-015-W3	15W	AC100-240V	WiFi & Bluetooth	Acrylic bulb	3030/2835	RGBCW	48	15	1200	IP65	50,000
LSA-020-W3	20W	AC100-240V	WiFi & Bluetooth	Acrylic bulb	3030/2835	RGBCW	48	20	1600	IP65	50,000
LSA-024-W3	24W	AC100-240V	WiFi & Bluetooth	Acrylic bulb	3030/2835	RGBCW	48	24	1920	IP65	50,000
LSA-030-W3	30W	AC100-240V	WiFi & Bluetooth	Acrylic bulb	3030/2835	RGBCW	96	30	2400	IP65	50,000

WiFi+Bluetooth String Light



Item Number	Power	Input Voltage	Wireless Type	Material	LED Type	Color	Length(ft)	Bulbs	Lumens	IP Grade	Life hours
LSB-012-W3	12W	AC100-240V	WiFi & Bluetooth	PC bulb	3030/2835	RGBCW	24	12	960	IP65	50,000
LSB-015-W3	15W	AC100-240V	WiFi & Bluetooth	PC bulb	3030/2835	RGBCW	48	15	1200	IP65	50,000
LSB-020-W3	20W	AC100-240V	WiFi & Bluetooth	PC bulb	3030/2835	RGBCW	48	20	1600	IP65	50,000
LSB-024-W3	24W	AC100-240V	WiFi & Bluetooth	PC bulb	3030/2835	RGBCW	48	24	1920	IP65	50,000
LSB-030-W3	30W	AC100-240V	WiFi & Bluetooth	PC bulb	3030/2835	RGBCW	96	30	2400	IP65	50,000

WiFi+Bluetooth String Light




Item Number	Power	Input Voltage	Wireless Type	Material	LED Type	Color	Length(ft)	Bulbs	Lumens	IP Grade	Life hours
LSC-012-W3	12W	AC100-240V	WiFi & Bluetooth	PC bulb	3030/2835	RGBCW	24	12	960	IP65	50,000
LSC-015-W3	15W	AC100-240V	WiFi & Bluetooth	PC bulb	3030/2835	RGBCW	48	15	1200	IP65	50,000
LSC-020-W3	20W	AC100-240V	WiFi & Bluetooth	PC bulb	3030/2835	RGBCW	48	20	1600	IP65	50,000
LSC-024-W3	24W	AC100-240V	WiFi & Bluetooth	PC bulb	3030/2835	RGBCW	48	24	1920	IP65	50,000
LSC-030-W3	30W	AC100-240V	WiFi & Bluetooth	PC bulb	3030/2835	RGBCW	96	30	2400	IP65	50,000



Smart Ceiling Lamp

WiFi+Bluetooth Ceiling Lamp




Item Number	Power	Input Voltage	Wireless Type	Material	LED Type	Color	Dimension (mm)	Lumens	IP Grade	Life hours
CLB-035-W3	35W	AC100-240V	WiFi+Bluetooth	PC+PMMA	5050/2835	RGBCW	Φ300*H32	2800	IP20	50,000
CLB-050-W3	50W	AC100-240V	WiFi+Bluetooth	PC+PMMA	5050/2835	RGBCW	Φ400*H32	4000	IP20	50,000

Smart Floor Lamp



WiFi+Bluetooth Floor Lamp



FLA-025-WN

25W
AC100-240V
1500LM
WiFi+Bluetooth
5050/2835 LEDs
Φ25×168cm
RGBCW
50,000Hrs



FLC-042-WN

42W
AC100-240V
1600LM
WiFi+Bluetooth
5050/2835 LEDs
Φ25×168cm
RGBCW
50,000Hrs

RF LED Floor Lamp



Brightness
Variation



White Variation



Color Variation



Scenes mode




DIY Scenes mode



Remote control



US/UK/EU plug



FLD-025-F2

25W
AC100-240V
1700LM
RF control
2835 LEDs
Φ25×175cm
White 2700k-6500k
50,000Hrs



FLD-025-F5

25W
AC100-240V
1700LM
RF control
5050/2835 LEDs
Φ25×175cm
RGBCW
50,000Hrs



FLE-042-F2

42W(35W+7W)
AC100-240V
2800LM
RF control
2835 LEDs
Φ25×175cm
White 2700k-6500k
50,000Hrs

A modern rooftop terrace at dusk. The terrace features a large wooden sofa with white cushions, a wooden coffee table, and two lounge chairs. The terrace is bordered by a low brick wall. In the background, a city skyline is visible under a clear blue sky. The terrace is illuminated by warm, ambient lighting, including a small table lamp and a candle. The building's exterior is made of dark brick, and large windows are visible on the left side.

Smart Light Source Series

WiFi+Bluetooth LED Bulb



A60-E27(A19-E26)

9W
AC220-240V/AC100-120V
810LM
WiFi+Bluetooth
5050/2835 LEDs
Φ60×112mm
RGBCW
50,000Hrs



Candle-E14

4W
AC220-240V/AC100-120V
360LM
WiFi+Bluetooth
5050/2835 LEDs
Φ38×117mm
RGBCW
50,000Hrs



BR30-E27(E26)

10W
AC220-240V/AC100-120V
1000LM
WiFi+Bluetooth
5050/2835 LEDs
Φ92×133mm
RGBCW
50,000Hrs



A60-E27(A19-E26)

9W
AC220-240V/AC100-120V
900LM
WiFi+Bluetooth
2835 LEDs
Φ60×112mm
2700-6500K
50,000Hrs



Bluetooth(Beacon) LED Bulb

tuya



Brightness
Variation



White Variation



Color Variation



App Control



Broad Cast



Music Mode



Time Schedule



Scenes mode



DIY Scenes mode

UK
CA

FC

CE

✓
RoHS



A60-E27

9W

AC220-240V

810LM

Bluetooth-Beacon

5050/2835 LEDs

Φ60×112mm

RGBCW

50,000Hrs



A19-E26

9W

AC100-120V

810LM

Bluetooth-Beacon

5050/2835 LEDs

Φ60×112mm

RGBCW

50,000Hrs

Sensor LED Bulb



Light sensor



Motion sensor



PIR Sensor Bulb

A60-E27(A19-E26)
12W
AC100-240V
1200LM
Infrared motion sensor
2835 LEDs
Φ60×115mm
3000K/6000K
50,000Hrs



Dusk to Dawn Sensor Bulb

A60-E27(A19-E26)
9W
AC100-240V
900LM
Light sensor
2835 LEDs
Φ60×103mm
3000K/6000K
50,000Hrs