




SMART LIGHTING



Product Index

Smart Light Source



WL001-A60201
009



WL001-BR3001
010



WL001-GUM1101
011



WL001-GUM2201
012



WL001-GU10101
013



WL001-GU10201
014

Smart Down Light



WL001-G3A101
015



WL001-G3A301
016



WL001-D1701
017



WL001-NAD401
018

Smart Fire Rated Down Light



WL001-FG3A03
019



WL001-D36A03
020

Smart Ceiling Light



WCL002-300
021



WPD001-606D
022



CL003-W11
023




CL004-W12
024



Smart Home System



LED Smart Products




Technical comparison

	Bluetooth	zigbee	WiFi	Sig mesh
Communication	Independent	Mesh	Network	Mesh
Long range control	/	Need Gateway	/	Need Gateway
Devices connect number	8	<10-100	<10-100	Over 150
Coverage area	<10m	10-75m	10-50m	Theoretically no limit with 2 Devices in 100m
PowerConsumer	Low	Medium	Hight	Low
Setup	Simple	Complex	Simple	Simple
Cost	Cheap	Expensive	Expensive	Cheap
Network size	Small	Medium	Medium	Big
Response speed	Fast	Slow	Slow	Fast
Security level	High	High	Low	High
Network Stability	Stable	Stable	Unstable	Stable

Features:

- Voice & APP control, No gateway required with WIFI devices
- Dim, CCT, RGBCW function optional
- 16,000,000 colors in RGB mode
- Work with Google Assistant, Amazon Alexa
- Work with Sensor, Remote control simplifies operation in Bluetooth devices



SMART BULB



BASE: E27



BASE: B22



BASE: E26



Application

Home, Bar, Coffee shop, KTV, Hotels, Party etc.

Features:

- Smart Life APP control, no gateway required
- Dim, CCT, RGBCW function optional
- 16+ million colors in RGB mode
- Work with Amazon Alexa, Google Assistant
- Timing reminder function
- Colors change with music
- AC100V / AC230V optional



Model	Wattage	Lumen	CCT	Beam	Base type	Dimensions
WL001-A60202	9W	806lm	2700K~6500K	180°	E26/E27/B22	φ60x119mm
WL001-A60205			2200K~6500K+RGB			
BL001-A60202	9W	806lm	2700K~6500K	180°	E26/E27/B22	φ60x119mm
BL001-A60205			2700K~6500K+RGB			

SMART BR30




Application

Home, Bar, Coffee shop, KTV, Hotels, Party etc.

Features:

- Smart Life APP control, no gateway required
- Dim, CCT, RGBCW function optional
- 16+ million colors in RGB mode
- Work with Amazon Alexa, Google Assistant
- Timing reminder function
- Colors change with music



Model	Wattage	Lumen	CCT	Beam	Base type	Dimensions
WL001-BR3002	12W	1200lm	2700K~6500K	120°	E26	φ95x128mm
WL001-BR3005			2700K~6500K+RGB			
BL001-BR3002	12W	1200lm	2700K~6500K	120°	E26	φ95x128mm
BL001-BR3005			2700K~6500K+RGB			

SMART GUM1




Application

Home, Bar, Coffee shop, KTV, Hotels, Party etc.

Features:

- Smart Life APP control, no gateway required
- Dim, CCT, RGBCW function optional
- 16+ million colors in RGB mode
- Work with Amazon Alexa, Google Assistant
- Timing reminder function
- Colors change with music
- Replace wifi GU10 easily
- AC230V



Model	Wattage	Lumen	CCT	Beam	Dimensions
WL001-GUM1102	6W	500lm	2700K~6500K	100°	φ50x43mm
WL001-GUM1105			2700K~6500K+RGB		
BL001-GUM1102	6W	500lm	2700K~6500K	100°	φ50x43mm
BL001-GUM1105			2700K~6500K+RGB		
WL001-GUM1202	6W	500lm	2700K~6500K	38°	φ50x43mm
WL001-GUM1205			2700K~6500K+RGB		
BL001-GUM1202	6W	500lm	2700K~6500K	38°	φ50x43mm
BL001-GUM1205			2700K~6500K+RGB		

SMART GUM2




Application

Home, Bar, Coffee shop, KTV, Hotels, Party etc.

Features:

- Smart Life APP control, no gateway required
- Dim, CCT, RGBCW function optional
- 16+ million colors in RGB mode
- Work with Amazon Alexa, Google Assistant
- Timing reminder function
- Colors change with music
- Replace wifi GU10 easily
- AC230V



Model	Wattage	Lumen	CCT	Beam	Dimensions
WL001-GUM2102	6W	450lm	2700K~6500K	38°	φ50x53mm
WL001-GUM2105			2700K~6500K+RGB		
BL001-GUM2102	6W	450lm	2700K~6500K	38°	φ50x53mm
BL001-GUM2105			2700K~6500K+RGB		
WL001-GUM2202	6W	450lm	2700K~6500K	100°	φ50x53mm
WL001-GUM2205			2700K~6500K+RGB		
BL001-GUM2202	6W	450lm	2700K~6500K	100°	φ50x53mm
BL001-GUM2205			2700K~6500K+RGB		

SMART GU101




Application

Home, Bar, Coffee shop, KTV, Hotels, Party etc.

Features:

- Smart Life APP control, no gateway required
- Dim, CCT, RGBCW function optional
- 16+ million colors in RGB mode
- Work with Amazon Alexa, Google Assistant
- Timing reminder function
- Colors change with music
- AC230V



Model	Wattage	Lumen	CCT	Beam	Dimensions
WL001-GU10102	4.8W	350lm	2700K~6500K	100°	φ50x60mm
WL001-GU10105			2700K~6500K+RGB		
BL001-GU10102	4.8W	350lm	2700K~6500K	100°	φ50x60mm
BL001-GU10105			2700K~6500K+RGB		

SMART GU102




Application

Home, Bar, Coffee shop, KTV, Hotels, Party etc.

Features:

- Smart Life APP control, no gateway required
- Dim, CCT, RGBCW function optional
- 16+ million colors in RGB mode
- Work with Amazon Alexa, Google Assistant
- Timing reminder function
- Colors change with music
- AC230V



Model	Wattage	Lumen	CCT	Beam	Dimensions
WL001-GU10202	4.8W	350lm	2700K~6500K	38°	φ50x54mm
WL001-GU10205			2700K~6500K+RGB		
BL001-GU10202	4.8W	350lm	2700K~6500K	38°	φ50x54mm
BL001-GU10205			2700K~6500K+RGB		

SMART DOWN LIGHT-G3A1




Application

Home, Bar, Coffee shop, KTV, Hotels, Party etc.

Features:

- Smart Life APP control, no gateway required
- Dim, CCT, RGBCW function optional
- 16+ million colors in RGB mode
- Work with Amazon Alexa, Google Assistant
- Timing reminder function
- Colors change with music



Model	Wattage	Lumen	CCT	Beam	Cut hole	Dimensions
WL001-G3A102	4.8W	320lm	2700K~6500K	100°	φ70mm	φ86x47mm
WL001-G3A105			2700K~6500K+RGB			
BL001-G3A102	4.8W	320lm	2700K~6500K	100°	φ70mm	φ86x47mm
BL001-G3A105			2700K~6500K+RGB			

SMART DOWN LIGHT-G3A3




Application

Home, Bar, Coffee shop, KTV, Hotels, Party etc.

Features:

- Smart Life APP control, no gateway required
- Dim, CCT, RGBCW function optional
- 16+ million colors in RGB mode
- Work with Amazon Alexa, Google Assistant
- Timing reminder function
- Colors change with music



Model	Wattage	Lumen	CCT	Beam	Cut hole	Dimensions
WL001-G3A302	4.8W	320lm	2700K~6500K	38°	φ70mm	φ86x47mm
WL001-G3A305			2700K~6500K+RGB			
BL001-G3A302	4.8W	320lm	2700K~6500K	38°	φ70mm	φ86x47mm
BL001-G3A305			2700K~6500K+RGB			

SMART DOWN LIGHT-D1701




Application

Home, Bar, Coffee shop, KTV, Hotels, Party etc.

Features:

- Smart Life APP control, no gateway required
- Dim, CCT, RGBCW function optional
- 16+ million colors in RGB mode
- Work with Amazon Alexa, Google Assistant
- Timing reminder function
- Colors change with music



Model	Wattage	Lumen	CCT	Beam	Cut hole	Dimensions
WL001-D1702	15W	1350lm	2700K~6500K	100°	φ150mm	φ170x48mm
WL001-D1705			2700K~6500K+RGB			
BL001-D1702	15W	1350lm	2700K~6500K	100°	φ150mm	φ170x48mm
BL001-D1705			2700K~6500K+RGB			

SMART DOWN LIGHT-NA




Application

Home, Bar, Coffee shop, KTV, Hotels, Party etc.

Features:

- Smart Life APP control, no gateway required
- Dim, CCT, RGBCW function optional
- 16+ million colors in RGB mode
- Work with Amazon Alexa, Google Assistant
- Timing reminder function
- Colors change with music



Model	Wattage	Lumen	CCT	Beam	Cut hole	Dimensions
WL001-NAD402	10W	800-850lm	2700K~6500K	60°	φ100mm	φ140x56mm
WL001-NAD405			2700K~6500K+RGB			
BL001-NAD402	10W	800-850lm	2700K~6500K	60°	φ100mm	φ140x56mm
BL001-NAD405			2700K~6500K+RGB			
WL001-NAD602	15W	1200-1275lm	2700K~6500K	60°	φ150mm	φ186x56mm
WL001-NAD605			2700K~6500K+RGB			
BL001-NAD602	15W	1200-1275lm	2700K~6500K	60°	φ150mm	φ186x56mm
BL001-NAD605			2700K~6500K+RGB			

SMART FIRE RATED DOWN LIGHT



IP65

Features:

- Smart Life APP control, no gateway required
- Dim and CCT
- Work with Amazon Alexa, Google Assistant
- Timing reminder function
- Fire rated 30', 60', 90'.

Fire-rated

Adopt flame retardant material, safe and secure



Water-proof

Front waterproof IP65



Insulation Cover

Can be covered by insulation directly



Application

Home, Hotels

Color of Bezels optional:




Brushed Nickel

Chrome

White

Black



Model	Wattage	Lumen	CCT	Beam	Cut hole	Dimensions
WL001-FG3A03	8.5W	700lm	3000K~6500K	60°	φ70mm	φ88x65mm
BL001-FG3A03						

SMART 360° FIRE RATED DOWN LIGHT



IP65

Features:

- Smart Life APP control, no gateway required
- Dim and CCT , 360° rotation
- Work with Amazon Alexa, Google Assistant
- Timing reminder function
- Fire rated 30', 60', 90'
- Tooling free design

Fire-rated

Adopt flame retardant material, safe and secure



360° Rotation

Can be adjusted angle according to the subject



Insulation Cover


Can be covered by insulation directly



Application

Home, Hotels


Three color finishing optional



Black

Silver

White



Model	Wattage	Lumen	CCT	Beam	Finish	Cut hole	Dimensions
WL001-D36A03	8.5W	720lm	3000K-6500K	38°	Black/White/Silver	φ85mm	φ96x40mm
BL001-D36A03							

SMART CEILING LIGHT



Wood



White+Wood



White



Black



Application


Bedroom, Livingroom, Corridor, Aisle, Circulation area

Features:

- Plastic frame with wood, white and black finishing. Unique colors clashing design is available
- PMMA diffuser, light transmittance is up to 80%
- 25000 hours lifespan, high lighting efficiency 90lm/w
- CE, RoHs and new ERP 2019/2015 compliant
- WiFi function is optional



Model	Wattage	Lumen	CCT	Efficacy	Beam	Dimensions
WCL002-300	21W	1900lm	2700K-6500K	90lm/W	100°	φ300x50mm
WCL002-450	28W	2800lm	2700K-6500K	100lm/W	100°	φ450x60mm
BCL002-300	21W	1900lm	2700K-6500K	90lm/W	100°	φ300x50mm
BCL002-450	28W	2800lm	2700K-6500K	100lm/W	100°	φ450x60mm



SMART CEILING LIGHT



Features:

- Adjustable buckle cut size Φ 50-260mm
- Dimming , non-dimming, multi-power optional
- Black, silver, chrome and brushed nickel bezel optional
- Slim body height 22mm

Cut Out

For φ50mm-φ260mm cut hole



Ultra-slim

The ultra-slim design satisfies a narrow space with more elegance



Application

Corridor, Aisle, Circulation area

Color of Bezels optional:



Black

Brushed Nickel

Silver

Chrome



Model	Wattage	Lumen	CCT	Beam	Cut hole	Dimensions
WPDL001-606D	6W	480lm	2700K-6500K	110°	φ50-125mm	φ165x22mm
WPDL001-612D	12W	960lm			φ50-125mm	φ165x22mm
WPDL001-818D	18W	1620lm			φ65-185mm	φ217x22mm
WPDL001-1121D	21W	1900lm			φ65-260mm	φ290x22mm
WPDL001-1123D	23W	2100lm			φ65-260mm	φ290x22mm
BPDL001-606D	6W	480lm	2700K-6500K	110°	φ50-125mm	φ165x22mm
BPDL001-612D	12W	960lm			φ50-125mm	φ165x22mm
BPDL001-818D	18W	1620lm			φ65-185mm	φ217x22mm
BPDL001-1121D	21W	1900lm			φ65-260mm	φ290x22mm
BPDL001-1123D	23W	2100lm			φ65-260mm	φ290x22mm


SMART CEILING LIGHT



Surface-mounted




Pendant (with long pole)



Pendant (with metal wire)

Features:

- Narrow trim design
- White and black are available
- 2 installation : Surface-mounted and pendant
- 5 years warranty



Model	Wattage	Lumen	CCT	Efficacy	Beam	Dimensions
CL003-W11	15W	1500lm	2700K-6500K	100lm/W	120°	φ300x80mm
CL003-W15	25W	2000lm	2700K-6500K	100lm/W	120°	φ480x80mm
CL003-W24	50W	4000lm	2700K-6500K	100lm/W	120°	φ600x80mm
CL003-B11	15W	1500lm	2700K-6500K	100lm/W	120°	φ300x80mm
CL003-B15	25W	2000lm	2700K-6500K	100lm/W	120°	φ480x80mm
CL003-B24	50W	4000lm	2700K-6500K	100lm/W	120°	φ600x80mm

SMART CEILING LIGHT



White




Black

Features:

- Narrow trim design
- White and black are available
- 2 installation : Surface-mounted and pendant
- UGR 19
- 5 years warranty


Ultra-slim

Ultra-slim design for narrow space



2 installations

Surface-mounted and pendant



Model	Wattage	Lumen	CCT	Beam	Finish	Dimensions
CL004-W12	15W	1500lm	2700K-6500K	120°	Black/White	φ300x551mm
CL004-W16	25W	2000lm	2700K-6500K	120°	Black/White	φ480x551mm
CL004-W24	40W	4000lm	2700K-6500K	120°	Black/White	φ600x551mm
CL004-W12	15W	1500lm	2700K-6500K	120°	Black/White	φ300x551mm
CL004-W16	25W	2000lm	2700K-6500K	120°	Black/White	φ480x551mm
CL004-W24	40W	4000lm	2700K-6500K	120°	Black/White	φ600x551mm