

Date : 2023-11-03 **No.** : HP23100673 Page 1 of 8

Applicant Zhejiang Keyoudi Children Products Co Ltd : No 3 Dongyuan Road Baihe Town Tiantai County Taizhou Zhejiang 317200 CN Attn: Yuping Chen PIN INTERNATIONAL (NINGBO) LTD Factory : FLOOR 3 BUILDING 5(#14) NO 8 MIAOFENGSHAN ROAD XIAPU PIONEER PARK BEILUN DISTRICT NINGBO CHINA **Description of Samples** : Three pieces of submitted sample said to be: GO GROW BOX 7-9M (see attached photo) STYLE/ITEM NO.: GGB-0-2 COUNTRY OF ORIGIN: CHINA COUNTRY OF DESTINATION: JAPAN AGE GRADING: 7-9 MONTHS **Date Samples Received** : 2023-10-27 **Date Tested** 2023-10-27 to 2023-11-02 • **Investigation Requested** : Toxic materials analysis according to Section IV Toys, Specifications and Standards for Foods, Food Additives, etc. under the Food Sanitation Law of Japan, Ministry of Health and Welfare Notice No. 370 on 28 December 1959, Notice No. 201 on 31 March 2006, Notice No. 153 on 31 March 2008, Notice No. 416 on 11 August 2008 and

Notice No. 336 on 6 September 2010.

Ruky

WONG Kai-ming, Ricky Authorized Signatory



Date : 2023-11-03 **No.** : HP23100673

Conclusions

: The submitted sample(s) **complied** with the test requirements of:

Section IV Toys, Specifications and Standards for Foods, Food Additives, etc. under the Food Sanitation Law of Japan, Ministry of Health and Welfare Notice No. 370 on 28 December 1959, Notice No. 201 on 31 March 2006, Notice No. 153 on 31 March 2008, Notice No. 416 on 11 August 2008 and Notice No. 336 on 6 September 2010 for toxic materials analysis

Page 2 of 8

- Coloring agent (Clause B)
- Paint coating (Clause A4)
- Phthalates content in plasticized material (Clause A7&A9)

Ruby.

WONG Kai-ming, Ricky Authorized Signatory



Page 3 of 8

Date : 2023-11-03 **No.** : HP23100673

Tested Components:

<u>Sample</u> 1	<u>Textile material</u> Elastic string on magic tissue box (GGB-0-2): white fabric
Sample 2	<u>Paper and wood</u> Top and bottom lid of rainmaker/cube cup/egg cup/interlocking discs (GGB-0-2): pale brown wood with transparent coating
3	Object permanence box/magic tissue box (GGB-0-2): light brown wood with green/transparent/beige coating
4	Cloth on top part of magic tissue box (GGB-0-2): red fabric
5	Cloth inside of magic tissue box (GGB-0-2): light green fabric with light green thread
6	Cloth inside of magic tissue box (GGB-0-2): pale brown fabric with light yellow thread
7	Cloth inside of magic tissue box (GGB-0-2): purple fabric with deep purple thread
8	Cloth inside of magic tissue box (GGB-0-2): white fabric with white thread and light orange/pale orange printing
9	Cloth inside of magic tissue box (GGB-0-2): white fabric with white thread and light blue/white printing
10	Cloth inside of magic tissue box (GGB-0-2): white fabric with white thread and red/orange/yellow/green/blue/purple multicolor printing
<u>Sample</u>	Materials other than textile, paper and wood
11	Ball of object permanence box (GGB-0-2): yellow silicone
12	Core of elastic string on magic tissue box (GGB-0-2): dull white rubber
13	Security lid of rainmaker (GGB-0-0-2): white ABS
14	Tube of rainmaker (GGB-0-0-2): transparent MABS
Sample Sample	Coating material
15	Top and bottom lid of rainmaker/cube cup/egg cup/interlocking discs (GGB-0-2): transparent coating
16	Object permanence box: green/transparent/beige coating
17	Cloth inside of magic tissue box (GGB-0-2): light blue/white printing
18	Cloth inside of magic tissue box (GGB-0-2): red/orange/yellow/green/blue/ purple multicolor printing

Note: The material type of the tested components and coating were declared by applicant

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@stc.group Website: www.stc.group

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.



Date : 2023-11-03 **No.** : HP23100673

Test Results

(1) <u>Coloring agent in manufacturing standards for toys</u> Ref.: Clause B, Section IV Toys, Specifications and Standards for Foods, Food Additives, etc. under the Food Sanitation Law of Japan, Ministry of Health and Welfare Notice No. 370 on 28 December 1959, Notice No. 201 on 31 March 2006, Notice No. 153 on 31 March 2008, Notice No. 416 on 11 August 2008 and Notice No. 336 on 6 September 2010

Textile

Sample Result 1 Pass

Requirement on textile:

For items intended for children under 3 years old, migration of colour shall not be two times darker than the comparison standard.

For items intended for children over 3 years old of age and under 6 years of age, migration of colour shall not be three times darker than the comparison standard.

Paper and wood

Sample	<u>Result</u>
2	Pass
3	Pass
4	Pass
5	Pass
6	Pass
7	Pass
8	Pass
9	Pass
10	Pass

Requirement on paper and wood:

For items intended for children under 6 years of age, migration of colour shall not be one time darker than the comparison standard.

Materials other than textile, paper and wood

Sample 199	<u>Result</u>
11	Pass
12	Pass
13	Pass
14	Pass

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@stc.group Website: www.stc.group This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 4 of 8



Page 5 of 8

Date : 2023-11-03

No. : HP23100673

Requirement on materials other than textile, paper and wood: For items intended for children under 6 years of age, coloring matters should be selected from Schedule 1 of the Food Sanitation Law Enforcement Regulation or migration of color is not observed after testing.

(2) <u>Paint coating</u>

Ref.: Clause A4, Section IV Toys, Specifications and Standards for Foods, Food Additives, etc. under the Food Sanitation Law of Japan, Ministry of Health and Welfare Notice No. 370 on 28 December 1959, Notice No. 201 on 31 March 2006, Notice No. 153 on 31 March 2008, Notice No. 416on 11 August 2008 and Notice No. 336 on 6 September 2010

Sa	mple	Soluble metal, µg/g			
No.	Weight, mg	Lead	Cadmium	Arsenic	
15	≥100	<2	<2	<2	
16	≥100	<2	<2	<2	
17	<10	-	-	-	
18	<10	-	-	-	
Li	imit	90 75 25			

Note

<10mg = The coating was less than 10mg to form a test portion; hence, test was not necessary in accordance with the Standard.

- $\mu g/g = microgram per gram$
- mg = milligram
- = Not applicable

 ≥ 100 = larger or equal to 100mg in one sample for soluble element test

For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, after adjusted by subtracting the analytical correction factor in accordance with JETRO Specifications, Standards and Testing Methods for Food stuffs, implements, Containers and Packaging, Toys, Detergents, January 2009 Section III clause A.4.

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@stc.group Website: www.stc.group This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.



Page 6 of 8

Date : 2023-11-03

No. : HP23100673

(3) <u>Phthalates content in plasticized material</u>

Ref.: Clause A7&A9, Section IV Toys, Specifications and Standards for Foods, Food Additives, etc.under the Food Sanitation Law of Japan, Ministry of Health and Welfare Notice No. 370 on 28 December 1959, Notice No. 201 on 31 March 2006, Notice No. 153 on 31 March 2008, Notice No. 416 on 11 August 2008 and Notice No. 336 on 6 September 2010

Method for PVC material: Japan Food Sanitation Law, Notice 0906 No. 4 by Gas Chromatography with Mass Selective Detector Method for polyurethane and rubber material: CPSC-CH-C1001-09.3 by Gas Chromatography with Mass Selective Detector

	Result, % (w/w)					
Sample	DBP	BBP	DEHP	DINP	DNOP	DIDP
11	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
12	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Limit	0.1	0.1	0.1	0.1	0.1	0.1

Note

The requirements of DINP, DNOP and DIDP are only applicable on materials which are intended to come into contact with mouths of children.

DBP = Di-n-butyl phthalate

BBP = Benzyl-n-butyl phthalate

DEHP = Di (2-ethylhexyl) phthalate

DINP = Diisononyl phthalate

DNOP = Di-n-octyl phthalate

DIDP = Diisodecyl phthalate

(w/w) = percentage weight per weight

For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

 Tel: +852 2666 1888
 Fax: +852 2664 4353
 Email: hkstc@stc.group
 Website: www.stc.group

 This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited.
 For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.



Date : 2023-11-03 **No.** : HP23100673 Page 7 of 8

Appendix for Photos of the Submitted Sample





Date : 2023-11-03 **No.** : HP23100673 Page 8 of 8



***** End of Test Report *****

Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by The Hong Kong Standards & Testing Centre Limited (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The Company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by the Company as a result of this application for testing service (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to his customer, supplier or other persons directly concerned. Subject to clause 3, the Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall be at liberty to disclose the testing-related documents and/or files anytime to any third-party accreditation and/or recognition bodies for audit or other related purposes. No liabilities whatsoever shall attach to the Company's act of disclosure.
- 4. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 5. The results in Report apply only to the sample as received and do not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.
- 6. When a statement of conformity to a specification or standard is provided, the ILAC-G8 Guidance document (and/or IEC Guide 115 in the electrotechnical sector) will be adopted as a decision rule for the determination of conformity unless it is inherent in the requested specification or standard, or otherwise specified in the Report.
- 7. In the event of the improper use the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 8. Sample submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 9. The Company will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 10. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 11. Subject to the variable length of retention time for test data and report stored hereinto as to otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of this test report for a period of three years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after the retention period. Under no circumstances shall we be liable for damages of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.
- 12. Issuance records of the Report are available on the internet at www.stc.group. Further enquiry of validity or verification of the Reports should be addressed to the Company.