

WS300 Specifications		
Model Number: N48WHR+I71GKX4		
NVR		
NVR	Video Compression	H.264+
	IP Video Input	8CH Wireless
	Video Output	HDMI and VGA up to 1080p
	Audio Output	Support
	Max Recording Resolution	Up to 5MP (2560 X 1920)
	Max Playback Resolution	Up to 5MP (2560 X 1920)
	Max Playback Channel	4CH
	Max Playback Capacity	4CH 3MP/2CH 5MP
Hard Drive	HDD	1 SATA Interface
	HDD Capacity	Up to 6 TB Capacity
External Interface	Network Interface	RJ45 X1 (10/100 M)
	Wireless Antenna	2 Ports (IEEE802.11b/g/n)
	WiFi	2.4 GHz (Built-in Antenna)
	USB	USB 2.0 X1
General	Housing	Metal for Main Part
	Operating Power	DC 12 V
	Power Consumption	6W (Without HDD)
	Working Temperature	14 °F — 131 °F/-10 °C — 55 °C
IP Camera		
Camera	Video Resolution	3MP (2304 X 1296)
	Image Sensor	1/2.8" Progressive Scan CMOS
	Audio Compression	G.711A
	Video Compression	H.264+
	Lens	3.6 mm
	Angle of View	70°
	Number of Infrared LEDs	18
	Night Vision Distance	Up to 100 ft/30 m
	IR-Cut Filter	Yes
	Ethernet	RJ45 X1 (10 M/100 M)
	General	Wireless
Housing		Plastic for Main Part
Operating Power		DC 12 V
Operating Temperature		-4 °F — 140 °F/-20 °C — 60 °C
Indoor/Outdoor		Indoor/Outdoor
Weatherproof Rating		IP66

