


 Nakamichi

2022

CAR AUDIO

Redefining Audio Excellence since 1948



 nakamichicaraudio.com

 [nakamichi.global](https://www.facebook.com/nakamichi.global)

 [nakamichi.caraudio](https://www.instagram.com/nakamichi.caraudio)



Nakamichi



Etsuro Nakamichi founded Nakamichi Research in 1948. The brother of Niro Nakamichi, he was an acoustic engineering officer in the Japanese Navy doing sonar research.

The company he founded initially designed and developed portable radios, tone arms, speakers and communications equipment, and provided R&D for major brands, government entities, universities, and organizations in the private sector.

Since then, Nakamichi has contributed to various innovations in technology, such as the compact disc and similar optical memory systems, paving the way for an entire range of high-end consumer electronics.

Today, Nakamichi prides itself on relentless research and development, while delivering some of the world's best products to people who appreciate sound at its highest quality.



NA3625X-WUX

10" Capacitive AV Receiver



NA3625X-W6

6.8" Capacitive AV Receiver

Bluetooth®



NA6605X

6.8" Capacitive AV Receiver

Bluetooth®



NA6605X-M6

6.8" Capacitive AV Receiver

Bluetooth®



NA3625X

6.8" Capacitive AV Receiver

Bluetooth®



NA3625-WUX

6.8" Capacitive AV Receiver

Bluetooth®



NA3625-W6

6.8" Capacitive AV Receiver

Bluetooth®



NA3625

6.75" Capacitive AV Receiver



Works with Apple CarPlay		android auto		FULL GLASS 6.75"		Dual USB	LossLess music	RCA x12	1080P FULLHD	DVD video	50W Max. x4
SW	MP3 WMA	Wooler Control	RDS	Rear Camera ready	FM AM	IR					



NA6605

6.8" Capacitive AV Receiver



Works with Apple CarPlay	Multi COLOR	2A USB USB Charger	Wooler Control	COMPACT disc	Rear Camera ready	1080P FULLHD
android auto	Dual USB	LossLess music	RDS	SW	MP3 WMA	50W Max. x4
FM AM	Touch Panel	USB	RCA x12	4V RCA Pre output	DVD video	rear AV-IN



NA3605

6.8" Capacitive AV Receiver



Works with Apple CarPlay	android auto	Touch Panel	DVD video
Dual USB	LossLess music	RCA x12	1080P FULLHD
50W Max. x4	SW	MP3 WMA	Wooler Control
RDS	Rear Camera ready	FM AM	IR



NAM3510-M7

7" Capacitive AV Receiver

Works with Apple CarPlay	android auto	Bluetooth	16 Band EQ
Dual USB	Multi COLOR	LossLess music	rear AV-IN
SW	MP3 WMA	Wooler Control	Subwoofer
FM AM	External Microphone	IR	4V RCA Pre output
RDS	Audio x 5 Video x 2	RCA Output	Audio x 2 Video x 1
DSP	RCA Input	DSP	Time Alignment



NAM3510-M9

9" Capacitive AV Receiver

Works with Apple CarPlay	android auto	Bluetooth	16 Band EQ
Dual USB	Multi COLOR	LossLess music	rear AV-IN
SW	MP3 WMA	Wooler Control	Subwoofer
FM AM	External Microphone	IR	4V RCA Pre output
RDS	Audio x 5 Video x 2	RCA Output	Audio x 2 Video x 1
DSP	RCA Input	DSP	Time Alignment



NAM3510-MX

10" Capacitive AV Receiver

Works with Apple CarPlay	android auto	Bluetooth	16 Band EQ
Dual USB	Multi COLOR	LossLess music	rear AV-IN
SW	MP3 WMA	Wooler Control	Subwoofer
FM AM	External Microphone	IR	4V RCA Pre output
RDS	Audio x 5 Video x 2	RCA Output	Audio x 2 Video x 1
DSP	RCA Input	DSP	Time Alignment



NAM5730-A9/AX

9"/10.1" 8-Core HiFi Android Multimedia Receiver





NAM5510-A9 NAM5510-AX

9"/10.1" HD Android Multimedia Receiver



NAM5420-A9 NAM5420-AX

9"/10" HiFi Android Multimedia Receiver



NAM5200-A7

7" HD Android Multimedia Receiver



NAM5210-A9 NAM5210-AX

9"/10.1" Slim-body AV Receiver with 2.5D Touch Panel



NAM5210

Slim-body AV Receiver with 7" Touch Panel



NAM5010-A9 NAM5010-AX

9"/10" HD Android Multimedia Receiver



NA3600M

2 Din AV Receiver With 6.75" Touch Panel

Bluetooth® 10 Band EQ

Mirror Phone Microphone DVD video

6.75" TFT USB LossLess music RCA x12 4V RCA output 1080P FULLHD 50W Max. x4

SWR FM AM rear AV-IN RDS MP3 WMA IR



NA3020

2 Din AV Receiver With 6.2" Touch Panel


NC-5L

Car Camera with Night Vision

Bluetooth® 10 Band EQ

FULL GLASS 6.2" 1080P FULLHD MP3 IR 4V RCA output

LossLess music RCA x12 USB SWR FM AM 2A USB USB Charger DVD video




NA2300

2 Din AV Receiver With 6.2" Touch Panel


NC-5L

Car Camera with Night Vision

Bluetooth® 10 Band EQ

FULL GLASS 6.2" 1080P FULLHD MP3 WMA IR 4V RCA output

LossLess music RCA x12 USB SWR FM AM 2A USB USB Charger DVD video




NC-5L

Car Camera with Night Vision



NAM1630

7" Capacitive AV Receiver



Bluetooth® 14x8 Band EQ

FULL GLASS 7" SWR Multi COLOR LossLess music 4V RCA output TIME ALIGNMENT 1080P FULLHD 50W Max. x4

MP3 WMA Subwoofer Woofer Control RDS Rear Camera ready IR FM AM Audio x8 Video x2 RCA Output Audio x2 Video x1 RCA Input



NAM1712

7" Capacitive AV Receiver



16 Band EQ FHD 1080 4V RCA output V-Box AUX IN Audio x5 Video x2 RCA Output Audio x2 Video x1 RCA Input

Subwoofer Woofer Control SWI Capacitive Panel Dual USB Multi COLOR DSP

USB DVR Mirror Phone Time Alignment Rear Camera ready LossLess music SWR External Microphone



NAM1710

7" Capacitive AV Receiver



16 Band EQ FHD 1080 4V RCA output V-Box Audio x3 Video x2 RCA Output Audio x2 Video x1 RCA Input

Subwoofer Woofer Control SWI Capacitive Panel Dual USB Multi COLOR DSP

USB DVR Mirror Phone Time Alignment Rear Camera ready LossLess music SWR External Microphone



NAM1720-M9

NAM1720-MX

9" Capacitive AV Receiver
10" Capacitive AV Receiver



Multi COLOR 2.5D GHz Capacitive Panel 1080 FHD Mirror Phone

50W Max. x4 FM AM RDS Woofer Control Rear Camera ready

4V (x3) RCA Output SWR USB MP3 AV-IN LossLess music

MULTIMEDIA/SINGLE DIN RECEIVERS



NAM1612

7" Capacitive AV Receiver



FHD 1080	MuTri COLOR	7" E.W.V.	Capacitive Panel	Video Out	Mirror Phone
SWI	50W Max. x4	FM AM RDS	Audio x2 Video x1 RCA Input	Audio x2 Video x2 RCA Output	External Microphone
MP3 WMA	Real Camera ready	IR	Subwoofer	SW	AUX IN



NAM1610

7" Capacitive AV Receiver



FHD 1080	MuTri COLOR	7" E.W.V.	Capacitive Panel	Video Out	
SWI	50W Max. x4	FM AM RDS	Audio x2 Video x1 RCA Input	Audio x3 Video x2 RCA Output	
MP3 WMA	Real Camera ready	IR	Subwoofer	SW	



NQ723BD

Digital Media Receiver with DSP



2.1A52 USB Universal Charger	5.1 DSP Pre-Output	Subwoofer	Woofer Control	XBASS	Optical out	2 Line VA-LCD
Time Alignment	Phase	X-over	Q value	Slope	40band EQ	LossLess music
50W Max. x4	USB	USB	MuTri COLOR	4V RCA output	Push to Talk	Control APP



NQ523BD

Digital Media Receiver with DSP

DSP	5.1 DSP Pre-Output	Subwoofer	Woofer Control	XBASS	BT5.0	MuTri COLOR	2 Line VA-LCD
Time Alignment	Phase	X-over	Q value	Slope	40band EQ	LossLess music	Audio x2 Front AUX Input
50W Max. x4	USB	USB	2V RCA output	Push to Talk	Control APP	MP3 WMA	IR



NQ733BD

Digital Media Receiver with Professional DSP

DSP	BT5.0	7.1 DSP Pre-Output	XBASS	2.1A52 USB Universal Charger	Detachable Panel
MuTri COLOR	Subwoofer	Woofer Control	2 Way	3 Way	PC Tuning
50W Max. x4	USB	USB	SWI	Push to Talk	Control APP



NQ823BD

CD Receiver with DSP

DSP	BT5.0	XBASS	2.1A52 USB Universal Charger	Detachable Panel
5.1 DSP Pre-Output	MuTri COLOR	Subwoofer	Woofer Control	4V RCA output
50W Max. x4	USB	SWI	Push to Talk	Control APP



NQ923BD

DVD Receiver with DSP

DSP	BT5.0	XBASS	2.1A52 USB Universal Charger	Detachable Panel
5.1 DSP Pre-Output	MuTri COLOR	Subwoofer	Woofer Control	4V RCA output
50W Max. x4	USB	SWI	Push to Talk	Control APP

SINGLE DIN RECEIVERS



NQ921B

DVD/CD Receiver

Bluetooth®

Multi COLOR	Push to Talk	COMPACT disc	LossLess music	Control APP	1A USB USB Charger
Detachable Panel	Available on the App Store	GET IT ON Google Play			



NQ822B

CD Receiver

Bluetooth®

Multi COLOR	Push to Talk	COMPACT disc	LossLess music	Control APP	4V (x4) RCA RCA Output
Detachable Panel	Available on the App Store	GET IT ON Google Play			



NQ511B

CD Receiver

Bluetooth®

Multi COLOR	Push to Talk	COMPACT disc	LossLess music	Control APP	USB	1A USB USB Charger
50W Max x4	FM AM	2V (x4) RCA RCA Output	MP3 WMA	RDS	front AUX-IN	IR
Detachable Panel	Available on the App Store	GET IT ON Google Play				



NQ711B

Digital Media Receiver

Bluetooth®

Multi COLOR	Push to Talk	10 Band EQ	2V (x4) RCA RCA Output	LossLess music	Control APP	USB	50W Max x4
FM AM	RDS	PAC	MP3 WMA	front AUX-IN	IR		
Detachable Panel	Available on the App Store	GET IT ON Google Play					



NQ721BE

Digital Media Receiver

Bluetooth®

Multi COLOR	Push to Talk	10 Band EQ	2-Line Remote	4V (x4) RCA RCA Output	LossLess music	Control APP	USB	50W Max x4
1A USB USB Charger	FM AM	RDS	PAC	MP3 WMA	front AUX-IN	IR		
Detachable Panel	Available on the App Store	GET IT ON Google Play						



NQ616B

Digital Media Receiver

Bluetooth®

Multi COLOR	Push to Talk	10 Band EQ	2-Line Remote	2V (x4) RCA RCA Output	LossLess music	Control APP	USB	50W Max x4
1A USB USB Charger	FM AM	RDS	PAC	MP3 WMA	front AUX-IN	IR		
Detachable Panel	Available on the App Store	GET IT ON Google Play						



NQ511B

Digital Media Receiver

Bluetooth®

Push to Talk	2V (x4) RCA RCA Output	LossLess music	Control APP	USB			
10 Band EQ	Available on the App Store	GET IT ON Google Play					


NDS/NDSK SERIES



Hi-Res Audio (HRA) is lossless audio capable of reproducing the full range of sound from recordings that have been mastered from better-than-CD quality music sources.

BUILT IN AMPLIFIER

Built in amplifier let's you save space by avoiding installing a separate amplifier within your vehicle. Simply connect your speakers directly to the DSP.



Utilizing the latest Analog Devices chipset, ADAU1452, code and processing efficiency is vastly improved while reducing power consumption.



Nakamichi's first HiRes certified DSP series.

NDS500A

Professional Audio DSP Processor

| 6 Hi-Level input | 2 RCA input | 12 RCA |
25Wx4+50Wx4+80Wx2 @4Ω
150Wx1 @4Ω Bridged



NDSR350A

Professional Audio DSP Processor



NDSR360A

Professional Audio DSP Processor



NDSK4185AU

Professional Audio DSP Processor



NDSK4165AU

Professional Audio DSP Processor



NGO/NRO SERIES



NRO-03000.1

3000W x1 @ 1Ω (T.H.D. 10%)
1600W x1 @ 2Ω (T.H.D. 1%)
1000W x1 @ 4Ω (T.H.D. 1%)

CLASS-D MONO BLOCK POWER AMPLIFIER

Class-D



NRO-01500.1

1500W x1 @ 1Ω (T.H.D. 10%)
800W x1 @ 2Ω (T.H.D. 1%)
400W x1 @ 4Ω (T.H.D. 1%)

CLASS-D MONO BLOCK POWER AMPLIFIER

Class-D



NGO-0900.1

900W x1 @ 1Ω (T.H.D. 10%)
800W x1 @ 1Ω (T.H.D. 1%)
560W x1 @ 2Ω (T.H.D. 1%)

CLASS-D POWER AMPLIFIER

Class-D



NGO-A80.2

80W x2 @ 4Ω (T.H.D. 10%)
210W x1 @ 4Ω Bridged (T.H.D. 1%)

CLASS-AB 2-CHANNEL POWER AMPLIFIER

Class-AB



NGO-A80.4

80W x4 @ 4Ω (T.H.D. 10%)
200W x2 @ 4Ω Bridged (T.H.D. 1%)

CLASS-AB 4-CHANNEL POWER AMPLIFIER

Class-AB



NGO-0500.1

500W x1 @ 2Ω (T.H.D. 1%)
320W x1 @ 4Ω (T.H.D. 1%)

CLASS-D POWER AMPLIFIER

Class-D



NGO-A100.4

100W x4 @ 4Ω (T.H.D. 10%)
260W x2 @ 4Ω Bridged (T.H.D. 1%)

CLASS-AB 4-CHANNEL POWER AMPLIFIER

Class-AB



NRO SERIES

NGO SERIES

N/MINI/NKT SERIES

N60T

Class-AB(Tube) 4-channel Power Amplifier



Class-AB
100Wx6 @4Ω
150Wx6 @2Ω
300Wx3 @4Ω Bridged



N40T

Class-AB(Tube) 4-channel Power Amplifier

150Wx4 @4Ω
225Wx4 @2Ω
450Wx2 @1Ω Bridged

Class-AB



N10

Digital Mono-channel Power Amplifier

800Wx1 @4Ω
1200Wx1 @2Ω
2000Wx1 @1Ω

Class-D



NHMD600.1

1-channel Power Amplifier
195 x 120 x 48mm

400Wx1 @4Ω
600Wx1 @2Ω

Class-D



NKTD1000.1

1-channel Power Amplifier
330 x 212 x 50mm

400Wx1 @4Ω
650Wx1 @2Ω
1000Wx1 @1Ω

Class-D



NHMD100.4

Bridgeable 4-channel Power Amplifier
222 x 120 x 48mm

100Wx4 @4Ω
125Wx4 @2Ω
200Wx2 @4Ω Bridged

Class-D



NKTA100.4

Bridgeable 4-channel Power Amplifier
340 x 217 x 50mm

100Wx4 @4Ω
125Wx4 @2Ω
200Wx2 @4Ω Bridged

Class-AB



NKTA60.4

Bridgeable 4-channel Power Amplifier
318 x 217 x 50mm

60Wx4 @4Ω
70Wx4 @2Ω
120Wx2 @4Ω Bridged

Class-AB

NKTA75.4

Bridgeable 4-channel Power Amplifier
318 x 212 x 50mm

75Wx4 @4Ω
100Wx4 @2Ω
150Wx2 @4Ω Bridged

Class-AB

NKTA75.2

Bridgeable 2-channel Power Amplifier
320 x 212 x 50mm

75Wx2 @4Ω
100Wx2 @2Ω
150Wx1 @4Ω Bridged

Class-AB

NKTA75.6

Bridgeable 6-channel Power Amplifier
300 x 212 x 50mm


75Wx6 @4Ω
100Wx6 @2Ω
150Wx3 @4Ω Bridged

Class-AB

NKTA750.5

Bridgeable 5-channel Power Amplifier
320 x 212 x 50mm

65Wx4 @4Ω+350Wx1 @4Ω
90Wx4 @2Ω+500Wx1 @2Ω



NBF/S/X SERIES



NBF SERIES

NBF25.0A

25.4cm Aluminum Active Subwoofer
300 x 225 x 72mm

10"



MAX POWER
1000W
N-POWER 150W

NBF20.0A

20.3cm Aluminum Active Subwoofer
290 x 210 x 69mm

8"



MAX POWER
650W
N-POWER 100W

NBF618S-II

16.5x22.86cm Active Subwoofer
290 x 210 x 73mm

6x9"



MAX POWER
650W
N-POWER 100W

NBF8.1A

20.3cm Active Subwoofer
335 x 240 x 79 mm

8"



MAX POWER
1500W
N-POWER 150W

NBF10.2A

25.4cm Active Subwoofer
345 x 261 x 71 mm

10"



MAX POWER
900W
N-POWER 150W

NBX25M PRO

25.4cm Active Subwoofer Box
Subwoofer Magnet: 120 x 60 x 20mm, Y25

10"



MAX POWER
1000W
N-POWER 150W

NBX210A

25.4cm Active Subwoofer Box
480 x 170/270 x 350 mm

10"



MAX POWER
1200W
N-POWER 120W

NBS210A

25.4cm Active Subwoofer Box
300 x 275 x 318 mm

10"



MAX POWER
1000W
N-POWER 100W

NBX/S SERIES

Enclosures that bring the bass to your vehicle.

NS-S6525

16.5cm 2-way Component Speaker

6.5 Ω



PEAK POWER
750W
N-POWER 75W

NSA-CS1721

16.5cm 2-way Component Speaker

6.5 Ω



PEAK POWER
460W
N-POWER 70W

NSA-CS1711

16.5cm 2-way Component Speaker

6.5 Ω



PEAK POWER
450W
N-POWER 65W

NSE-CS1658

16.5cm 2-way Component Speaker

6.5 Ω



PEAK POWER
350W
N-POWER 50W

NSE-CS1628

16.5cm 2-way Component Speaker

6.5 Ω



PEAK POWER
260W
N-POWER 40W

NSE-CS1618

16.5cm 2-way Component Speaker

6.5 Ω



PEAK POWER
200W
N-POWER 30W

NSE6958

15.2x22.9cm 3-way Coaxial Speaker

6x9", 4Ω



PEAK POWER
500W
N-POWER 75W

NSE6858

15.2x20.3cm 2-way Coaxial Speaker

6x8", 4Ω



PEAK POWER
350W
N-POWER 50W

NSE6918

15.2x22.9cm 3-way Coaxial Speaker

6x9", 4Ω



PEAK POWER
260W
N-POWER 40W

NSE1658

16.5cm 3-way Coaxial Speaker

6.5", 4Ω



PEAK POWER
360W
N-POWER 55W

NSE1648

16.5cm 2-way Coaxial Speaker

6.5", 4Ω



PEAK POWER
260W
N-POWER 40W

NSE1638

16.5cm 2-way Coaxial Speaker

6.5", 4Ω



PEAK POWER
260W
N-POWER 40W

NSE1628

16.5cm 2-way Coaxial Speaker

6.5", 4Ω



PEAK POWER
250W
N-POWER 35W

NSE1618

15.2cm/16.5cm 2-way Coaxial Speaker

6"/6.5", 4Ω



PEAK POWER
200W
N-POWER 30W

COAXIALS



NSE5718

12.6x18.3cm 2-way Coaxial Speaker

5x7", 4Ω



PEAK POWER
200W
N-POWER 30W

NSE1358

13.3cm 2-way Coaxial Speaker

5.25", 4Ω



PEAK POWER
300W
N-POWER 45W

NSE1318

13.3cm 2-way Coaxial Speaker

5.25", 2Ω



PEAK POWER
150W
N-POWER 25W

NSE1058

10.2cm 2-way Coaxial Speaker

4", 4Ω



PEAK POWER
260W
N-POWER 40W

NSE1018

10.2cm 2-way Coaxial Speaker

4", 4Ω



PEAK POWER
130W
N-POWER 20W

NSE4618

8.8x14.4cm 2-way Coaxial Speaker

4x6", 4Ω



PEAK POWER
150W
N-POWER 20W

NSE-M300

8.7cm Mid Range Speaker

3",4Ω



PEAK POWER
75W
N-POWER 15W

NSM6528

16.5cm Mid Range Speaker

6.5",4Ω



PEAK POWER
350W
N-POWER 50W

NSM8528

20.3cm Mid Range Speaker

8",4Ω



PEAK POWER
400W
N-POWER 60W

NS-S31M

7.6cm Mid Range Speaker

3",4Ω



PEAK POWER
300W
N-POWER 30W

NSM-6517
NSM-8517

16.5cm Mid Range Speaker

6.5",4Ω

20.3cm Mid Range Speaker

8",4Ω



N-Power
50W
60W

MID RANGE

NS-W120/100

30.5/25.4cm Dual 4Ω Subwoofer



N-Power
120W
100W
12"/10",4Ω

SUBWOOFER

NSW-Z1206D4-II
NSW-Z1206D2-II

30.5cm DVC Subwoofer

600W N-Power

Z1206D4-II 12",4Ω

Z1206D2-II 12",2Ω



NSW-Z1203S4-II

30.5cm SVC Subwoofer

300W N-Power

12",4Ω





TWEETERS

N-T39

30mm ASV Tweeter

15W^{N-Power}

30mm, 6Ω



NS-QT25

25mm ASV Tweeter

20W^{N-Power}

25mm, 4Ω



NS-QT65

25mm KSV Tweeter

20W^{N-Power}

25mm, 3Ω



NSE-T131

13mm KSV Tweeter

15W^{N-Power}

13mm, 4Ω



NS-QT66


25mm KSV Tweeter

20W^{N-Power}

25mm, 3Ω



HEADREST



NHM-090

9" Car Headrest Monitor

- Screen Size: 9 inch
- One Video Input
- Video Mode: 16:9
- Power Supply: DC12V
- Max Power Consumption: ≤5W
- Video System: PAL/NTSC
- Resolution: 800xRGBx480
- Built-in Speaker
- With USB/TF Card Jack
- With USB Charger For Universal Charge

NHM-080A/NHM-080B /NHM-080C

8" Car Headrest Monitor



- Screen Size: 8inch
- Dual Video Input:(AV1/AV2)
- Video Mode:16:9/4:3
- Power Supply:DC12V
- Max Power Consumption:≤5W
- Video System:PAL/NTSC
- Resolution: 800x480
- Operation Style:Touch Key And Remote Control

SOUND DEADENING

NZ-0117 Q-Film

size: 820×460mm/pc, thickness 2mm




NZ-0135 Q-Mat

size: 820×460mm/pc, thickness 2mm



NZ-0139 Q-Liner

size: 900×500mm/pc, thickness 10mm



NZ-0136 Q-Pad

size: 820×460mm/pc, thickness 3mm



TWEETERS

HEADREST

SOUND DEADENING

RCA CABLE



	NK-RCP1	NK-RCP2	NK-RCP5
--	---------	---------	---------

LENGTH **1M** **2M** **5M**

1) 100% Oxygen Free Copper Construction.

2) NakFlex jacket construction for easy installation and long term durability.

3) Gold-plated contacts ensures clean signal transmission and corrosion resistance.

WIRING KIT



	NK-WK14	NK-WK18	NK-WK110
--	---------	---------	----------

PEAK POWER **1200W** **700W** **500W**

GAUGE **4** **8** **10**

CHANNEL **2** **2** **2**

WHAT'S INCLUDED	NK-WK14	NK-WK18	NK-WK110
	4GA Power Cable 5M×1pc	8GA Power Cable 5M1pc	10GA Power Cable 5M×1pc
	4GA Ground Cable 1M×1pc	8GA Ground Cable 1M×1pc	10GA Ground Cable 1M×1pc
	12GA Speaker Cable 10M×1pc	15GA Speaker Cable 10M×1pc	RCA Cable 5M×1pc
	RCA Cable 5M×1pc	RCA Cable 5M×1pc	Remote Cable 5M×1pc
	Remote Cable 5M×1pc	Remote Cable 5M×1pc	ATC Fuse Holder With Cable×1pc
	MINI ANL Fuse Holder ×1pc	AGU Fuse Holder ×1pc	10GA Ring Terminal×2pcs
	4GA Ring Terminal×2pcs	8GA Spade Terminal×2pcs	8GA Spade Terminal×2pcs
	4GA Spade Terminal×2pcs	Cable Ties×6pcs	Cable Ties×6pcs
	Cable Ties×6pcs		

CABLE

NCDSC-12

Product Type 12GA high Performance Cables
Construction 7x42/0.12mm
Outer Diameter 4.5+4.5mm, square / Circular Design
Composition OFC
Accessories With Protective End Cap
Length 30Meter

NCDSC-16

Product Type 16GA high Performance Cables
Construction 7x16/0.12mm
Outer Diameter 3.2+3.2mm, square / Circular Design
Composition OFC
Accessories With Protective End Cap
Length 70Meter

NCDSC-18

Product Type 18GA high Performance Cables
Construction 66/0.12mm
Outer Diameter 2.5+2.5mm, square / Circular Design
Composition OFC
Accessories With Protective End Cap
Length 100Meter

NCDPC-0

Product Type 0GA high Performance Cables
Construction 7x7x96/0.12mm
Outer Diameter 15.5mm
Composition OFC
Accessories With Protective End Cap
Length 15Meter

NCDPC-4

Product Type 4GA high Performance Cables
Construction 7x7X39/0.12mm
Outer Diameter 10.0MM
Composition OFC
Accessories With Protective End Cap
Length 30Meter

NCDPC-8

Product Type 8GA high Performance Cables
Construction 7x105/0.12mm
Outer Diameter 6.5MM
Composition OFC
Accessories With Protective End Cap
Length 50Meter

NCGSC-12

Product Type 12GA high Performance Cables
Construction 3.35/0.20mm
Outer Diameter 4.5+4.5mm, square / Circular Design
Composition OFC
Accessories With Protective End Cap
Length 30Meter

NCGSC-14

Product Type 14GA high Performance Cables
Construction 66/0.20mm
Outer Diameter 3.6+3.6mm, square / Circular Design
Composition OFC
Accessories With Protective End Cap
Length 50Meter

NCGSC-16

Product Type 16GA high Performance Cables
Construction 42/0.20mm
Outer Diameter 3.2+3.2mm, square / Circular Design
Composition OFC
Accessories With Protective End Cap
Length 70Meter

NCGSC-18

Product Type 18GA high Performance Cables
Construction 7x7X39/0.12mm
Outer Diameter 25/0.20mm
Composition OFC
Accessories With Protective End Cap
Length 100Meter



NCGPC-0

Product Type 0GA high Performance Cables
Construction 7x7x35/0.20mm
Outer Diameter 15.5mm, square / Circular Design
Composition OFC
Accessories With Protective End Cap
Length 15Meter

NCGPC-4

Product Type 4GA high Performance Cables
Construction 7x7x96/0.20mm
Outer Diameter 10.0mm, square / Circular Design
Composition OFC
Accessories With Protective End Cap
Length 30Meter

NCGPC-8

Product Type 8GA high Performance Cables
Construction 7x38/0.20mm
Outer Diameter 6.5mm, square / Circular Design
Composition OFC
Accessories With Protective End Cap
Length 50Meter



Published 2022 by Nakamichi Corporation.

Copyright by Nakamichi Corporation

All Rights Reserved.

Notes: Specifications and design subject to modification without notice.

Product design may differ according to region.

Product colors and illumination may differ in photographs from actual appearance,
due to effects of printing and photography.

This brochure may contain references to products that may or will not be available in your country.

Some products in this catalogue are distributed on a limited basis.



INHERIT THE CLASSICS INNOVATE THE FUTURE

Redefining Audio Excellence since 1948