

Make your life smarter and safer

FCC ID: 2AZL7-ZS-GXIS





Warranty Service

Thanks for your shopping and trust.

We have been optimizing our products and improve our lifetime customer service to offer you a better shopping experience. If you have any problems, please feel free to send us an E-mail. We will solve your problems **within 24 hours**. In addition, your advice or suggestions will be much appreciated and welcomed.

Product Service

Email: <u>Tech@tiejus.com</u> Distributor: <u>distributor@tiejus.com</u>

More About Us

Web: www.tiejus.com Facebook: www.facebook.com/zumimalloffice

Brand Story

TieJus is a young and fresh security brand that has attracted millions of technology enthusiasts in just 6 months of establishment. TieJus is committed to creating a smarter and easier modern lifestyle for consumers. Let more consumers enjoy convenient modern life without worrying about information security.

At the beginning of 2022, combined with advanced intelligent AI technology, TieJus launched the first surveillance camera that combines artificial intelligence and security system. We believe small details make a big difference – that's why we create quality, easy-to-use smart home products.

Choose TieJus - the new security weathervane.

INDEX


1. What's in the Box	P1
2. Product Diagram	P2
3. Reset Camera	P3
4. Download and Install App	P4
5. Account Registration	P5
6. Add Camera to App	P5
6.1 Preparations for Connection	P5
6.2 Connect Camera to App	P6
7. Camera Installation	P8
8. Important Notes	P8
9. Monitoring Area	P9
10. Device Menu	P10
II. Two-Way Audio	P11
12. PIR Body Detection	P11
12.1 Body Detection Alarm Setting	P11
12.2 Alarm Notifications	P12
12.3 Record/Playback/Delete	P12

INDEX

13. Power Saving Settings	P13
13.1 Alarm Interval & Shooting Interval	P13
13.2 Maximum Shooting Time & Recording Time	P13
13.3 Alarm Plan	P14
14. Battery Management	P15
15. Multi Device Management	P16
15.1 Multi Camera Management	P16
15.2 Multi User Sharing	P16
16. TIEJUS FAQ	P18

1. What's in the Box





Tiejus Battery Camera * 1


Quick User Guide *1

Outdoor Metal Mount *1 USB Cable *1

Screws Set *1

NOTE: Micro SD card and power adapter are not included.

2. Product Diagram



Power Button	Keep pressing for 5-10 seconds to power on/power off
Reset Button	Keep pressing for 5-10 seconds to reset
Blink Slowly in Red	Awaiting Wi-Fi connection, ready for adding devices
Blink Fast in Red	Wi-Fi connecting
Solid in Red	Network problem
Solid in Blue	Wi-Fi connected, camera running normally
Blink Slowly in Blue	Firmware update

3. Reset Camera

- ① Keep pressing to remove device
- (2) Press the reset button for 5-10s until hear the 'Boogu' sound
- ③ Reconnect as before...



4. Download and Install App

Download ZUMIMALL App from Google Play™ or App Store™. Or scan the QR codes as below, with your smart phone.

NOTE: Google Play™ is a trademark of Google Inc.

App Store™ is a service mark of Apple Inc.







ZUMIMALL

Android

NOTE: Please turn on both of the following permissions.

1 Allow ZUMIMALL App to access mobile cellular data and wireless LAN, otherwise it will fail to connect the camera.

2 Allow ZUMIMALL App to receive pushed messages, otherwise, the phone will not receive alarms when motion is detected.


4





5. Account Registration

New user needs to sign up ZUMIMALL App with email address. Click 'Sign up' to create a New Account and follow the steps to complete registration.



6. Add Camera to App

6.1 Preparations for connection


① Insert a Micro SD Card into the camera to save video clips or you can start the

7-day free cloud service. Without Micro SD Card or cloud service, no video will be saved.

2 The camera only works with 2.4GHz Wi–Fi, not support 5GHz.

③ When connecting to the network, please take the camera close to the router (Recommended within 10–15ft).

6.2 Connect Camera to App








7. Camera Installation

① Fix the bracket to where you want to install the camera with the supplied screw.

2 Fasten the camera on the metal mount, and fix them.

3 Adjust the viewing angle of the camera.



8. Important Notes


- ▲ To reduce false alarms, please note that:
- ① Do not install the camera in a position facing strong lights/mirror/window/ swimming pool.
- (2) Do not place the camera too close to any angel with busy traffic.
- ③ Keep camera away from the outlets, including air conditioner vents, humidifier outlets, the heat transfer vents of the projectors, etc.
- ④ Keep the camera at least 1 meter away from any wireless devices to avoid interference, such as microwave stove, Wi-Fi routers and etc.

9. Monitoring Area


 $(\ensuremath{\mathbb I})$ It is not suggested to install the camera vertically towards the moving objects, otherwise, it may not detect the motion events or cause delay.

2 It is suggested to make the angle between PIR Sensor and detected objects more than 10 degrees.

③ The camera motion sensor is much more sensitive to side-to-side movement across its field of view than to movement directly toward or away from the camera.



10. Device Menu



1	Add Camera	15	Cloud Storage
			U
2	Device List	16	Screenshot to Phone
3	Real Time	17	Two-Way Talk
4	Live View Button	18	Record to Phone
5	Camera Name	19	Motion Detection On/Off
6	Settings	20	Light
7	Device Homepage	21	Siren
8	Messages	22	Audio warning and strobe light
9	Explore	23	Album
10	Personal Homepage	24	Time Bar
11	Quit Live Viewing	25	Zoom
12	Setting Manual	26	Date of History Record
13	View Live	27	Alarm time point
14	SD Card History		

11. Two - Way Audio

 Open the microphone permission of ZUMIMALL APP.
Long press the intercom button to start speaking, and the sound will be emitted from the camera at this time.
Release the intercom button to listen to the speech, and the sound will be emitted from the mobile phone.

12. PIR Motion Detection

12.1 Motion Detection Alarm Setting

Motion detection sensitivity can be adjusted from 1 to 10 . Please refer to the image below.



Tap on 'settings'	Image: state of the state of
Sensitivity	Detecting Distance (For moving and living objects)
LOW: 1-3	13-16ft (4-5meters)
MID: 4-7	16-23ft (5-8meters)
HIGH: 8-10	23-42ft (8-13meters)

NOTE: The higher the sensitivity is, the longer distance the PIR can detect. Accordingly, the battery will drain faster.

12.2 Alarm Notification

This camera does not support 7*24 hours all day recording, it is an event recording camera. It is only triggered when body motion is detected.

Here are system's reactions:

- 1 Alarm notifications with sounds from App.
- 2 Pictures/videos automatically stored in Micro SD Card or Cloud.

12.3 Record/Playback/Delete

① On 'MESSAGES' page, click 'Alarm Messages', you can view all the records listed.

2 Click the following buttons to playback or delete.

③ All screenshots or manually recorded videos on live/history/ cloud page will be saved in Pictures & Videos. Files here can be saved in your phone Album or shared with others directly.



13. Power Saving Settings

13.1 Alarm Interval

This is a function that avoids repeated alarms for the same event. You can choose an alarm interval of different lengths, if the interval is 5 minutes, then the camera is triggered at 08:00, you will receive an alarm message, and you will not receive a new alarm push in the next 5 minutes, even if motion detection continues to occur.

NOTE: This function is off by default, you can set it as needed.

13.2 Recording Time

You can choose a different recording length if you set the recording length to 20 seconds, then after the camera is triggered, you can view the 20 seconds of alarm video in the history of cloud playback.

5:51		J
<	060238708	
Device Inform	ation	>
Receive Alert	Notifications	
Installation Gu	ide	>
Device Share		>
Location Mana	gement	>
Network Indica	ator	
Time Setting		>
Image Setting		>
Sound Setting	5	>
Alarm Manage	ement	>
Battery Manag	jement	>
Recording Ma	nagement	>
Cloud Storage	Service	>

<	-	lam	n Ma	inac	em	ent		
behavi	urning it ior who s i. It is po	on, yı standı	ou ca a in fr	n moi ont oi	nitor : f the i	he hi Jevio	e and	i se
Dete	citon Se	ensiti	vity					
1	2 3	4	5	6	7	8	9	10
Select '	ion and The Wor m Work	king N	lode o					
Aler	rt Plan							>
	e time pe s an alar							
Alar	rm Area							>
								,
Aud	iio warn	ing ar	nd str	opei	ignt			



13.3 Alarm Plan

You can set the weekly/daily alarm schedule as you need. If you set the camera's working hours from 0:00 to 1:00 .The camera will only be triggered and record alarm video during this time period.

NOTE: Alarm schedule can be set for up to 4 time periods.

<		Alarm						
behavi	urning it ior who s . It is po vities.	stands	in fro		the (device	anc	sen
Dete	citon S	ensitiv	ity					
1	2 3	4	5	6	7	8	9	10
Select	ion and The Wor rm Work	king M	Iode c			ient C		•
Aler	rt Plan							>
	e time pe s an alar							
Ala	rm Area							>
Aud	fio warn	ing an	d str	obe li	ght			>
						valid		

Set the Time Performance Pe	eriod 🗸
et the time period of the alarm, the d alarm event during this tin	
Start Time	00:00 >
End Time	00:00 >
ielect Day	
Mon	0
Tue	0
Wed	0
Thu	0 0 0 0
Fri	0
Sat	0
Sun	0

S-51 Time Period Setting Unset the adams ported to be funded on 00:00 ~ 01:00 Nor Mor Add Time Period	/	
Mater the atom point in be formed on 00:00 ~ 01:00 Mater Table	- (((5:51
00:00 ~ 01:00		C Time Period Setting
	- 111	Select the alarm period to be turned on
	- 111	00:00 ~ 01:00
Add Time Partod	111	Mon
Add Time Period	- 411	
Add Time Period	111	
Add Time Parlod		
Add Time Puriod		
Add Time Period		
Add Time Period	- 111	
Add Time Period		
Add Time Period		
Add Time Parlod		
Add Time Period		
Add Time Period		
Add Time Period		
		Add Time Period
		、

14. Battery Management

① The camera has a built-in high-capacity battery, which can be used for 2-3 months, assuming the camera wakes up 15 times per day and play video for 10 minutes each day.

NOTE: The battery durability depends on how frequently the camera is woken up. The more it wakes up, the faster the battery drains. It is recommended to lower down the 'Motion Detection' sensitivity or turn it off occasionally.

2 When power is less than 20%, the App will send you reminding messages for charging in time.

3 Charge the camera with DC 5V 2A charger, until it is fully charged after 6-8 hours.



15. Multi Device Management 15.1 Multi Camera Management



15.2 Multi-User Sharing


NOTE: One App account (A) can't login on multiple devices at the same time. One camera can't be connected to multiple App accounts either. But camera can be shared form A to B.

Share steps:

① B download ZUMIMALL App to his/her phone and create a new account in the App.

- 2 Click 'Add' in App on A's phone.
- ③ A scan B's QR Code or input B's account ID.
- ④ B accept share and refresh the device page.





16. TIEJUS FAQ

1. Unable to connect network

① Check WiFi name and password (password cannot contain special symbols).

- 2 Make sure WiFi is 2.4GHz, 5GHz is not supported.
- ③ Please make sure the camera and mobile phone are in the same WiFi environment when connecting, and add the camera near the router.

2. Connect to a new network

- 1 Remove camera from ZUMIMALL APP.
- (2) Long press the reset button to restore factory settings.
- ③ Reconnect.

3. Reset the camera

- ①Long press the reset button until you hear the sound of "Boogu".
- 0 Wait for the camera status indicator to flash red slowly.

4. Can't charge

- (1) Charge at least 8~10 hours with a 5V/2A adapter.
- 2 Ensure that the charging cable and power adapter can be used normally.

③ The red light of the charging indicator is always on, indicating that it is charging, and the indicator turns blue when it is fully charged.

5. Frequently received alarm information

 $(\ensuremath{\underline{1}})$ Reduce the sensitivity of motion detection alarm.

(2) Check whether there is any object within the detection range of the camera to interfere with triggering the PIR sensor.

③ Turn on "Alarm only when people appear", and use the humanoid algorithm to filter false positives.

6. Some people pass by without calling the police

 $(\ensuremath{\mathbbm I}$ Ensure that the network is in good condition, and the WiFi signal value cannot be lower than 70%.

2 Ensure that motion detection is turned on and increase the sensitivity of the camera.

3 Make sure the motion occurs within the detection range of the PIR.

7. No alarm video recording

① Make sure the camera is triggered.

2 Ensure that the Micro SD card is inserted correctly and recognized successfully, or subscribe to cloud services.

8. No alarm push

 $(\ensuremath{\mathbbm I})$ Open the phone settings, click the notification, find the "ZUMIMALL" APP, and open the permission notification.

- ② Open the "ZUMIMALL" APP, in the "Settings" interface, enable the alarm push.
- ③ In the "My" interface, enter the settings and turn on the push sound.
- ④ Ensure that the motion detection function of the device is successfully turned on.
- (5) Restart the phone, try to clear the cache on the Android phone.
- (6) Check whether the network is good.

9. Unable to play local history playback

 $(\ensuremath{\mathbbm I})$ Check the status of the Micro SD card in "Settings" to ensure that the Micro SD card has been successfully recognized.

- 2 Reinsert the Micro SD card.
- 3 Format the Micro SD card in the APP.
- 4 Use a new Micro SD card.

- 10. Unable to play cloud playback
- $(\ensuremath{\underline{1}})$ Make sure the cloud service function is enabled.
- (2) Open cloud storage button in cloud service interface.

11. Device offline

 $(\ensuremath{\mathbbm I})$ Check whether the device is in sufficient state, and observe whether the camera status indicator lights up normally.

(2) Check whether the WiFi network is good, restart the router.

③ If the camera is installed far away from the router and cannot obtain a good WiFi signal, it is recommended to move the router to a closer place or install a WiFi signal extender to increase the WiFi strength.

4 Delete the camera from the ZUMIMALL account, reset the device and add it again.

 $\ensuremath{\textcircled{}}$ 5 Check if the device version and ZUMIMALL APP are the latest version.

12. Short battery life

 ${\rm (I)}$ Reduce the sensitivity of camera motion detection and reduce the number of camera triggers.

(2) Reduce the number of two-way intercoms and watch the live broadcast.

③ Set the alarm interval and alarm time plan.

4 Check whether there are objects that interfere and trigger the PIR sensor within the field of view of the device.

(5) In cold weather, the battery capacity will be reduced, which will affect the battery life of the device.

13. ZUMIMALL APP crashes

- (1) Re-download the latest version of ZUMIMALL APP.
- 2 The version of the mobile phone system is too low or too high.
- 3 Clear the phone cache.

- 14. Unable to register an account
- $(\ensuremath{\underline{\mathrm{I}}})$ Ensure that ZUMIMALL APP has access to mobile cellular data and wireless LAN.

② Enter an unregistered account and make sure the format of the registered account is correct.

15. Unable to share device

- ① The accounts you and your friends have registered must be in the same country.
- 2 For example, UK users cannot share with US users.

16. No sound is heard when the device is talking

- (1) Open the speaker button on the APP.
- 2 Adjust the intercom volume in the settings.
- ③ Turn on the phone media volume.
- ④ Release the intercom button and listen to the other party.

17. Noise during two-way intercom

① If the distance between the camera and the mobile phone is too close (1~2 meters), there will be whistling, which is a normal phenomenon.

(2) It is recommended to keep a certain distance between the camera and the mobile phone during the intercom.

18. Live video is blurry

- $(\ensuremath{\underline{1}})$ Check the lens for dust and wipe it clean.
- 2 Try switching between different resolutions.
- ③ Re-add camera after reset.

19. The live broadcast at night has white spots

- ① When the light source is directly on the lens, there will be white spots on the screen.
- 2 It is recommended not to point the lens at a strong light source

If you have other questions, please send us the SN number of your camera and describe the problem you have encountered, we will solve it as soon as possible.

Email: Tech@zumimall.com

How to find SN number?

