

FIERYRED®
4x4 EQUIPMENT

TAILGATE GAS STRUTS INSTALLATION GUIDE



NISSAN NAVARA NP300 2015-2020

Please read this guide carefully before installation

Fieyred, founded in March, 2016 and born of the passion to fulfill four-wheel drive lovers' demand for affordable, yet high quality 4x4 equipment, takes prides in designing, engineering and providing rock solid 4x4 products to let you rediscover the fun of off-roading.

Based in the United States, Fieyred is a professional supplier of 4x4 equipment, currently provides off-road recovery gears & tools as well as aftermarket vehicle parts that are designed to offer you ultimate experience with exceptional value.

It is the passion, coupled with a continuing commitment to quality and unswerving dedication to customer, that distinguishes Fieyred from the competition. At Fieyred, we strive to excel your expectation, and permeate that conviction into every product that wears the Fieyred brand.

Wherever your passion takes you, Make Your Own Path.

KEY INFORMATION & SAFETY RECOMMENDATIONS

- The Fieryred tailgate gas struts are designed for Nissan Navara NP300 2015-2020 ONLY.
- It is highly advisable to consult a qualified expert or someone who is experienced in changing gas struts if possible.
- The Fieryred gas struts are maintenance free, DO NOT grease or lubricate shaft.
- DO NOT try to open or drill into a gas strut, because it is filled with oil and high pressure gas.
- For your safety, gas struts should always be replaced in pairs.
- Check the fitting points on the body of the vehicle and repair or replace them if they are damaged.
- This gas strut's elevating abilities deteriorate progressively as temperatures get colder.

PACKAGE LIST

1 (Pair) Fieryred Nissan Navara NP300 2015-2020 Tailgate Gas Struts


2 PC(s) Tailgate Cables

2 PC(s) Backing Plates

2 PC(s) Brackets

1 PC(s) Drilling Template


6 PC(s) Screws



INSTALLATION INSTRUCTIONS




1. Remove the bolt of the cable from your tub.



2. Remove strap bolt from the tailgate.



3. Bolt on the drilling template as shown.




4. Mark the three holes as illustrated.




5. Drill the three holes to 10mm.
TIP: drill smaller holes first to locate the bit.



6. Remove the access panel of the tailgate.



7. Place the backing plate inside your tailgate.



8. Insert only 2 bolts through the bracket. The third bolt shall be installed later in step 12.



9. Remove the lower striker bolt from the tub.



10. Install the strut and new cable supplied.



11. Tighten the bolt as shown.



12: Place the bottom of the strut over the tailgate bracket and then screw in the third bolt.



13. Reinstall the removed cable bolt in step 2 and place the cable on first.



14. Repeat the same process on the passenger side for up strut and remove the spacer once installed.



Finished



WARRANTY

Fieryled warrants that each of its tailgate gas strut that is purchased while this Warranty is in effect will be free from defects in materials and workmanship for a period of 1 Year from the date of receiving the product from Fieryled or its authorized distributor/dealer. If it is believable to be defective during the 1-Year Warranty Period, Fieryled will, at its option, repair it, replace it with the same or similar product, or will issue a refund for the defective Fieryled product. And Fieryled will pay for the cost of shipping or transportation of a defective component. This warranty terminates if a purchaser transfers the product to any other person. And please retain your purchase receipt for your records.

Please ensure that the Fieryled gas strut should be fit in accordance with the key information and safety recommendations listed in the user manual, and should be used for the purpose for which it was designed.

Any and all warranty coverage does not cover: normal wear and tear, incorrect fitting, unauthorized modifications, damages caused by incorrect mounting or incorrect use, damages caused by an accident, damages as a result of failure to follow information in the user manual, improper or negligent use or misuse, using the Fieryled gas struts other than for the purpose for which it was originally designed, failure to follow relevant vehicle safety and compliance laws, improper repair, abuse, acts of nature, terrorism, vandalism, collision, road hazards or adverse conditions.

If further information or investigation is required or if the claim does not meet the requirements under our warranty, Fieryled'll let you know.

For more information, please visit <https://fieryled.com/>

