

DOVPO®

For Better Future



ABOUT DOVPO

Established in 2012, Shenzhen DOVPO Technology Co., Ltd is specialized in R&D, manufacturing, marketing and service of electronic cigarette. Since the foundation, Dovpo has always devoted to developing various electronic cigarettes for consumers.

Our vision is to offer innovative vape devices to the market, to be an industry-leading brand.

Our mission is to be a reliable partner to our customers, to make best possible devices for vapers!

DOVPO CULTURE

Since 2018, we started working together with some of the most respected individuals and companies to bring out more options for our customers. While developing the devices, we took design, user experience, innovation and affordability into consideration, aimed to create best overall products for vapers.

Along with our creative team in Dovpo and partners around the world, Dovpo will continue to devote our efforts serving our customers and users!

#101, Bldg 1, 164 Futang RoadTangxiachong
Community, Yanluo StreetBao'an District,
Shenzhen, China 518105



+86-755-8889-1236



[HTTPS://WWW.DOVPO.COM](https://www.dovpo.com)



@dovpo_official



@dovpo



@dovpo tech



The image shows the DOVFO logo mounted on a dark blue, grid-patterned building facade. The logo consists of a stylized flame icon on the left and the word "DOVFO" in a bold, sans-serif font on the right. A registered trademark symbol (®) is located at the end of the word. The building's surface is highly reflective, mirroring the sky and clouds. The sky is a deep blue with scattered white clouds. The logo is positioned diagonally across the frame, following the curve of the building's facade.

DOVFO®

WHAT IS OUR CO-BRANDING PROJECT?

Co-branding is a form of cooperation between two brands with significant consumer recognition that results in the creation and introduction of a new product on which both brands are visible. Since 2018, Dovpo has collaborated with the top leadership in the vaping industry to release co-branded collections. We've partnered with the trusted vaping Youtube reviewers The Vapor Chronicles, Mike Vpaes, The Vaping Bogan, Vaping biker, Signature Tips, VaperzCloud, Mr. Justright1 and Deer vape from Korea to create advanced products that coordinate with the vape fans. The main aim of our collaboration projects is to provide every Dovpo fan with the best in class and innovative devices.



MIKE VAPES

ST
Signature Tips™



THE VAPING BOGAN



THE VAPOR CHRONICLES



MR. JUSTRIGHT1



DEER VAPE



J2

Category



Mods

RIVA 200	CLUTCH
CLUTCH x18	ODIN 200
ABYSS	TOPSIDE SQ
RIVA	ODIN DNA250C
TOP GEAR	TOPSIDE 90W
ODIN 100	TOPSIDE DUAL
COLLEGE DNA60	M VV II
ODIN MINI	TOPSIDE LITE MOD

Tanks

BLOTTO MAX RTA
BLOTTO V1.5 RTA
BLOTTO SINGLE COIL
BLOTTO MINI
OHMAGE TANK
VARIANT RDA
BLOTTO RTA
TOPSIDE LITE KIT

Kits

DOVPO®





J3

Mods



RIVA 200

DOVPO®



RIVA 200

RIVA 200

BOX MOD

HIGHLIGHTS



SUPER
ERGONOMIC
DESIGN



DUAL 18650
BATTERY



UP TO 200W

SPECIFICATIONS

- Size: 80.0mm x 43.0mm x 39.5mm
- Material: Zinc Alloy + Synthetic Leather
- Battery: 2 x 18650 High-drain Batteries
- Output Voltage Range: 0.5v – 8.0v
- Working Mode: Variable Wattage, Temperature Control, Variable Voltage
- Wattage Range: 5.0W – 200.0W
- Display: 0.96" Full Color TFT Screen
- Charging: USB Type-C 5V/2A

MULTIPLE COLOUR



Black-Black



Black-Brown



Silver-Black



Silver-Brown



Silver-Blue

Signature Tips®

Wetzone

Clutch x18
Signature Mods

Clutch x18



CLUTCH x18

SIGNATURE MODS

HIGHLIGHTS

- Dual 18650 Battery in Pararrel
- 37A FUSE (5 Extra Included)
- Solid Silver Contacts
- Unique Locking System For Safety
- Fine Shot Blasted & Anodised
- Machined From Solid Billet Aluminium
- Commercial Grade 3d Printed Internal Sled
- Ergonomic Finger Hinges

SPECIFICATIONS

- Size: 81.5*50.9*25mm
- Material: Aluminium
- Battery: 2*18650
- Thread: Hybrid 510

MULTIPLE COLOUR



Black

Red

Blue

Green

Gunmetal





ENTER THE ABYSS.

SPECIFICATIONS

- Single 21700/18650 battery powered (21700 plate and 18650 tube adapter included)
- Dovpo chipset with water-resistant nano coating
- VW/VV/TC modes
- Maximum power output 60W
- USB-C fast charging
- Multiple safety protections
- Side fill design with silicone stopper
- Adjustable airflow system
- Bridged coil system (includes the Nautilus Bridge allowing compatibility with Aspire Nautilus BVC coils)

MULTIPLE COLOUR



Storm



Classic



Onyx



RIVA

DNA250C BOX MOD

HIGHLIGHTS



COVERED
BY GENUINE
LEATHER



SUPER
ERGONOMIC
DESIGN



DUAL 18650
BATTERY



UP TO 200W

SPECIFICATIONS

Size: 80.0mm x 43.0mm x 39.5mm

Material: Zinc Alloy + Real Leather

Chipset: Evolv DNA250C

Output Voltage Range: 0.2v – 8.0v

Working Mode: Variable Wattage, Temperature
Control, Replay

Display: 0.96" Full Color TFT Screen


Charging: MicroUSB 5V/2A

MULTIPLE COLOUR





TO GEAR



TOP GEAR

2020 FLAGSHIP

HIGHLIGHTS

COVERED BY CARBON FIRVER
ALL CNC MACHINED
DUAL 18650 BATTERY
ROTATING & PUSHING "KNOB" TO
ADJUST SETTINGS
THE BUTTONS ON THE FRONT PANEL
TO ADJUST SETTINGS

MULTIPLE COLOUR



Monet / Carbon-Blue / Carbon-Rusty / Carbon-Black / Carbon Grid

SPECIFICATIONS

Size: 88.6mm x 54.2mm x 27mm
Material: Aluminum Alloy
Chipset: Evolv DNA250C
Output Voltage Range: 0.2v – 8.0v
Working Mode: Variable Wattage, Temperature
Control, Replay
Display: 0.96" Full Color TFT Screen
Charging: MicroUSB 5V/2A



ODIN 100

ODIN 100

JUST ONE MORE THE BEST

HIGHLIGHTS

Dovpo 100W Chipset
21700/20700/18650 Compatible
TYPE-C Fast Charging
Decent, Solid, Quality and Affordable
Highly secure, Well-built and Reliable
Multiple Protections for Your Safety

MULTIPLE COLOUR



Gunmetal / Matte Black / Red / Black / Silver

SPECIFICATIONS

Size: 36.3*32*90.5mm
Material: Aluminum Alloy+Zinc Alloy
Display: 0.96" TFT Color Screen
Battery: 1*18650/20700/21700
Output Wattage: 1-100W
Output Voltage: 3.2-4.2V
Resistance Range: 0.06-3.5Ω
Charging: Type-C 5V/1A

DEER VAPE

EVOLV

COLLEGE DN460



COLLEGE DNA60

SEXY / COOL / FUN

HIGHLIGHTS

Unique Side by Side Design
Intelligent EVOLV DNA60 chipset
Powered by single 18650 battery with 60W max output
Ergonomic shape, comfortable to hold, agile to operate
OLED screen is specially located on the bottom of the mod
Automatically adjust its output power to meet the desired temperature

MULTIPLE COLOUR



Silver / Red / Black / Gunmetal

SPECIFICATIONS

Size: 82.0*54.5*27.0mm
Material: Aluminum Alloy
Chipset: DNA60 By Evolv
Battery: 1*18650
Output Wattage: 1-60W
Output Voltage: 3.2-4.2V
Resistance Range: 0.1-3.0Ω
Charging Time: 2-3 Hours



ODIN MINI

ODIN MINI

SMALLER
THAN THE OTHER ONE

HIGHLIGHTS

DNA75C Chip by Evolv
21700/20700/18650 Compatible
Decent, Solid, Quality and Powerful
Compact Design, Comfortable to Hold

MULTIPLE COLOUR



Red / Black / Gunmetal / Silver

SPECIFICATIONS

Size: 36.3*32*90.5mm
Material: Aluminum Alloy
Chipset: DNA75C by Evolv
Display: 0.96" TFT Color Screen
Battery: 1*18650/20700/21700
Output Wattage: 1-75W
Temperature Control Range:
200°F- 600°F / 93°C- 316°C
Charging: On-board 5V/1A



Cutch 21700

Clutch
Signature Mods



CLUTCH 21700

SIGNATURE MODS

HIGHLIGHTS

Single 21700 Mechanical Mod
Hybrid 510 Connection
Solid Silver Contacts
Unique Locking System For Safety
Fine Shot Blasted & Anodised
Machined From Solid Billet Aluminium
Commercial Grade 3d Printed Internal Sled
Ergonomic Finger Hinges

SPECIFICATIONS

Size: 79.5*35*27mm
Material: Aluminium
Battery: 1*21700
Thread: Hybrid 510

MULTIPLE COLOUR



Green / Red / Black / Blue



ODIN 200

DOVPO 200

SPECIFICATIONS

Size: 90*51.2*42.8mm

Material: Aluminum Alloy+Zinc Alloy

Display: 0.96" OLED

Battery: 2*18650/20700/21700

Output Wattage: 5-200W

Voltage Output Range: 0.8-12V

Resistance Range: 0.08-3.5ohm

Temperature Range: 100°-315°C / 200°-600°F

Charging Time: Type-C 5V/2A

HIGHLIGHTS

Sliding Battery Door

Dovpo 200w Chip

Dual 21700/20700/18650

Type-C USB Port

Full Temperature Control Suite

MULTIPLE COLOUR



Matte Black / Black / Red / Gunmetal / Silver



MONO SQ

SQ TOPSIDE

TOPSIDE SQ

SIGNATURE MODS

HIGHLIGHTS

Fine Shot Blasted & Anodised
Machined from Solid Billet Aluminium
Spring Loaded Constant Contact 510
Magnetic Doors

MULTIPLE COLOUR



Black / Red / Blue / Green

SPECIFICATIONS

Dimensions: 52.5mm x 91mm x 27mm
Material: Machined from Solid Billet Aluminium
Fully Mechanical
Silicone Bottle 12.5ml Capacity
Battery: 2 * 21700 (not included)
Unique Locking System For Safety



ODIN DNA250C



ODIN DNA250C

HIGHLIGHTS

Collaboration with Vaperz Cloud and Vaping Bogan
Evolve DNA250C Chipset
Dual High Amp 20700/21700 Batteries
Battery Sleeve Wraps – Included
Inscribed Firing Button – Skull Design

SPECIFICATIONS

Size: 90*51.2*42.8mm
Material: Aluminum Alloy
Chip: Evolve DNA250C
Battery: 2 x 18650/20700/21700
Wattage Output Range: 1-200W
Voltage Output Range: 0.2-8V
Resistance Range - VW Mode: 0.1-2.0ohm
Resistance Range - TC Mode: 0.08-1.0ohm
Temperature Range: 200°-600°F
Display: 0.96" Full Color TFT Screen
Charging: MicroUSB 5V/2A

MULTIPLE COLOUR



Black / Red / Blue Steel / Brushed Gunmetal / Silver / Brushed Black



TOPSIDE SE

TOPSIDE 90W

THE VAPOR CHRONICLES


HIGHLIGHTS

Collaboration with TVC
Environmental Material for Safe Vaping
World's First Top Fill Squonk Mod
Silicone Squeeze Bottle with 10ml capacity
Single 18650/21700 Battery

SPECIFICATIONS

Size: 92.0mm x 54.0mm x 27.0mm
Screen: 0.96 inc
Material: Zinc Alloy, Aluminum Alloy,
Stainless Steel All parts that have contact
with e-liquid are made from food grade
stainless steel and silicone
Input Voltage Range: 3.2V - 4.2V
Output Voltage: 1.0V - 8.5V
Resistance Range: 0.08Ω - 3.5Ω
Working Mode: Variable Wattage & Bypass
& Temperature Control


MULTIPLE COLOUR



Black / Red / Silver / Blue / Gunmetal / Purple

TOPSIDE SE

Special Edition of Topside Squonk Mod



Black Grey / Black Blue / Black Gold / Black Red



TOPSIDE DUAL



TOPSIDE DUAL

HIGHLIGHTS

Collaboration with TVC
Food Grade 10mL Silicone Squonk Blotto
200W Maximum Output
Innovative Top Filling, Easy to Fill
Dual 18650 High-drain Battery

SPECIFICATIONS

Size: 88.5*54*42mm
Battery: 2*18650
Squonk Bottle Capacity: 10ml
Wattage Output Range: 5-200W
Voltage Output Range: 1.0-12V
Resistance Range: 0.08-3ohm
Working Mode: Variable Wattage &
Bypass & Temperature Control

MULTIPLE COLOUR



Red / Purple / Blue / Green / Black / Gunmetal / Gold / Silver



Black Blue / Black Grey / Black Red / Black Gold

TOPSIDE DUAL SE




M V V II

THE BEST SEMI-MECHANICAL MOD

HIGHLIGHTS

New Aesthetic Colorful Look
And Stylish Designs
High-performance Based
Mechanical Box Mod
Dual 18650 Batteries With 280w
Multiple Protections For Safe Vape
Usb Type-c Fast Charging

MULTIPLE COLOUR



Dragon Samurai / Spirit / Skull&roses / Hannya / Devil / White Devil

SPECIFICATIONS

Size: 91 x 53 x 27mm
Material: PC + Zinc alloy
Resistance: 0.08Ω to 3.5Ω
Battery: 2*18650
Operating voltage: 6.4 - 8.4 V
Output voltage: 1.0 - 8.0 V
Multiple protections: Low voltage/
Overheat/Overtime/Reverse Battery



TOPSIDE LITE

TOPSIDE LITE MOD ONLY

HIGHLIGHTS

Collaboration with TVC
Support Squonk Mod & Standard Mod
Top Fill System – Threaded Top Cap
Silicone Squeeze Bottle with 10ml Capacity

MULTIPLE COLOUR



Black / Red / Silver

SPECIFICATIONS

Size: 97.5*58*28.2mm
Material: Polycarbonate + PCTG
Battery: 18650/21700/20700 (not included)
Temperature Range: 100-315°C/200-600°F
Display: 0.96" OLED
Input Voltage: 3.2V-4.2V
Output Voltage: 0.8V-0.5V
Resistance: 0.08ohm-3.50ohm



J4

Tanks







BLOTTOMAX RTA

BLOTTO MAX RTA

HIGHLIGHTS

- 272 DEGREE AIRFLOW
- IMPROVED METAL BACKED AIRFLOW POSTS
- STRENGTHENED AFC RING & BASE
- 28MM DIAMETER
- DUAL DIFFUSION AIRFLOW FOR THE SMOOTHEST DRAW
- EASY FILLING

MULTIPLE COLOUR



Silver



Gunmetal



Black



$\Phi=28.0\text{mm}$



BLOTTO V1.5 RTA

BLOTTO V1.5 RTA

HIGHLIGHTS

- 272 DEGREE AIRFLOW
- IMPROVED METAL BACKED AIRFLOW POSTS
- STRENGTHENED AFC RING & BASE
- 26MM DIAMETER
- DUAL DIFFUSION AIRFLOW FOR THE SMOOTHEST DRAW
- EASY FILLING
- NEW LOOK

MULTIPLE COLOUR



Silver



Gunmetal



Black



$\Phi=26.0\text{mm}$



BIOTTO RTA SINGLE COIL



BLOTTO RTA SINGLE COIL

HIGHLIGHTS

- 272 DEGREE AIRFLOW
- IMPROVED METAL BACKED AIRFLOW POSTS
- STRENGTHENED AFC RING & BASE
- 2ML CAPACITY (TPD COMPLIANT)
- 23MM DIAMETER
- DUAL DIFFUSION AIRFLOW FOR THE SMOOTHEST DRAW
- EASY FILLING
- NEW LOOK

MULTIPLE COLOUR



Silver

Gunmetal

Black



BLOTTO MINI

RLOTTO MINI

HIGHLIGHTS

- 242° Airflow System For Pure Flavor
- Easy To Refill The Juice
- Dual Or Single Coil
- 2ml Capacity & 4ml With Bubble Glass
- Dual Diffusion Airflow For A Smooth Draw

SPECIFICATIONS

- Size: 23.4*44mm
- Material: Glass/pctg
- Capacity: 2.0ml/ 4.0ml(bubble Glass)
- Thread: 510

MULTIPLE COLOUR



Gunmetal / Black / Silver / Blue / Rainbow



THE
OHMAGE
HERNOSTONE



MR.JUSTRIGHT 1

OHMAGE SUBO-HM TANK



OHMAGE SUBOHM TANK

HIGHLIGHTS

2ml & 5ml Bubble Glass
Dual Stacked Mesh Coils
0.2ohm/0.16ohm Mesh Coil
Balanced Vapor/Flavor Production

MULTIPLE COLOUR



Black / Silver

SPECIFICATIONS

Size: 26.5*53.0mm
Diameter: 25mm
Material: 303 stainless steel + Quartz glass
Capacity: 2.0ml / 5.5ml (bubble glass tube)
Coil: 0.2ohm Mesh Coil (40-55W), 0.16ohm
Mesh Coil (30-45W)
Drip Tip: 810 Widebore Resin



VARIANT RDA

VARIANT RDA

SPECIFICATIONS

Diameter: 24mm

Material: 304 Stainless Steel

Deck: Dual coil building system

Thread: 510

HIGHLIGHTS

Adjustable side airflow control

Bottom feeding pin system

Wide bore drip tip for DL vape

Dual-coil building deck for easy wick

MULTIPLE COLOUR



Gunmetal / Silver / Black



BOTTORIA

BLOTTO RTA

ALL ABOUT FLAVOUR AND VERSATILITY

HIGHLIGHTS

Supports dual coils or single coil building
242° airflow system provides fantastic flavor
Very easy to fill the E-juice
Dual diffusion airflow for a smooth draw
2ml capacity + 6ml bubble glass tube

MULTIPLE COLOUR



Silver / Black / Rainbow / Gunmetal

SPECIFICATIONS

Size: 26*54.5mm (with 2ml tube)/ 32.0 ×
54.5mm(with 6ml tube)

Type: 2ml TPD Edition , 2ml Standard Edition

Capacity: 2ml (Extra 6ml ultem glass tube & 6ml
bubble glass tube included)

Build Deck: Supports dual coils or single coil building


Thread: 510





J5

Kits





TOPSIDE LITE KIT



TOPSIDE LITE KIT

HIGHLIGHTS

Supports squonk mod and standard mod
0.96" OLED screen for details checking
Top fill squonk MOD for effectively leakage resistance
Large fire button for easy operation

MULTIPLE COLOUR



Black / Red / Silver

SPECIFICATIONS

Material: Polycarbonate + PCTG
Size: 97.5 x 58 x 28.2mm
Battery: 21700/20700/18650 (not included)
Temperature Range: 100-315°C/200-600°F
Display: 0.96" OLED
Input Voltage: 3.2V-4.2V
Output Voltage: 0.8V-0.5V
Resistance: 0.08ohm-3.50ohm



#101, Bldg 1, 164 Futang RoadTangxiaichong
Community, Yanluo StreetBad'an District,
Shenzhen, China 518105



+86-755-8889-1236



[HTTPS://WWW.DOVPO.COM](https://www.dovpo.com)



@DOVPO Tech



@DOVPO



@DOVPO_official



Copyright © 2020 Dovpo. All Rights Reserved.