

CANNALYSIS

CERTIFICATION REPORT



Hemp Cone **PASS**



SAMPLE ID
157281

SAMPLE NAME
Hemp Cone

MATRIX
Other Inhalable

COLLECTED
12/17/2019 10:46

RECEIVED
12/17/2019 10:46

MANUFACTURER INFO
SK CONCEPTS LIMITED DBA ROLL YOUR OWN PAPERS.COM
Not Available

Microbial qPCR

No Analytes Detected

PASS

Heavy Metals

Lead: 0.2130 ug/g, Arsenic: 0.1058 ug/g, Cadmium: <LLOQ

PASS

Potency

Not Tested

NT

Chemical Residue

Not Tested

NT

Residual Solvent

Not Tested

NT

Filth and Foreign Material

Not Tested

NT

Mycotoxins

Not Tested

NT



MICROBIAL qPCR ANALYSIS PASS

UNIT OF MEASUREMENT: Cycle Threshold (Ct)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL		ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	
A.fumigatus	ND	33.00	0.0	0.0	Pass	A. flavus	ND	33.00	0.0	0.0	Pass
A. niger	ND	33.00	0.0	0.0	Pass	A. terreus	ND	33.00	0.0	0.0	Pass
STEC	ND	33.00	0.0	0.0	Pass	Salmonella spp	ND	33.00	0.0	0.0	Pass

ADDITIONAL INFORMATION

Method: SOP-TECH-016, SOP-TECH-022 Sample Prepped 12/18/2019 06:49 Sample Approved 12/18/2019 13:21
 Instrument: qPCR Sample Analyzed 12/18/2019 07:02

HEAVY METALS ANALYSIS PASS

UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL		ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	
Arsenic	0.1058 ug/g	0.0200	0.0500	0.2000	Pass	Cadmium	<LLOQ	0.0050	0.0500	0.2000	Pass
Lead	0.2130 ug/g	0.0100	0.0500	0.5000	Pass	Mercury	ND	0.0030	0.0500	0.1000	Pass

ADDITIONAL INFORMATION

Method: SOP-TECH-013 Sample Prepped 12/18/2019 11:15 Sample Approved 12/18/2019 15:51
 Instrument: ICP-MS Sample Analyzed 12/18/2019 11:19

This report applies to the sample investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. This report provides technical results for a specific sample and the report shall not be altered, modified, supplemented, or abstracted in any manner. Any violation of these conditions renders the report and its results void.

All LQC samples required by state regulations were performed and met the acceptance criteria.

DATA REVIEWED AND APPROVED BY



Swetha Kaul, PhD
 Chief Scientific Officer

12/18/2019
 Date