



Applicant: Shantou City Chenghai District Yuke Toys Factory

Contact information: 4th Floor, No. 1, 1st Heng, Longtian Shangdi, Guangyi Street, Chenghai District,

Shantou City

The following sample(s) was (were) submitted and identified by client as:

Sample Description : Gel launcher

Model No. : XXS001,XXS002,XXS003,XXS004,XXS005,XXS006

Packaging Provided : No

Labeled Age Grading :

Requested Age Grading : 3+

Age Group Applied in Testing : 3+

Received Date : Jul. 11, 2022

Testing Period : From Jul. 11, 2022 to Jul. 15, 2022

Test Request : Please refer to next page(s).

Test Result(s) : Please refer to next page(s).

Shen Zhen UONE Test Co., LTD.

Prepared by Checked by

Approved by

Thea Ye Lin Zhu Hedy Xu/ Eric Yang

Remark: Hedy (Chemistry field) + Eric (Physical field)



Sum	mary of Test Results (Tested parts are required partially by client):	
TES	T REQUEST	CONCLUSION
(1)	BS EN 71-1:2014+A1:2018 British Standard Safety of toys	
	Mechanical and Physical Properties	PASS
(2)	Labeling requirement (Washing/Cleaning Label, UKCA mark, Company	
	name&address, product identification) according to The Toys (Safety) Regulations 2011	See result Page
(3)	BS EN 71-2:2020 British Standard for Safety of Toys	
	Flammability	PASS
(4)	BS EN71-3:2019+ A1:2021 British Standard Safety of toys	
	Migration of Certain Elements (Category 3 Scraped-off toy material)	PASS



Test Material(s) List

Material No.	Description (Location)	Remark
1011 10	Black plastic	10p 110p
2	Transparent plastic	1
3	Orange plastic	10 ME 1 10 ME
4	Multicolor paint	0 10

Test Result(s):

(1) Mechanical and Physical Properties - BS EN 71-1:2014+A1:2018

Section	Description			
4.1	Materials cleanliness	PASS		
4.2	Assembly	NA		
4.3	Flexible Plastic Sheeting	NA		
4.4	Toy Bags	NA		
4.5	Glass	NA		
4.6	Expanding Materials	PASS		
4.7	Edges	PASS		
4.8	Points and Metallic Wires	PASS		
4.9	Protruding Parts	NA		
4.10	Parts moving against each other	PASS		
4.10.1	Folding and sliding mechanisms*	NA		
4.10.2	Driving Mechanisms	PASS		
4.10.3	Hinges	NA		
4.10.4	Springs	NA		
4.11	Mouth-actuated toys and other toys intended to be put in the mouth*	NA		
4.12	Balloon	NA		
4.13	Cords of Toy Kites and Other Flying Toys*	NA NA		
4.14	Enclosures	NA		
4.14.1	Toys which a child can enter*	NA		



Report No.: U09317220711155-2E Query Password: QW5570 Page 4 of 13 Date: Jul. 15, 2022

Section	Description	Assessment
4.14.2	Masks and helmets	NA (
4.15	Toys intended to bear the mass of a child*	NA
4.15.1	Toys propelled by a child or by other means*	NA
4.15.2	Toy bicycles*	NA NA
4.15.3	Rocking horses and similar toys*	NA
4.15.4	Toys not propelled by a child*	NA NA
4.15.5	Toy scooters*	NA
4.16	Heavy immobile toys*	NA
4.17	Projectiles	PASS
4.17.1	General	NA <
4.17.2	All projectiles	PASS
4.17.2.1	Leading parts	PASS
4.17.2.2	Foam shaft projectiles with a suction cup as a leading part	NA
4.17.2.3	Other types of projectile with a suction cup as a leading part	NA
4.17.3	Projectile toys with stored energy	PASS
4.17.3.1	Energy limitation	PASS
4.17.3.2	Edges	PASS
4.17.3.3	Projectiles with a protective cap, cover or tip	NA
4.17.3.4	Impact resistance	PASS
4.17.3.5	Improvised projectiles	PASS
4.17.4	Certain projectile toys without stored energy	NA
4.17.4.1	Darts	NA
4.17.4.2	Bows and arrows	NA
4.17.4.3	Toy catapults and projectiles propelled by an elastic band	NA
4.17.4.4	Projectile toys without stored energy where the discharge mechanism can store energy, only when held in place by the user	NA
4.18	Aquatic toys and inflatable toys*	NA
4.19	Percussion Caps Specifically Designed for Use in Toys and toys using percussion caps	NA

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

深圳市宇冠检测有限公司 Shen Zhen UONE Test Co., LTD. Hotline:400-774-3358 Web:www.uonetest.com Tel:+86-755-23695858 Web:www.uonecn.com Fax:+86-755-23699878



Section	Description	Assessment
4.20	Acoustics	NA (
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA NA
4.24	YoYo-ball	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA NA
4.27.1	General	NA
4.27.2	Rotors and propellers on flying toys	NA NA
4.27.3	Rotors and propellers on remote controlled flying toys	NA
5	Toys intended for Children under 36 months	NA
5.1	General Requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA NA
5.4.2.1	Cords and chains with the potential to tangle	NA
5.4.2.2	Two cords or chains with the potential to tangle	NA
5.4.2.3	Separated cords and chains	NA
5.4.2.4	Free length of cords and chains	NA
5.4.3	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.3.1	Cords and chains with the potential to tangle	NA
5.4.3.2	Two cords or chains with the potential to tangle	NA
5.4.3.3	Separated cords and chains	NA
5.4.3.4	Free length of cords and chains	NA
5.4.3.5	Cords and chains not suitable for children under 18 months	NA



Report No.:U09317220711155-2E Query Password: QW5570 Date: Jul. 15, 2022 Page 6 of 13

Section	Description	Assessment		
5.4.4	Fixed loops, tangled loops and nooses			
5.4.5	Cords and chains on pull along toys	NA NA		
5.4.6	Electrical cables	NA		
5.4.7	Cross-sectional dimension of certain cords	NA		
5.4.8	Self-retracting cords	NA		
5.4.9	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA		
5.4.9.1	Toys intended to be strung across a cradle, cot or perambulator	NA		
5.4.9.2	Toys otherwise intended to be attached to a cradle, cot or perambulator	NA		
5.5	Liquid Filled Toys	NA		
5.6	Speed limitation of electrically driven toys*	NA		
5.7	Glass and Porcelain	NA		
5.8	Shape and Size of certain Toys	NA		
5.9	Toys comprising Monofilament Fibres	NA		
5.10	Small balls	NA		
5.11	Play figures			
5.12	Hemispheric shaped toys	NA		
5.13	Suction cups	NA		
5.14	Straps intended to be worn fully or partially around the neck	NA		
5.15	Sledges with cords for pulling	NA		
3/0, 1/	Packaging	NA		
7 🙏	Warning and Instructions for Use	PASS		
7.10	General	PASS		
7.2	Warning not intended for Children under 36 months	PASS		
7.3	Latex Balloon	NA		
7.4	Aquatic Toys	NA		
7.5	Functional Toys	NA		
7.6	Hazardous sharp Functional Edges and Points	NA		

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

深圳市宇冠检测有限公司 Shen Zhen UONE Test Co., LTD. Hotline:400-774-3358 Web:www.uonetest.com Tel:+86-755-23695858 Web:www.uonecn.com Fax:+86-755-23699878 E-mail:service@uonetest.co



Section	Description	Assessment
7.7	Projectiles toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy Kites	NA
7.10	Roller skates, inline skates and skateboards	NA
7.10.1	Roller skates, inline skates and skateboards	NA
7.10.2	Ride-on toys without a braking device	NA
7.10.3	Electrically-driven ride-on toys	NA
7.10.4	Instructions for use	NA
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid filled teethers	NA NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/ electrical experimental set	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, got or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.25.1	Flying toys	NA
7.25.2	Remote controlled flying toys	NA
7.26	Improvised projectiles	NA
8.3	Torque Test	NA

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

深圳市宇冠检测有限公司 Shen Zhen UONE Test Co., LTD. Hotline:400-774-3358 Web:www.uonetest.com Tel:+86-755-23695858 Web:www.uonecn.com Fax:+86-755-23699878 E-mail:service@uonetest.com



Section	Description	Assessment
8.4	Tension test	NA (
8.5	Drop test	PASS
8.6	Tip over test	NA
8.7	Impact test	PASS
8.8	Compression test	NA
8.9	Soaking test	NA
8.13	Flexure test	NA
8.24	Kinetic energy of projectiles	NA
8.34	Tension test for magnets	NA
8.42	Determination of projectile range	NA

Remark: NA = Not Applicable.

(2) Labeling requirement (Washing/Cleaning Label, UKCA mark, Company name&address, product identification) according to The Toys (Safety) Regulations 2011

Summary table:

4 4 4	On product	On packaging
UKCA mark	Absent	Absent
Company Name	Absent	Absent
Address	Absent	Absent
Product ID	Absent	Absent

UKCA mark, Company name&address, product identification See Remark

Remark1: Toys made available on the market must bear the UKCA marking. The UKCA marking must be subject to the general principles set out in The Toys (Safety) Regulations 2011. The UKCA marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the UKCA marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was originally used as packaging for the toy, the UKCA marking may be affixed to the counter display. Where the UKCA marking is not visible from outside the packaging, if any, it shall as a minimum be

^{* =} This Clause was not got CNAS accreditation.



Date: Jul. 15, 2022 Report No.: U09317220711155-2E Query Password: QW5570 Page 9 of 13

affixed to the packaging. Where specific legislation does not impose specific dimensions, the UKCA marking must be at least 5 mm high.

Remark 2: The address must be in UK (England, Wales, Scotland and Northern Ireland). Until 31 December 2022, company name and UK address can be provided on the accompany documentation rather than on the good itself, for examples, shipping documents, invoice to the customer, outer packaging(shipper) or Doc.

Remark3: Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

(3) Flammability - BS EN 71-2:2020#

Section	Test Item	Assessment	
4.1	General requirements	PASS	
4.2	Toys to be worn on the head	NA	
4.2.1	General	NA	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA	
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy		
4.2.4	4.2.4 Full or partial moulded head masks		
Toys to be worn on the head, hoods, headdresses including upward protruding items and masks which partially or fully cover the head		NA	
4.3	4.3 Toys disguise costumes and toys intended to worn by a child in play		
4.4	4.4 Toys intended to be entered by a child		
4.5	Soft-filled toys	.≪ NA	

NA = Not Applicable.

= This Testing Items were not got CNAS accreditation.



(4) Migration of Certain Elements

<u>Test Method</u>: With reference to BS EN71-3:2019+ A1:2021, analyzed by Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES), Inductively Coupled Plasma Mass Spectrometer (ICP-MS), Gas Chromatograph-Mass Spectrometry (GC-MS) and Ion Chromatograph.

the sta	Standard Str.		Test Resu	ılt (mg/kg)	
Substance	stance MDL (mg/kg)	1/10/2	2	3	4
Aluminium (Al)	5.0	N.D.	N.D.	N.D.	39
Antimony (Sb)	5.0	N.D.	N.D.	N.D.	N.D.
Arsenic (As)	0.5	N.D.	N.D.	N.D.	N.D.
Barium (Ba)	5.0	N.D.	N.D.	N.D.	13
Boron (B)	5.0	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	0.2	N.D.	N.D.	N.D.	N.D.
Chromium(Ⅲ) (Cr³+)	2.0	N.D.	N.D.	N.D.	N.D.
Chromium(VI) (Cr^{6+})	0.02	N.D.	N.D.	N.D.	N.D.
Cobalt (Co)	1.0	N.D.	N.D.	N.D.	N.D.
Copper (Cu)	5.0	N.D.	N.D.	N.D.	N.D.
Lead (Pb)	2.0	N.D.	N.D.	N.D.	N.D.
Manganese (Mn)	5.0	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	1.0	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)	5.0	N.D.	N.D.	N.D.	N.D.
Selenium (Se)	5.0	N.D.	N.D.	N.D.	N.D.
Strontium (Sr)	5.0	N.D.	N.D.	N.D.	N.D.
Tin (Sn)	5.0	N.D.	N.D.	N.D.	N.D.
Organic tin☆	0.1	N.D.	N.D.	N.D.	N.D.
Zinc (Zn)	5.0	N.D.	N.D.	N.D.	243
Conclus	ion	PASS	PASS	PASS	PASS



The table of Migration Elements limit:

	Limit (mg/kg)				
Substance	Category 1	Category 2	Category 3		
Gubstance	Dry, brittle, powder-like or pliable materials	Liquid or sticky materials	Scraped-off materials		
Aluminium (Al)	2250	560	28130		
Antimony (Sb)	45	11.3	560		
Arsenic (As)	3.8	0.9	47		
Barium (Ba)	1500	375	18750		
Boron (B)	1200	300	15000		
Cadmium (Cd)	1.3	0.3	17		
Chromium(III) (Cr ³⁺)	37.5	9.4	460		
Chromium(W) (Cr $^{6+}$)	0.02	0.005	0.053		
Cobalt (Co)	10.5	2.6	130		
Copper (Cu)	622.5	156	7700		
Lead (Pb)	2.0	0.5	23		
Manganese (Mn)	1200	300	15000		
Mercury (Hg)	7.5	1.9	94		
Nickel (Ni)	75	18.8	930		
Selenium (Se)	37.5	9.4	460		
Strontium (Sr)	4500	1125	56000		
Tin (Sn)	15000	3750	180000		
Organic tin ☆	0.9	0.2	12		
Zinc (Zn)	3750	938	46000		

Note:

- 1. mg/kg = part per million (ppm).
- 2. N.D. = Not Detected (< MDL).
- 3. MDL = method detection limit.
- 4. Calculated concentration of Chromium(Ⅲ) (Cr³+) and Chromium(Ⅵ) (Cr⁶+) are based on total Chromium.
- 5. "☆" = Organic tin include Methyl tin, Butyltin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin, Dimethyl tin. The migration of organic tin is expressed as tributyltin.



Photo(s) of Sample:



End of Report



Statement

- 1. The information as listed on the first page of this test report was all provided by the client except the received date, testing period, test result(s) and test request. The client shall be responsible for the representativeness of sample and authenticity of materials, for which UONE shall bear no responsibilities.
- Unless otherwise stated the results shown in this report refer only the sample(s) tested and does not bear other joint and several liabilities.
- This report is considered invalidated without the Special Seal for Inspection of the UONE, This report shall not be altered, increased or deleted.
- Without written approval of UONE, this report shall not be reproduced in part or published as advertisement.
- 5. Objection should be issued in 15 days upon receiving the report, overdue opinion is inadmissible.
- 6. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.