Report No.: U05102210514215-2E

UONE

Query Password: QW2287 Da

Se Se Se

Date: May 26, 2021 Page 1 of 5

ilac-MR/

中国认可 国际互认

检测 TESTING CNAS L 7924

Applicant:Shantou City Chenghai District Donglihui Toy FactoryContact information:Daochengxing Co. Ltd., Fengxiang Street, Chenghai District, Shantou

#### The following sample(s) was (were) submitted and identified by client as:

Sample Description:Gel emitterItem No.:303Sample Received Date:May 14, 2021Testing Period:From May 14, 2021 to May 26, 2021Test Request:Please refer to next page(s).Test Result(s):Please refer to next page(s).

Signed for and on behalf of Shen Zhen UONE Test Co., LTD.

Prepared by

Checked by

Approved by

100

Ruth Lai

Pa

Thea Ye

Hedy Xu

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

深圳市宇冠检测有限公司 Shen Zhen UONE Test Co., LTD. 深圳米明东区观米路3000号切商 Hotline:400-774-3358 Web:www.uonetest.com 光明科技园B4栋4B单元 Unit 4B Tel:+86-755-23695858 Web:www.uonecn.com Building B4.China Merchants G Fax:+86-755-23699878 E-mail:service@uonetest.com

深圳光明新区观光路3009号招商局光明科技园B4栋4B单元 Unit 4B,Building B4,China Merchants Guangming Science Park,Tourist Road 3009,Guangming New District,ShenZhen.

UONE

Report	No.:U05102	2210514215	-2E	Query Pa	issword: C	W2287	Date: Ma	y 26, 2021	Pa	ge 2 of
Summa	rv of Test F	Results (Tes	ted parts	s are requi	ired partia	llv bv clie	ent):			
	EQUEST	St.	St.	St.	St.	×	St.		CONC	LUSIO
U.S. Co	nsumer Pro	duct Safety	Improven	nent Act 20	08 (CPSIA	) Title I,S	Section 101			
(1)	Total Lead	(Pb) content	1 AL						PA	ASS
	<i>3</i> 07	duat Cafatu	10				Castian 100	10.		
(2)		duct Safety (DEHP, DBI	5		· 4.	·			P	ASS
30.	20.	(-30)	20	80	· 30,	20.	20	20.	20.	20
(3)		Product Safe	ety Impro	vement Ac	t of 2008 o	n Tracking	g labels for	children's	P	ASS
	products									
. ON	ONE	, All	. ONE	.014	. All	. All	. ONE	. A	. AN	.0

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

深圳市宇冠检测有限公司 Hotline:400-774-3358 Tel:+86-755-23695858 Fax:+86-755-23699878 Shen Zhen UONE Test Co., LTD. Web:www.uonetest.com Web:www.uonecn.com E-mail:service@uonetest.com 深圳光明新区观光路3009号招商局光明科技园B4栋4B单元 Unit 4B,Building B4,China Merchants Guangming Science Park,Tourist Road 3009,Guangming New District,ShenZhen.

Report No.: U05102210514215-2E

Query Password: QW2287

Date: May 26, 2021

Page 3 of 5

Material No.	Se . Se	10	Se.	Descript	ion			1
JON 1 JON	Jon Jon	Jon	JORE	Blue soft pl	lastic	JOL	Jon	302
2	4. 4.	4	, F	Red soft pl	astic	2	1.	
3	OHE OHE	OPT	В	lack soft p	lastic	, chi	Chr.	.02

Remark The test result(s) of Material No. 1~No. 3 is(are) shown retest result, and the retest sample(s) was(were) provided by client on May 24, 2021

Test Result(s):

UONE

(1) Total Lead (Pb) content

Total Lead (Pb) content (In substrate)

Test Method: With reference to

Metal - CPSC-CH-E1001-08.3,

1.

Nonmetal - CPSC-CH-E1002-08.3, analyzed by acid digestion and analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) or Atomic Absorption Spectrometer (AAS).

Material No.	MDL(mg/kg)	Limit (mg/kg)	Test Result (mg/kg)	Conclusion
1+2+3	10	100	N.D.	PASS

Note:

- mg/kg = milligram per kilogram (ppm).
- 2. N.D. = Not Detected (< MDL).
- 3. MDL = method detection limit.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Report No.:U05102210514215-2E Query Password: QW2287 Date: May 26, 2021

Page 4 of 5

#### (2) Phthalates (DEHP, DBP, BBP, DINP, DIBP, DCHP, DPENP, DHEXP)

<u>Test Method:</u> With reference to CPSC-CH-C1001-09.4, analyzed by Gas Chromatograph-Mass Spectrometry (GC-MS).

0 0 0 0 0				Result (%)	
Substances	CAS No.	MDL (%)	Limit (%)	1+2+3	
Dioctyl phthalate (DEHP)	117-81-7	0.0020	0.1	N.D.	
Dibutyl phthalate (DBP)	84-74-2	0.0020	0.1	N.D.	
Butyl benzyl phthalate (BBP)	85-68-7	0.0020	0.1	N.D.	
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	0.0040	0.1	N.D.	
Diisobutyl phthalate(DIBP)	84-69-5	0.0020	0.1	N.D.	
Diamyl phthalate (DPENP)	131-18-0	0.0020	0.1	N.D.	
Di-n-Hexyl phthalate (DHEXP)	84-75-3	0.0020	0.1	N.D.	
Dicyclohexyl phthalate (DCHP)	84-61-7	0.0020	0.1	N.D.	
Con	PASS				

Note:

UONE

1. % = percentage by weight, 0.1% = 1000mg/kg = 1000ppm.

- 2. MDL = method detection limit.
- 3. N.D.=not detected (<MDL).

### (3) Consumer Product Safety Improvement Act of 2008 on Tracking labels for children's products

4	Test Item	Test Method	Requirement	Result
	10, 10, 10,	10. 10.	A permanent and distinguishing mark on the product and its packaging,to the	10, 10,
4	Tracking labels for children's products	Consumer Product Safety Improvement	extent practicable, enabling the manufacturer and purchaser to	Comply with the requirement
4		Act of 2008	ascertain the name of the manufacturer or private labeler,location and date of	requirement
		10, 10,	production of the product.	10. 10.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

深圳市宇冠检测有限公司 Hotline:400-774-3358 Tel:+86-755-23695858 Fax:+86-755-23699878 Shen Zhen UONE Test Co., LTD. Web:www.uonetest.com Web:www.uonecn.com E-mail:service@uonetest.com 深圳光明新区观光路3009号招商局光明科技园B4栋4B单元 Unit 4B,Building B4,China Merchants Guangming Science Park,Tourist Road 3009,Guangming New District,ShenZhen.

Report No.: U05102210514215-2E

Query Password: QW2287

Date: May 26, 2021

Page 5 of 5

Photo(s) of Sample:

UONE



### \*\*\*End of Report\*\*\*

This report is considered invalidated without the Special Seal for Inspection of the UONE, This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample tested. Without written approval of UONE, this report shall not be copied and published as advertisement.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

深圳市宇冠检测有限公司 Hotline:400-774-3358 Tel:+86-755-23695858 Fax:+86-755-23699878 Shen Zhen UONE Test Co., LTD. Web:www.uonetest.com Web:www.uonecn.com E-mail:service@uonetest.com 深圳光明新区观光路3009号招商局光明科技园B4栋4B单元 Unit 4B,Building B4,China Merchants Guangming Science Park,Tourist Road 3009,Guangming New District,ShenZhen.