

HB2030 User Guide

Multifunctional Hub

Product Introduction:

The HB2030 is a 10-in-1 hub that connects through a Type-C port, helping you work efficiently while solving the problem of a single interface on your laptop. It can connect to external devices and project files during meetings to meet your high-frequency office needs.




Features:

- 2* USB 3.2 Gen2 Type-C ports: Up to 10Gbps and backward compatible with USB 3.0/2.0/1.1/1.0.
- 2* USB 3.0 Gen1 Type-A ports: Up to 5Gbps
- 1*USB-C port for data and video transfer: Supports 10Gbps data transmission and 4k@60hz video transmission.
- PD: Supports up to 100W PD charging

- HDMI: Supports resolutions up to 4K@60Hz
- RJ45: Supports 10/100/1000Mbps
- SD and TF ports: Can use SD and TF cards simultaneously
- Built-in USB-C data cable
- Plug and play, no need to install drivers
- Compact and portable
- Compatible with Windows 7/10/11, Linux, macOS 10.2 and above versions.

Interface Introduction:



1. USB-A 3.0
2. USB-A 3.0
3. USB 3.2 Gen 2 Type-C
4. TF

5. SD
6. HDMI
7. USB-C for Video and Data Transfer
8. USB 3.2 Gen 2 Type-C
9. PD
10. RJ45

Product Specifications:

Product Name	Multi-function Hub
Product Model	Inateck HB2030
Size	156mm×48mm×17mm
Material	ABS
Weight	67.2g
Color	Silver
Upstream Interface	USB-C
Downstream Interface	USB-A 3.0*2, USB-C 3.2*2, PD*1, HDMI*1, USB-C for video and data transfer*1
Supported Operating Systems	Windows 7/10/11, Linux, macOS 10.2 and above

FAQ:

1. Q: What is the total bandwidth of the HB2030?

A: The total bandwidth of the product is 10Gbps. If multiple hard drives are used at the same time, they will share the 10G bandwidth.

2. Q: What should I do if there is no response after connecting to the display?

A: First, determine whether the connection is through HDMI or Type-C signal. Then, adjust the signal input on the corresponding display. You can plug and unplug the interface a few times to display normally.

Package List:

HB2030×1

User Guide×1