Jiose J500 Label Printer Driver Installation for Windows



Insert the U disk that came with the package, and open the <u>*Windows Setup*</u> folder to install the driver (or visit our website https://www.jioseprinter.com to get it) >>>

► Note

Make sure the label printer is connected to your computer with the USB cable and turn ON ((I=ON) **before installation**.

1	MacOS Setup
1	Windows Setup
PDF	Jiose USER GUIDE



Double click the extracted files of the driver, it will show on the right >>>

Then, unzip the driver files >>>

Please click "Yes" to allow the installation >>>

User Account Control X						
Do you want to allow this app to make changes to your device?						
Jiose Printer Driver						
Verified publisher: HONGKONG JIAHE INTERNATIONAL HOLDING LIMITED File origin: Hard drive on this computer						
Show more details						
Yes No						
< 7						
Setup - Jiose-Windows-Driver v1.1.7 – – × Ready to Install Setup is now ready to begin installing Jose-Windows-Driver v1.1.7 on your computer.						
Click Install to continue with the installation.						
Click it to install						
Get help Instal Cancel						

Jiose J500 Label Printer Driver Installation for Windows



The Port will be filled out by USB001 automatically >>> (maybe USB002,USB003,...)

If the printer is not connected, your computer would not identify the port when clicking the "Detect USB Port", as shown on the right >>>

At this time, you need to connect the printer to your computer with the USB cable and turn it ON.

etup v1.1.7		-		×
ose J500	~			
ose J500		🗹 Default Printer		
ISB001		Detect USB Port		
Automa	itically	filled out	USB Port] list below.	
				^
		Local Port		
		Local Port		¥
			>	
USB001	h	nstall Driver Now!]	
	etup v1.1.7 ose J500 ISB001 Automa	etup v1.1.7 ose J500 se J500 Automatically	etup v1.1.7 — ose J500 ✓ ISB001 ✓ Default Printer ISB001 ✓ Detect USB Port Automatically filled out Local Port Local Port	etup v1.1.7 — □ ose J500 ✓ ISB001 ✓ Default Printer ISB001 ✓ Detect USB Port USB Port Local Port

Printer Model:	Jiose J500	~					
Driver Name:	Jiose J500		De	fault Printer			
Port:			De	tect USB Port			
lips: if program o button to get curr Jiose Printer Driv	can't find US rent USB poi er Setup v1.1.1	B port automatica rt ; or you can cho 7	lly, plea ose pri	ise click [Detect USB P inter port in the list bel	ort] low.		
			4	4			
Printer Model:	Jiose J500	~					
Driver Name:	Jiose J500						
Port:			D	etect USB Port			
Tips: if program can't find U <u>SB port automatically please</u> click [Detect USB Port] button to get current USB pd Tips X iter port in the list below.							
Tips: if program button to get cu	can't find US rrent USB po	SB port automatica Tips	illy ple X	ase click [Detect USB P nter port in the list be	ort] low.		
Tips: if program button to get cu Port	can't find US rrent USB pc	SB port automatica Tips Printer Disconnect	ed!	ase click (Detect USB P nter port in the list be Type	Port] low.		
Tips: if program button to get cu Port IP_192.168.2.253	can't find US rrent USB pc	SB port automatica Tips Printer Disconnect	ed!	ase click [Detect USB P nter port in the list be Type ndard TCP/IP Port	Port] low.		
Tips: if program button to get cu Port IP_192.168.2.253 SHRFAX:	can't find US rrent USB pc	B port automatica Tips Printer Disconnect	ed!	ase click (Detect USB P nter port in the list be Type ndard TCP/IP Port ax Monitor Port	Port] low.		
Tips: if program button to get cur Port IP_192.168.2.253 SHRFAX: COM1:	can't find US rrent USB pc	SB port automatica Tips Printer Disconnect	ed!	ase click [Detect USB F hter port in the list be Type ndard TCP/IP Port ax Monitor Port Local Port	Port] ·low.		
Tips: if program button to get cur Port IP_192.168.2.253 SHRFAX: COM1: COM2:	can't find US	SB. port automatice Tips Printer Disconnect	ed!	ase click [Detect USB F hter port in the list be Type ndard TCP/IP Port ax Monitor Port Local Port Local Port	Port] Ilow.		
Tips: if program button to get cui Port IP_192.168.2.253 SHRFAX: COM1: COM2: COM3: COM4:	can't find US	SB. port automatica Tips Printer Disconnect	ed!	ase click [Detect USB F nter port in the list be Type ndard TCP/IP Port ax Monitor Port Local Port Local Port Local Port	Port] How.		
Tips: if program button to get cu Port IP_192.168.2.253 SHRFAX: COM1: COM2: COM2: COM4: EILE:	can't find US rrent USB pc	SB. port automatica Tips Printer Disconnect	ed!	ase click [Detect USB F nter port in the list be Type ndard TCP/IP Port ax Monitor Port Local Port Local Port Local Port Local Port	Port] Ilow.		
Tips: if program button to get cur Port IP_192.168.2.253 SHRFAX: COM1: COM2: COM3: COM4: FILE: IPT1-	can't find US rrent USB pc	SB. port automatica Tips Printer Disconnect	ed!	ase click [Detect USB P nter port in the list be Type ndard TCP/IP Port ax Monitor Port Local Port Local Port Local Port Local Port Local Port Local Port	Port] Iow.		
Tips: if program button to get cur Port IP_192.168.2.253 SHRFAX: COM1: COM2: COM3: COM4: FILE: LPT1: <	can't find US	SB. port automatica Tips Printer Disconnect	ed!	ase click [Detect USB P nter port in the list be Type ndard TCP/IP Port ax Monitor Port Local Port	Port] How.		

Jiose J500 Label Printer Driver Installation for Windows



After the printer is connected and the Feed Button	Jiose Printer Driver Setup v1.1.7 — 🗌 🗙
lighted, click "Detect USB Port" again >>>	Printer Model: Jiose J500 🗸
	Driver Name: Jiose J500 🗹 Default Printer
	Port: Detect USB Port
	Tips: if program can't find USB port automatically, please click [Detect USB Por button to get current USB port ; or you can choose printer port in the list below.
	Jiose Printer Driver Setup v1.1.7 - X
	Printer Model: Jiose J500 V
	Driver Name: Jiose J500 🗹 Default Printer
	Port: USB001 Detect USB Port
	Tips: if program can't find USB port automatically. please click [Detect USB Port] button to get current USB Tips X r port in the list below.
And, it will show "Detected USB Port" normally >>>	Port Datacted USB Bart - USB001 Type
	COM1: Local Port
	COM2: Local Port
	COM3: OK Local Port
	COM4: Local Port
	FILE:
	LPT1: Click it to continue the
	LPT2:
	LPT3:
	Detected USB Port : USB001
	Tips: if program can't find USB port automatically please click [Detect USB Port] button to get current USB p Tips X er port in the list below.
	Port Add Printer Successfully! Type ^
	COM2: Local Port
	COM3: Local Port
	COM4: Local Port
	FILE: Local Port
	LPT1: Local Port
	LPT2: Local Port
Then, the page will display "Add Printer	LPT3: Local Port
Successfully >>>	PORTPROMPT: Local Port
Successivily:	

Installing driver..

OK, the driver installation is finished, please close the window and turn to *Printing Setup Guide* to learn how to set it to your most used. Exit

Install Driver Now!