Jiose J500 Label Printer Printing Setup Guide for Windows



I. Why I need to set up the printing parameters?

In general, our printer parameters are all set by default once you install the drive, as shown on the right >>>

Size: 4 x 6 inches(102mm x 152mm) Speed: 6 (6 inch/s) Darkness: 8 (middling darkness)

Jiose J500 Printing Preferences	X
Layout Paper/Quality PageSetup About	
Select Paper	
Name: 4 x 6 inches(102mm x 152mm) ▼ New Modify Delete	
Position Adjustment	
Horizontal: 0 🔺 mm Vertical: 0 🔺 mm	
Preview Rotate Setting	
6 ▼]
ABCD C 180 Darkness: 8 -]
Media Settings	
Media Type: Label With Gaps 💌	
Gap Height: 3 🔺 mm Gap Offset: 0 🔺 mm	
Feed After Printing: 0 🔶 mm	
OK Cancel <u>I</u>	Apply

But if there is no paper size to match your label size, you'll need to create a new size before printing. Or you're used to printing other size label (such as 4 x 6.25 inches, ...), so you could change it to your default size.

II. How to set up the printing parameters?

1. Printing Test Page

Please follow the steps to print a test page to make sure the driver has been installed properly >>>

Go to your computer start menu and turn to "Settings" option >>>	Windows Settings
Select "Devices" >>>	E System Devices Devic
	Personalization Background, lock screen, colors
	Saming Game bar, captures, broadcasting. Game Mode
	Privacy Location, camera, microphone C Update & Security Windows Update, recovery, backup



Select "Printers and scanners", then the "Jiose J500" is listed on the right >>>

Click "Jiose J500" and select "Manage" >>>

It will show on the right >>>

Select "Printer properties" >>>

← Settings		-		×		
යි Home	Printers & scanners					
Find a setting $ ho$	Add printers & scanners					
Devices	+ Add a printer or scanner					
Bluetooth & other devices						
B Printers & scanners	Printers & scanners					
1 Mouse						
Typing	Offline					
🥬 Pen & Windows Ink	HP Laser/et Professional M1210 MFP Series Fax					
AutoPlay	HP LaserJet Professional M1213nf MFP					
USB	Liose J500 Offline					
	Open queue Manage Remove device					
	Microsoft Print to PDF					
	Microsoft XPS Document Writer					
	CheNote for Windows 10					
				J		
← Settings	\checkmark					
@ liose 1500						
1036 1200						
Manage vour device						
This device has a few different for that function.	t functions. Pick one to manage settings					
Jiose J500 🗸						
Printer status: Idle						
Open print queue						
Print a test page						
Run the troubleshooter						
Printer properties						
Printing preferences						
Hardware properties						



Then, it will show on the right >>>

Please click "Print Test Page" using the the 4x6 labels that included in the package >>>

If the test page is printed normally >>> It means the printer and the driver was installed correctly.

🖶 Jiose	J500 Pro	perties					×
General	Sharing	Ports	Advanced	Color Management	Security	Device Settings	About
\$		Jiose J5	00				
<u>L</u> ocati	ion:						
<u>C</u> omr	nent:						
M <u>o</u> de	d:	Jiose J50	00				
Feat	ures or: No			Paper availab	le:		
Dou	uble-side	d: No		4 x 6 inches(102mm x	152mm) ^	
Sta	ple: No						
Spe	ed: Unkn	iown					
Ma	ximum re	esolution	n: 203 dpi			×	
			Pr	<u>e</u> ferences	Print	Test Page	
					ОК	Cancel	Apply





2. Setup Printer Properties

Click "Preferences..." still on the above "General" page >>>

eneral	Sharing	Ports	Advanced	Color Management	Security	Device Settings	About
			_			-	
5		Jiose J50	00				
<u>L</u> ocatio	on:						
<u>C</u> omm	ient:						
Model	:	Jiose J50	0				
Colo	ures or: No			Paper availabl	e:		
Dou	ble-side	d: No		4 x 6 inches(102mm x	152mm) ^	
Stap	le: No						
Spee	ed: Unkn	own solution	203 dni			~	
1110		Solution	200 401				
			Pr	<u>e</u> ferences	Print	Test Page	

Jiose J500 Printing Preferences	×
Layout Paper/Quality PageSetup About Select Paper	
Name: 4 x 6 inches(102mm x 152mm) 🔹	
Position Adjustment	
Horizontal: 0 💼 mm Vertical: 0 💼 mm	
Preview Rotate Setting	
© 0 Speed: 6 ▼ ○ 90	
ABCD C 180 Darkness: 8 -	
Media Settings	
Media Type: Label With Gaps	
Gap Height: 3 🔺 mm Gap Offset: 0 🔺 mm	
Feed After Printing: 0 📩 mm	
OK Cancel Apply	

And please click the "PageSetup" on the Preferences page >>>



On this page, you can select the size of the paper as your default printing size under the "Name" dropdown box >>> (the original default is 4 x 6 inches)

🖶 Jiose J500 Printing Preferences	×
Lavout Paper/Quality PageSetup About	
Select Paper	
Name: 4.2 x 6.2 inches(104mm x 159mm) -	
3 x 2 inches(75mm x 50mm)	
3 x 4 inches(75mm x 100mm)	
Position Adjustmer 4 x 3 inches(102mm x 76mm)	
4 x 4 inches(102mm x 102mm)	
Horizontal: 0 4 x 6 inches(102mm x 152mm) mm	
4 x 6.7 inches(102mm x 168mm)	
Preview 4.2 x 6.2 inches(102mm x 205mm)	
Jose New_	
ABCD	
C 180 Darkness: 8 🗸	
1234567 C 270	
Media Settings	
Media Type: Label With Gaps 🔻	
Gap Height: 3 📩 mm Gap Offset: 0 📩 mm	
Feed After Printing: 0 🔺 mm	
OK Cancel Apply	,

If no suitable paper size to match your label size, you need to create a corresponding paper size before printing the label.



So how to do it ? Firstly, please click "**New**" to edit it >>>

Then, click "OK" to save it after entering the specific data you wanted in the "Width" and "Height" boxes and typing a recognizable "Name" >>>

OK, the 100mm*150mm paper size was added to the Setup >>>

► Note

The Printing Width (Label Size Width): Min. 40mm ~ Max. 108mm (1.57~ 4.25 inches);

The Printing Length (Label Size Height): Min. 30mm ~ Max. 300mm (1.18"~ 11.8 inches).

-Select Pape	er
Name:	4 x 6 inches(102mm x 152mm)
	New Modify Delete
Position Ac	Jjustment
Horize	Stock X
110112	mm
Preview	Paper Setting
Jose	Name: 100*150mm
-	Type: Label
	Label Size
	Width: 100 mm Height 150 mm
-Media S€	
Media	Exposed Liner Width
Gap H	Left: 0 mm Right: 0 mm
Feed .	OK Cancel
L	

Jiose J500 Printing Pref	erences	×
Layout Paper/Quality Pa	geSetup About	
Select Paper		
Name:	00*150mm	<u> </u>
	00*150mm	
	x 2 inches(75mm x 50mm) x 4 inches(75mm x 100mm)	
Position Adjustmer	x 2 inches(102mm x 50mm)	
-4	x 3 inches(102mm x 76mm)	Π
Horizontal: 0 4	x 4 inches(102mm x 102mm)	mm
	x 6 inches(102mm x 152mm)	
Preview	x 8.2 inches(102mm x 106mm)	
Jose	.2 x 6.2 inches(104mm x 159mm)	
1	lew_	6 🔻
_	0.90	
ABCD	C 180	Darkness: 8 🔻
1234567	C 270	,
Media Settings		
Media Type:	Label With Gaps	•
Gap Height: 3	▲ Gap Off	set: 0 📩 mm
Feed After Printi	ng: 0 🔺	
	.9. <u> </u>	
	OK	Cancel <u>A</u> pply



NOTICE: It's necessary to select the corresponding paper size before clicking "Print" **every time** you start print, **unless** the pdf label you wanted to print is match with your default paper size.

So, if there is no suitable size selection, you'll need to create a corresponding paper size on the PageSetup (and you also need to run the **Intelligent Label Study** on the machine) before printing.

► Note Every time you change the label size, please run the Intelligent Label Study on machine before printing.

And how to run the **Intelligent Label Study** on machine ? Please turn to the page 6th, 7th of the <u>Jiose J500 USER GUIDE</u> to learn how to run it.

OK, the machine is ready to print since you have selected the corresponding paper size and also have run the Intelligent Label Study.

Just click the "Print" on your printing file to start J500 printing journey!

By the way, you could also set the printing **Speed** and **Darkness** to your preference. **Notice**: Increasing the number of Speed will influence the printing effect, and increasing the number of Darkness will get darker print. But the high Darkness may lead to unwanted dark lines or make the label getting too hot and sticking to the printer head.

If for any reasons the printer did not work as expected, please kindly contact Jiose priority customer service to promptly receive further assistance. We will repond to your email or messages within 24 hours.

- Jiose Email: support@jioseprinter.com
- 🔘 Jiose Whatsapp: +852 6234 7761
- 🛐 Jiose Skype: +852 6234 7761

Support hours: Weekdays 10am – 7pm pst

For how-to videos, parts, and FAQ pro, please visit : www.jioseprinter.com