

TC300-TTG



Intel Atom® Processor C3758, Octa Core
16M Cache, up to 2.20 GHz, 25W TDP



Embedded SFP+ x4 ports



2.5G Ethernet x2, Intel® Ethernet Controller I225 Series



2x SODIMM (64G Max), DDR4/2133/2400MHz



EMMC 5.1 Max support 256G

Part No#	TG300-TTG
CPU / GPU	Intel Atom® Processor C3758, Octa Core, 16M Cache, up to 2.20 GHz *None GPU
Memory	RAM: 2x SODIMM (64G Max), DDR4/2133/2400MHz
Storage	HDD: 1x Sata 3.0 (2.5'' HDD or SSD) EMMC 5.1: 256GB max *
Front I/O	4 x 10 Gigabit SFP+ 2 x 2.5G Ethernet (Intel® Ethernet Controller i225 Series)
Rear I/O	2 x USB 3.0 port 1 x RJ-45 console port (RS232) 1 x power button 1 x 5.5mm x 2.5mm DC JACK
Internal interface	SLOT 1/2: NGFFSLOT(M.2)RVSB/E KEY , support SSD /4G /WiFi Module SLOT 3/4: Mini PCIE ,support to 4G module/SSD SIM SLOT: 2x Micro-Sim Buzzer x1
OS	Windows 7, Windows 10, Linux, Pfsense, OPNVPN. Ubuntu, FreeBSD, ect.
Power	DC12V @ 3A
Temperature	Working Temp -20~60°C, Storage Temp -40~85°C Ventilation : Fanless

*detail please check with vender in advance



TC300-TGG



Intel Atom® Processor C3558, Octa Core
8M Cache, up to 2.20 GHz, 16W TDP



Embedded SFP+ x2 ports



2.5G Ethernet x4, Intel® Ethernet Controller I225 Series




2x SODIMM (64G Max), DDR4/2133/2400MHz



EMMC 5.1 Max support 256G

Part No#	TG300-TGG
CPU / GPU	Intel Atom® Processor C3558, Octa Core, 8M Cache, up to 2.20 GHz *None GPU
Memory	RAM: 2x SODIMM (64G Max), DDR4/2133/2400MHz
Storage	HDD: 1x Sata 3.0 (2.5'' HDD or SSD) EMMC 5.1: 256GB max *
Front I/O	2 x 10 Gigabit SFP+ 4 x 2.5G Ethernet (Intel® Ethernet Controller i225 Series)
Rear I/O	2 x USB 3.0 port 1 x RJ-45 console port (RS232) 1 x power button 1 x 5.5mm x 2.5mm DC JACK
Internal interface	SLOT 1/2: NGFFSLOT(M.2)RVSB/E KEY , support SSD /4G /WiFi Module SLOT 3/4: Mini PCIE ,support to 4G module/SSD SIM SLOT: 2x Micro-Sim Buzzer x1
OS	Windows 7, Windows 10, Linux, Pfsense, OPNVPN. Ubuntu, FreeBSD, ect.
Power	DC12V @ 3A
Temperature	Working Temp -20~60°C, Storage Temp -40~85°C Ventilation : Fanless

*detail please check with vender in advance



TC300-TP



Intel Atom® Processor C3558, Octa Core
8M Cache, up to 2.20 GHz, 16W TDP



Embedded 10 Gigabit SFP+ x2 ports



PoE x2, Intel® Ethernet Controller



2x SODIMM (64G Max), DDR4/2133/2400MHz



EMMC 5.1 Max support 256G

Part No#	TG300-TP
CPU / GPU	Intel Atom® Processor C3558, Octa Core, 8M Cache, up to 2.20 GHz *None GPU
Memory	RAM: 2x SODIMM (64G Max), DDR4/2133/2400MHz
Storage	HDD: 1x Sata 3.0 (2.5'' HDD or SSD) EMMC 5.1: 256GB max *
Front I/O	2 x 10 Gigabit SFP+ 2 x 2.5G POE (Intel® Ethernet Controller i225-V Series)
Rear I/O	2 x USB 3.0 port 1 x RJ-45 console port (RS232) 1 x power button 1 x 5.5mm x 2.5mm DC JACK
Internal interface	SLOT 1/2: NGFFSLOT(M.2)RVSB/E KEY , support SSD /4G /WiFi Module SLOT 3/4: Mini PCIE ,support to 4G module/SSD SIM SLOT: 2x Micro-Sim Buzzer x1
OS	Windows 7, Windows 10, Linux, Pfsense, OPNVPN. Ubuntu, FreeBSD, ect.
Power	DC12V @ 3A
Temperature	Working Temp -20~60°C, Storage Temp -40~85°C Ventilation : Fanless

*detail please check with vender in advance

