


# THE OFFICIAL INTERNATIONAL RING SIZE CONVERSION CHART

## Sizing Tool

Use the circles below to judge sizes against your existing rings. Make sure you line the circles up below with the inside of your band to get an idea of size.



|                              |                               |   |                              |                            |
|------------------------------|-------------------------------|---|------------------------------|----------------------------|
| 14.05mm<br>Size 3<br>F       | 14.45mm<br>Size 3.5<br>G1/4   | 14.86mm<br>Size 4<br>H1/2   | 15.27mm<br>Size 4.5<br>I 1/2 | 15.70mm<br>Size 5<br>J1/2  |
| 16.10mm<br>Size 5.5<br>L     | 16.51mm<br>Size 6<br>M        | 16.92mm<br>Size 6.5<br>N  | 17.35mm<br>Size 7<br>O       | 17.75mm<br>Size 7.5<br>P   |
| 18.19mm<br>Size 8<br>Q       | 18.53mm<br>Size 8.5<br>Q3/4   | 18.89mm<br>Size 9<br>R3/4   | 19.41mm<br>Size 9.5<br>S3/4  | 19.84mm<br>Size 10<br>T1/2 |
| 20.20mm<br>Size 10.5<br>U1/2 | 20.68mm<br>Size 11<br>V1/2    | 21.08mm<br>Size 11.5<br>W3/4  | 21.49mm<br>Size 12<br>Y      | 21.89mm<br>Size 12.5<br>Z  |
| 22.33mm<br>Size 13<br>Z+1    | 22.60mm<br>Size 13.5<br>Z+1.5 | <p>Try this finger sizing tool to help determine your ring size. Cut a slit along the top line and wrap it around your finger pushing the pointed end through the slit and measuring the size there. Remember that the ring will need to be snug but will still need to fit over the largest part of your finger.</p> |                              |                            |

Please ensure that you are printing at 100% when printing this page and that it is not being shrunk to fit on the page.

# NILELOVES

## International Ring Size Conversion Chart

| Inside Diameter |        | Inside Circumference |        | Sizes                |             |                  |        |          |        |
|-----------------|--------|----------------------|--------|----------------------|-------------|------------------|--------|----------|--------|
| MM              | Inches | MM                   | Inches | British & Australian | US & Canada | French & Russian | German | Japanese | Swiss  |
| 9.91            | 0.390  | 31.13                | 1.22   | -                    | 0000        | -                | -      | -        | -      |
| 10.72           | 0.442  | 33.68                | 1.39   | -                    | 00          | -                | -      | -        | -      |
| 11.53           | 0.454  | 36.22                | 1.43   | -                    | 0           | -                | -      | -        | -      |
| 11.95           | 0.474  | 37.54                | 1.49   | A                    | 1/2         | -                | -      | -        | -      |
| 12.18           | 0.482  | 38.26                | 1.51   | A 1/2                | 3/4         | -                | -      | -        | -      |
| 12.37           | 0.487  | 38.86                | 1.53   | B                    | 1           | -                | -      | 1        | -      |
| 12.60           | 0.496  | 39.58                | 1.56   | B 1/2                | 1 1/4       | -                | -      | -        | -      |
| 12.78           | 0.503  | 40.15                | 1.58   | C                    | 1 1/2       | -                | -      | -        | -      |
| 13.00           | 0.512  | 40.84                | 1.61   | C 1/2                | 1 3/4       | -                | -      | -        | -      |
| 13.21           | 0.520  | 41.50                | 1.63   | D                    | 2           | 41 1/2           | 13 1/2 | 2        | 1 1/2  |
| 13.41           | 0.528  | 42.13                | 1.66   | D 1/2                | 2 1/4       | -                | -      | -        | -      |
| 13.61           | 0.536  | 42.76                | 1.68   | E                    | 2 1/2       | 42 3/4           | 13 3/4 | 3        | 2 3/4  |
| 13.83           | 0.544  | 43.45                | 1.71   | E 1/2                | 2 3/4       | -                | -      | -        | -      |
| 14.05           | 0.553  | 44.14                | 1.74   | F                    | 3           | 44               | 14     | 4        | 4      |
| 14.15           | 0.557  | 44.45                | 1.75   | F 1/2                | 3 1/8       | -                | -      | -        | -      |
| 14.25           | 0.561  | 44.77                | 1.76   | F 3/4                | 3 1/4       | -                | -      | -        | -      |
| 14.36           | 0.565  | 45.11                | 1.77   | G                    | 3 3/8       | 45 1/4           | -      | 5        | 5 1/4  |
| 14.45           | 0.569  | 45.40                | 1.79   | G 1/4                | 3 1/2       | -                | 14 1/2 | -        | -      |
| 14.56           | 0.573  | 45.74                | 1.80   | G 1/2                | 3 5/8       | -                | -      | 6        | -      |
| 14.65           | 0.577  | 46.02                | 1.81   | H                    | 3 3/4       | 46 1/2           | -      | -        | 6 1/2  |
| 14.86           | 0.585  | 46.68                | 1.84   | H 1/2                | 4           | -                | 15     | 7        | -      |
| 15.04           | 0.592  | 47.25                | 1.86   | I                    | 4 1/4       | 47 3/4           | -      | -        | 7 3/4  |
| 15.27           | 0.601  | 47.97                | 1.89   | I 1/2                | 4 1/2       | -                | 15 1/4 | 8        | -      |
| 15.40           | 0.606  | 48.38                | 1.90   | J                    | 4 5/8       | 49               | 15 1/2 | -        | 9      |
| 15.53           | 0.611  | 48.79                | 1.92   | J 1/4                | 4 3/4       | -                | -      | -        | -      |
| 15.70           | 0.618  | 49.32                | 1.94   | J 1/2                | 5           | -                | 15 3/4 | 9        | -      |
| 15.80           | 0.622  | 49.64                | 1.95   | K                    | 5 1/8       | 50               | -      | -        | 10     |
| 15.90           | 0.626  | 49.95                | 1.97   | K 1/4                | 5 1/4       | -                | -      | -        | -      |
| 16.00           | 0.630  | 50.27                | 1.98   | K 1/2                | 5 3/8       | -                | -      | 10       | -      |
| 16.10           | 0.634  | 50.58                | 1.99   | L                    | 5 1/2       | 51 3/4           | 16     | -        | 11 3/4 |
| 16.30           | 0.642  | 51.21                | 2.02   | L 1/4                | 5 3/4       | -                | -      | -        | -      |
| 16.41           | 0.646  | 51.55                | 2.03   | L 1/2                | 5 7/8       | -                | -      | -        | -      |
| 16.51           | 0.650  | 51.87                | 2.04   | M                    | 6           | 52 3/4           | 16 1/2 | 12       | 12 3/4 |
| 16.71           | 0.658  | 52.50                | 2.07   | M 1/2                | 6 1/4       | -                | -      | -        | -      |
| 16.92           | 0.666  | 53.16                | 2.09   | N                    | 6 1/2       | 54               | 17     | 13       | 14     |
| 17.13           | 0.674  | 53.82                | 2.12   | N 1/2                | 6 3/4       | -                | -      | -        | -      |
| 17.35           | 0.683  | 54.51                | 2.15   | O                    | 7           | 55 1/4           | 17 1/4 | 14       | 15 1/4 |
| 17.45           | 0.687  | 54.82                | 2.16   | O 1/2                | 7 1/4       | -                | -      | -        | -      |
| 17.75           | 0.699  | 55.76                | 2.20   | P                    | 7 1/2       | 56 1/2           | 17 3/4 | 15       | 16 1/2 |

|       |       |       |      |        |        |        |        |    |        |
|-------|-------|-------|------|--------|--------|--------|--------|----|--------|
| 17.97 | 0.707 | 56.45 | 2.22 | P 1/2  | 7 3/4  | -      | -      | -  | -      |
| 18.19 | 0.716 | 57.15 | 2.25 | Q      | 8      | 57 3/4 | 18     | 16 | 17 3/4 |
| 18.35 | 0.722 | 57.65 | 2.27 | Q 1/2  | 8 1/4  | -      | -      | -  | -      |
| 18.53 | 0.729 | 58.21 | 2.29 | Q 3/4  | 8 1/2  | -      | 18 1/2 | 17 | -      |
| 18.61 | 0.733 | 58.47 | 2.30 | R      | 8 5/8  | 59     | -      | -  | 19     |
| 18.69 | 0.736 | 58.72 | 2.31 | R 1/4  | 8 3/4  | -      | -      | -  | -      |
| 18.80 | 0.740 | 59.06 | 2.32 | R 1/2  | 8 7/8  | -      | -      | -  | -      |
| 18.89 | 0.748 | 59.34 | 2.35 | R 3/4  | 9      | -      | 19     | 18 | -      |
| 19.10 | 0.752 | 60.00 | 2.36 | S      | 9 1/8  | 60 1/4 | -      | -  | 20 1/4 |
| 19.22 | 0.757 | 60.38 | 2.38 | S 1/4  | 9 1/4  | -      | -      | -  | -      |
| 19.31 | 0.760 | 60.66 | 2.39 | S 1/2  | 9 3/8  | -      | -      | -  | -      |
| 19.41 | 0.764 | 60.98 | 2.40 | S 3/4  | 9 1/2  | -      | 19 1/2 | 19 | -      |
| 19.51 | 0.768 | 61.29 | 2.41 | T      | 9 5/8  | 61 1/2 | -      | -  | 21 1/2 |
| 19.62 | 0.772 | 61.64 | 2.43 | T 1/4  | 9 3/4  | -      | -      | -  | -      |
| 19.84 | 0.781 | 62.33 | 2.45 | T 1/2  | 10     | -      | 20     | 20 | -      |
| 20.02 | 0.788 | 62.89 | 2.48 | U      | 10 1/4 | 62 3/4 | -      | 21 | 22 3/4 |
| 20.20 | 0.797 | 63.46 | 2.50 | U 1/2  | 10 1/2 | -      | 20 1/4 | 22 | -      |
| 20.32 | 0.800 | 63.84 | 2.51 | V      | 10 5/8 | 63     | -      | -  | 23 3/4 |
| 20.44 | 0.805 | 64.21 | 2.53 | V 1/4  | 10 3/4 | -      | -      | -  | -      |
| 20.68 | 0.814 | 64.97 | 2.56 | V 1/2  | 11     | -      | 20 3/4 | 23 | -      |
| 20.76 | 0.817 | 65.22 | 2.57 | W      | 11 1/8 | 65     | -      | -  | 25     |
| 20.85 | 0.821 | 65.50 | 2.58 | W 1/4  | 11 1/4 | -      | -      | -  | -      |
| 20.94 | 0.824 | 65.78 | 2.59 | W 1/2  | 11 3/8 | -      | -      | -  | -      |
| 21.08 | 0.830 | 66.22 | 2.61 | W 3/4  | 11 1/2 | -      | 21     | 24 | -      |
| 21.18 | 0.834 | 66.54 | 2.62 | X      | 11 5/8 | 66 1/4 | -      | -  | 26 1/4 |
| 21.24 | 0.836 | 66.73 | 2.63 | X 1/4  | 11 3/4 | -      | -      | -  | -      |
| 21.30 | 0.839 | 66.92 | 2.64 | X 1/2  | 11 7/8 | -      | -      | -  | -      |
| 21.49 | 0.846 | 67.51 | 2.66 | Y      | 12     | 67 1/2 | 21 1/4 | 25 | 27 1/2 |
| 21.69 | 0.854 | 68.14 | 2.68 | Y 1/2  | 12 1/4 | -      | -      | -  | -      |
| 21.89 | 0.862 | 68.77 | 2.71 | Z      | 12 1/2 | 68 3/4 | 21 3/4 | 26 | 28 3/4 |
| 22.10 | 0.870 | 69.43 | 2.73 | Z +1/2 | 12 3/4 | -      | -      | -  | -      |
| 22.33 | 0.879 | 70.15 | 2.76 | Z+1    | 13     | -      | 22     | 27 | -      |
| 22.60 | 0.890 | 71.00 | 2.80 | Z+1.5  | 13.5   | -      | -      | -  | -      |
| 22.69 | 0.893 | 71.28 | 2.81 | Z+2    | -      | -      | -      | -  | -      |
| 22.92 | 0.902 | 72.00 | 2.83 | Z+2.5  | -      | -      | -      | -  | -      |
| 23.06 | 0.908 | 72.45 | 2.85 | Z+3    | -      | -      | -      | -  | -      |
| 23.24 | 0.915 | 73.01 | 2.87 | Z+3.5  | -      | -      | -      | -  | -      |
| 23.47 | 0.924 | 73.73 | 2.90 | Z+4    | -      | -      | -      | -  | -      |
| 23.55 | 0.927 | 73.98 | 2.91 | Z+4.5  | -      | -      | -      | -  | -      |
| 23.87 | 0.940 | 74.99 | 2.95 | Z+5    | -      | -      | -      | -  | -      |
| 24.27 | 0.956 | 76.25 | 3.00 | Z+6    | -      | -      | -      | -  | -      |