

HQKJ-150_电线贴 manual

材质：封面200g 双铜 覆亚膜 内页128g双铜

尺寸：长12cm-宽12cm



AIR PURIFIER

USER MANUAL

WWW.KOIOSSHOP.COM

CUSTOMER SERVICE

Our customer service team is always ready to assist you if you have any issues or concerns.

 www.koiosshop.com

 support@koiosshop.com

 1-855-888-2111

 m.me/KoiosShop


CONTENT

IMPORTANT	01
PRODUCT OVERVIEW	02
BEFORE USE	03
CONTROL PANEL OVERVIEW	04
OPERATION	05
CARE AND MAINTENANCE	08
SPECIFICATIONS	09
TROUBLESHOOTING	10

1 IMPORTANT

1. Do not wash or spill this product with liquid.
2. Keep your hands and fingers away from the high-speed wheel component rotating in the purifier. Avoid foreign objects entering the unit air vent, it may cause heat or damage to the unit.
3. Do not block the air inlets and outlet. There should be a certain space around the air purifier.
4. Children shall not play with the air purifier. This appliance can be used by children.
5. In order to improve the purification effect, close the doors and windows when using the unit (to avoid carbon monoxide poisoning, properly ventilate when using a combustion unit).
6. Please do not use any other power adapter than the one provided with the air purifier.
7. Do not use the appliance in wet, moist areas such as bathrooms, steamy kitchens, or near swimming pools, otherwise, it may cause an electric shock.


PRODUCT OVERVIEW 2



3 BEFORE USE

1. Open the package.
2. Take out the air purifier.
3. Rotate the twist handle counterclockwise to unlock the base cover.
4. Take out the power adapter (placed in the middle of the filter).
5. Remove the new filter protective film before installation
6. Place the filter into the air purifier and put the base cover back (Align the base cover locking notches and rotate it clockwise until it clicks into place.)
7. Do not block the air inlet and outlet, e.g. by placing items on the air outlet or in front of the air inlets closer than 20cm.
8. Please insert the plug into the power socket firmly. After switching the power on, the indicator light will flash.

CONTROL PANEL OVERVIEW 4



5 OPERATION


1. Power ON/OFF:

Insert power cable plug into electrical outlet. Turn the air purifier on by pressing the "ON/OFF" button, it will automatically switch to auto mode.

The PM2.5 indicator will indicate the real-time air quality (green indicating excellent air quality, blue indicating moderate air quality, and red indicating poor air quality).

It might take up to 30s for the sensor to determine the current air quality value in the area.


2. Auto Mode:

Press the "Auto Mode"  button to set the auto mode (corresponding indicators will light up to indicate the selected mode and current fan speed according to the air quality in the area). The PM2.5 indicator will also change color according to the air quality.

3. Fan High Speed:

Press the " " button to set the highest fan speed level.

4. Sleep Mode:


Press the " " button to enter the sleep mode. The air purifier filtration speed is adjusted to the lowest airflow speed.

5. Manual Mode:



Press the "Fan Speed Control"  button to exit the auto mode.

The unit enters the manual mode. Adjust the fan speed (1F→2F→3F) when manual mode is selected.

6. Timer:

Press the "Timer"  button to pick the required operating time (2, 4, 6, 8, 10, 12hours). Air purifier shuts off automatically at the end of the selected period.

7. Child lock:

Press and hold the "  " button for 5 seconds to activate the child lock. When the child lock is on, none of buttons are responsive. Press and hold the "  " button for 5 seconds to deactivate the child lock.

8. Filter reset:

1) Press the filter "  " button to check the remaining lifetime of the filter.

The new filter has a life span of 1200 hours.

- LCD shows "--": the filter's remaining lifespan is greater than 999 hours;
- LCD shows a number (between 0 and 999): the filter's actual remaining lifetime.

7 OPERATION

2) The filter indicator will light up to remind you that the filter needs to be replaced. After the filter replacement, to reset the filter lifespan counter, press and hold the "Filter Reset" button for 5 seconds as it flashes until the screen shows "---".

9. Air Quality Indication:

After the unit is turned on, the sensor automatically detects the air quality, and the air pollution value is displayed in the front panel display.

NOTE:

It might take up to 30s for the sensor to determine the current air quality value in the area. The value determined by air quality sensor is for reference only and cannot be used to replace professional testing equipment.

CARE AND MAINTENANCE 8

 Switch off and unplug the appliance if you are cleaning the appliance or when it is not in use for a long time.

Reference for the filter cleaning and maintenance frequency: ~ once a month.

Never use abrasive objects which could damage your appliance's appearance. Clean the appliance with a soft, dry cloth.

Never use abrasive cleaning agents, scourers, acetone or petrol to clean the appliance.

Switch off the appliance and unplug it from the wall outlet before cleaning. Never immerse the motor base in water or place it under running water to avoid the risk of electric shock.

The filter is easy to be damaged and deformed. Please do not press or pull it forcefully during cleaning.

If it is damaged, replace the filter with a new one.

1. Replace the filter every 3-6 months. It varies depending on the area and ambient air quality. The filter replacement cycle may be reduced in heavily polluted areas, smoking areas, and etc. When the filtering effect is poor, please replace the filter.

2. Cleaning: Wipe the outer surface, the air inlet and outlet with a wrung soft cloth. Do not clean the surface with abrasive cleaning agents.

3. When not in use for a long period: unplug the power adapter, clean the outer surface and filter. Put it in a plastic bag and store in a low humidity level area.

9 SPECIFICATIONS

Product Name:	Air Purifier
Product Number:	HQKJ-150
Product Dimensions:	220*220*330mm
Package Dimensions:	250*250*360mm
Net Weight:	1.95KG
Gross Weight:	2.36KG
Operation Method:	Touch button
Adapter Rated Voltage:	100-240V
Rated Frequency:	50/60Hz
Input Voltage:	24V DC
Noise Level:	≤ 54dB(A)

Sensor Type	Can be Sensed	Sometimes Can be Sensed	Cannot be Sensed
Ordor Sensor	<ul style="list-style-type: none"> - Hydrogen - Alcohol - Carbon Monoxide - Methane - Cigarettes/Wood/ Paper Combustion Smoke - Cooking Smell 	<ul style="list-style-type: none"> - Water Vapor 	<ul style="list-style-type: none"> - Dust - Mildew - Bacteria - Virus

TROUBLESHOOTING 10

PROBLEM	POSSIBLE REASON AND SOLUTIONS
The air purifier produces a strange smell.	<ul style="list-style-type: none">• The filter is too dirty and has not been replaced for a long time-replace the filter.• Water has entered the filter or the machine has been used in a humid environment-replace the filter.• Reuse after sealed for a period of time-clean the filter, if it cannot be solved replace the filter.• If there is a burning smell-stop using it immediately, unplug the power supply and contact customer support team.
No airflow out of air purifier	The motor is not running -check the power supply, replace the power adapter or contact customer support team.
Can't feel the effect	<ul style="list-style-type: none">• Filter failure - Replace the filter.• Use in inappropriate places (excessive area)

KOIOS

 www.koiosshop.com

 support@koiosshop.com

 1-855-888-2111

 m.me/KoiosShop



Made in China