


User's Manual



www.rbrohant.com

INSTALLATION INSTRUCTIONS

Installation Manual



RB0763











CERTIFICATE OF LISTING

Plumbing Fixture Fittings

File No. 8737







IAPMO RESEARCH AND TESTING, INC.















IAPMO RESEARCH AND TESTING, INC.











INSTALLATION STEPS


This product has been inspected and debugged by the factory to the best condition. Please do not disassemble and assemble it yourself.




Before installing the faucet, please be sure to remove sundries and sludge from the water pipe to prevent sundries from blocking the faucet.




1.Three Holes Faucet. Hole:1.38". Distance:3.94"




2.Despatch the parts.




3. Fixed on the counter and screw it.



4. Connect the pipe of spout and two handles.




5. Then fit the hot/cold water supply.



CLEANING CARE

In order to keep the appearance of faucet clean, bright and good performance, please take care of the faucet as follows;



- 2.Use mild liquid and colorless glass cleaner to remove surface dirt and scale film, or use polish without abrasive effect;
- 3.Do not use abrasive deterfgent, polish, emery cloth, paper towel or scraper, etc.;
- 4.Do not use acid cleaner or cleaner and soap with insoluble gran etc.;
- 5.In the process of use, mud my accumulate in the bubbler and make the water flow show, The bubbler can be unscrewed, rinsed with water, and then installed back in place.

Please feel free to contact us if you have any questions. We will help to solve the issue together with you. OUR EMAIL: services@rbrohant.com





Service Contact:

+1(801) 800-9309 services@rbrohant.com

Made in China