

# Optical Power Meter with VFL



## Features

---

- Self Calibration
- Set the Auto Off
- Wavelength Memory function after turn off the tester
- High Accuracy, high sensitivity, high linearity
- Stable VFL Output
- USB Charge port
- FC, SC Connector
- 18650 Li-ion Battery
- Lower power consumption design, long standby time
- Rubber Out shell, increased the protective properties for field work

## Specification

Optical Power Meter	Detector Type	InGaAs
	Optical Connector	SC/FC & 2.5mm Universal
	Calibrated Wavelengths	850,1300,1310,1490,1550,1625 nm
	Measurement Range	+6 ~ -70 dBm
	Accuracy	±0.2 dB
	Power Measurement Linearity	±0.1 dB
	Display Resolution	±0.01 dB
	Power Display Units	dBm, mW, uW
Visual Fault Locator	Output Power	1mw/10MW/20mw/30mw
	Range	12-km@SM
	Connector	2.5mm Universal
	Laser Safety Rating	Class 2
	Wavelength	650nm±20nm
	Output Modes	Continuous (CW),2 Hz pulsed
	Reverse Battery Protection	Yes
Others	Power Supply	18650 Li-ion battery
	Auto Off	10 minutes
	Working Time	>200hours (only OPM Work) ≥50 hours (10mWVFL & OPM Work meanwhile)
	Working Temperature	-10~+45
	Weight	About 250g
	Dimensions	160*75*10mm

# Product Display

**2 in 1** More Convenient More Powerful

taobao.com/item.htm?spm=a230r.1.14.173.8UvAYA&id=543367158424&ns=1&subbucket=11#detail  
htm?spm=a230r.1.14.173.8UvAYA&id=543367158424&ns=1&sb



**Stable Quality**

**Accuracy Test**

**18 months Warranty**

**YOU NEED IT!**

