



PRODUCT
CATALOG

2022



VELOWAVE



VELOWAVE is one of the very best brands of electric bikes because we put people first. With the vision to make e-bikes accessible to everyone, we've been developing a variety of models for different riders and different needs.

The most important part of every VELOWAVE isn't some high-tech gadget or fancy bicycle component – it's the fun of riding it. Ride a VELOWAVE bike and you will feel the freedom, the thrill, and the most fun it provides.

It doesn't matter how old you are, or how to fit or healthy you are: VELOWAVE is for everyone.

With the passion of love and as direct-sales pioneers in the e-bike industry, we offer the best bikes at the best price in the hope to make high-quality e-bikes affordable to those who desire to discover the fun of riding.






GHOST | VWMTB3
≈ 27.5 INCH








GHOST | VWMTB3


↗ 27.5 INCH


-  **Frame:** 27.5" 6061 Aluminum


-  **Motor:** Rear Hub Motor, Rated 500W, Peak 850W, Max Torque 55NM


-  **Battery :** 48V 15AH 720Wh/ LG Cells


-  **Range:** 25-40+ Mile by Pedaling


-  **Max Speed:** 20 MPH by Throttle; 25 MPH by Pedaling

-  **Brakes:** Front & Rear Mechanical Disc Brakes

-  **Suspension:** Aluminum Suspension Fork

-  **Wheel/Tire:** Kenda 27.5"*2.35"

-  **Freewheel:** 7-speed

-  **Load:** 280 LBS



W 2022

eMTB



RANGER | VWFMTB3

↗ 26 INCH





RANGER | VWFMTB3

≈ 26 INCH

- Frame:** 26" 6061 Aluminum

- Motor:** Rear Hub Motor, Rated 750W, Peak 1000W, Max Torque 80NM

- Battery :** 48V 15AH 720Wh/ LG Cells

- Range:** 25-40+ Mile by Pedaling

- Max Speed:** 20 MPH by Throttle; 28+ MPH by Pedaling

- Brakes:** Front & Rear Hydraulic Disc Brakes

- Suspension:** Hydraulic Suspension Fork

- Wheel/Tire:** Kenda 26"*4.0"

- Freewheel:** 7-speed

- Load:** 330 LBS





PRADO S | VWFCTY3


≈ 20 INCH








PRADO S | VWFCY3


≈ 20 INCH


- 
Frame: 20" 6061 Aluminum


- 
Motor: Rear Hub Motor, Rated 750W, Peak 1000W, Max Torque 80NM


- 
Battery : 48V 15AH 720Wh / LG Cells


- 
Range: 25-40+ Mile by Pedaling


- 
Max Speed: 20 MPH by Throttle; 25+ MPH by Pedaling

- 
Brakes: Front & Rear Hydraulic Disc Brakes

- 
Suspension: Hydraulic Suspension Fork

- 
Wheel/Tire: Kenda 20"*4.0"

- 
Freewheel: 7-speed

- 
Load: 330 LBS





ROVER | VWFCY4


≈ 26 INCH








ROVER | VWFCTY4


↗ 26 INCH


-  **Frame:** 26" 6061 Aluminum


-  **Motor:** Rear Hub Motor, Rated 750W, Peak 1000W, Max Torque 80NM


-  **Battery :** 48V 15Ah, 720Wh, LG cells


-  **Range:** 25-40+ Mile by Pedaling


-  **Max Speed:** 20 MPH by Throttle; 28+ MPH by Pedaling

-  **Brakes:** Front & Rear Hydraulic Disc Brakes

-  **Suspension:** Hydraulic Suspension Fork

-  **Wheel/Tire:** Kenda 26"*4.0" Fat Tires

-  **Freewheel:** 7-speed

-  **Load:** 330 LBS






PONY | VWFCTY5
≈ 20 INCH








PONY | VWFCTYS


≈ 20 INCH


-  **Frame:** 26" 6061 Aluminum


-  **Motor:** Rear Hub Motor, Rated 750W, Peak 1000W, Max Torque 80NM


-  **Battery :** 48V 15Ah, 720Wh, LG cells


-  **Range:** 25-40+ Mile by Pedaling


-  **Max Speed:** 20 MPH by Throttle; 25+ MPH by Pedaling

-  **Brakes:** Front & Rear Hydraulic Disc Brakes

-  **Suspension:** Hydraulic Suspension Fork

-  **Wheel/Tire:** Kenda 20"*4.0" Fat Tires

-  **Freewheel:** 7-speed

-  **Load:** 330 LBS






GRACE | VWFCY6
↗ 26 INCH








GRACE | VWFCTYG


↗ 26 INCH


-  **Frame:** 26" 6061 Aluminum


-  **Motor:** Rear Hub Motor, Rated 750W, Peak 1000W, Max Torque 80NM


-  **Battery :** 48V 20Ah, 960Wh, LG cells


-  **Range:** 65+ Miles by Pedal; 40+ Miles by Throttle


-  **Max Speed:** 20 MPH by Throttle; 28+ MPH by Pedaling


-  **Brakes:** Front & Rear Hydraulic Disc Brakes

-  **Suspension:** Hydraulic Suspension Fork

-  **Pedal Assist:** Torque Sensor







-  **Wheel/Tire:** Kenda 26"*4.0" Fat Tires

-  **Freewheel:** 8-speed

-  **Load:** 330 LBS



ACCESSORIES

	<p>Waterproof Storage Bag</p>	<p>Size: 24*12*15cm Material: PU+EVA</p>
	<p>Waterproof Trunkbag</p>	<p>Size: 31*21*24cm Material: Nylon+Microfiber+EVA</p>
	<p>Rear Rack & Fender Kit</p>	<p>Material: Aluminum rear rack front & real ALU plastic fenders.</p>
	<p>Front and Rear Basket</p>	<p>Front Basket: 309mm*312mm Rear Basket: 500mm*370mm*136mm Material: Aluminum alloy</p>
	<p>Handle Riser</p>	<p>Specification: 31.8*75mm /31.8*105mm Color: Matte Black Material: Aluminum alloy</p>
	<p>Suspension Seat Post</p>	<p>Size: 350*31.6mm Material: Aluminum alloy</p>

Please refer to the website or contact Velowave marketing department for more accessories.

VELOWAVE



B2B@velowavebikes.com

WWW.VELOWAVEBIKES.COM