

| Type | Codec | Resolution | Maximum Frame Rate | Maximum Bit Rate (Under Ideal Conditions) | Type | Codec |
|----------------|-------|---------------------------------------|--------------------|--|------|-------|
| MOTION JPEG | MJPEG | 48x48 pixels ~ 1920x1080 pixels | 30fps | 38.4Mbps | AVI | N/A |

Note: The output data format is YUV420 semi-planar, and YUV400 (monochrome) is also supported by H.264.

XI'AN NOVASTAR TECH CO., LTD

Copyright © 2021 Xi'an NovaStar Tech Co., Ltd. All Rights Reserved.

No part of this document may be copied, reproduced, extracted or transmitted in any form or by any means without the prior written consent of Xi'an NovaStar Tech Co., Ltd.

Trademark

NOVA STAR is a trademark of Xi'an NovaStar Tech Co., Ltd.

Statement

Thank you for choosing NovaStar's product. This document is intended to help you understand and use the product. For accuracy and reliability, NovaStar may make improvements and/or changes to this document at any time and without notice. If you experience any problems in use or have any suggestions, please contact us via the contact information given in this document. We will do our best to solve any issues, as well as evaluate and implement any suggestions.

[Official website](http://www.novastar.tech)
www.novastar.tech

[Technical support](mailto:support@novastar.tech)
support@novastar.tech