
IP67 NEW Industrial Plug and Socket 16A 32A 3 Pin 4 Pin 5 Pin Wall Mounted Socket Panel Mounted Coupler 220V 380V 415V

aliexpress.us/item/3256803771074831.html



- 电流 Current (A): 16A.32A
- 电压 Voltage(V): 220-240V~2P+E
- 防护等级 Protection degree: IP67




earth contact position		6h	
rated current(A)		16	32
	pole	3	3
dimension(mm)	a b C d sw	118 82 47 6-16 38	146 100 63 10-20 50
cable nominal cross-section area	(mm²)	1-2.5	2.5-6



XM-0142 XM-0242

- 电流 Current (A): 16A.32A
- 电压 Voltage(V): 380-415V~3P+E
- 防护等级 Protection degree: IP67




earth contact position		6h	
rated current(A)		16	32
	pole		1
	а	124	146
dimension(mm)	b	79	93
	C	53	63
,	d	6-15	10-20
	SW	38	50
cable nominal cross-section ar	ea(mm²)	1-2.5	2.5-6



XM-0152 XM-0252

- 电流 Current (A): 16A.32A
- 电压 Voltage(V): 220-380V~ 3P+E
- 防护等级 Protection degree: IP67





earth contact position		6h	
rated current(A)		16	32
	pole	Ĺ	5
dimension(mm)	a b d sw	131 87 8-16 42	152 100 10-20 50
cable nominal cross-section area(mm²)	1-2.5	2.5-6



- 电流 Current (A): 16A.32A
- 电压 Voltage(V):220-250V~2P+E
- 防护等级 Protection degree: IP67





earth contact position		6h	
rated current(A)		16	32
	pole	3	3
dimension(mm)	a b	151 96	165 107
cable nominal cross-section are	a(mm²)	1-2.5	2.5-6



- 电流 Current (A): 16A.32A
- 电压 Voltage(V):380-415V~3P+E
- 防护等级 Protection degree: IP67





earth contact position		6h	
rated current(A)		16	32
	pole	4	4
dimension(mm)	a b	155 96	165 107
cable nominal cross-section area(mm²)			2.5-6



• 电流 Current (A): 16A.32A

● 电压 Voltage(V): 380-415V~ 3P+N+E

● 防护等级 Protection degree: IP67






earth contact position		6h	
rated current(A)		16	32
	pole	í	5
dimension(mm)	a b	153 103	163 109
cable nominal cross-section area(mm²)		1-2.5	2.5-6



• 电流 Current (A): 16A.32A

● 电压 Voltage(V):220-250V~2P+E

● 防护等级 Protection degree: IP67



rated current(A)	oole	16	32 3
1	oole		3
dimension(mm)	a b c sw	133 78 6-15 38	162 96 10-20 50
cable nominal cross-section area(m	nm²)	1-2.5	2.5-6




XM-2142 XM-2242

• 电流 Current (A): 16A.32A

● 电压 Voltage(V):380-415V~3P+E

● 防护等级 Protection degree: IP67




earth contact position		6h	
rated current(A)	ted current(A)		32
	pole	,	4
dimension(mm)	a b c sw	135 80 6-15 38	159 92 10-20 50
cable nominal cross-section area(mm²)		1-2.5	2.5-6



● 电流 Current (A): 16A.32A

● 电压 Voltage(V): 220-380V~ 240-415V~ 3P+N+E

● 防护等级 Protection degree: IP67



earth contact position		6h	
rated current(A)		16	32
	pole	í	5
dimension(mm)	a b c sw	145 92 8-16 42	168 102 12-22 50
cable nominal cross-section area	(mm²)	1-2.5	2.5-6



XM-3132 XM-3232

- 电流 Current (A): 16A.32A
- 电压 Voltage(V):220-250V~2P+E
- 防护等级 Protection degree: IP67





earth contact position		6	h
rated current(A)		16	32
	pole	3	3
dimension(mm)	а b c d e f Ф:	75 75 61 61 18 63 36 5	75 75 61 61 24 70 47 5
cable nominal cross-section	area(mm²)	1-2.5	2.5-6



- 电流 Current (A): 16A.32A
- 电压 Voltage(V): 380-415V~3P+E
- 防护等级 Protection degree: IP67






earth contact position		0	11	
rated current(A)		16	32	
р	ole	4	1	
dimension(mm)	ab cd ef p :	75 75 61 61 18 63 42 5	75 75 61 61 24 73 47 5	-
cable nominal cross-section area(m	m²)	1-2.5	2.5-6	



● 电流 Current (A): 16A.32A

● 电压 Voltage(V): 220-380V~ 3P+N+E ● 防护等级 Protection degree: IP67



earth contact position		6h	
rated current(A)		16	32
	pole	í	5
dimension(mm)	а b c d e f ф	75 75 61 61 18 63 45 5	75 75 61 61 24 76 52 5
cable nominal cross-section are	a(mm²)	1-2.5	2.5-6










INDUSTRIAL WATERPROOF SOCKET COUPLER, WALL MOUNTED SOCKET, PANLE MOUNTED SOCKET, PLUG **ACTIVE SOCKET PLUG COUPLER ACTIVE SOCKET** PANLE MOUNTED SOCKET **PANEL SOCKET PANLE MOUNTED SOCKET PLUG**











Verification No.: CLZJ20073026098

VERIFICATION OF LVD COMPLIANCE

Zheilang XXXMan Electric Co., Ltd. Applicant:

No. 2-4, ReXMin North Road, Belbaixiang Town, Yueging City, Address of applicant:

Zhejiang Province Zhejiang XXXMan Electric Co. , Ltd. Manufacturer:

No. 2-4, ReXMin North Road, Belbaixiang Town, Yueqing City,

Zhejiang Province

Product Description: Plug for Industrial Purposes

XM-035 63A-6h/415V~3P+N+PE IP67, XM-034 63A-6h/415V~3P+PE IP67, Model No.:

XM-033 63A-6h/250V~2P+PE IP67 XM-025 32A-6h/415V~3P+N+PE IP44 XM-024 32A-6h/415V--3P+PE IP44. XM-024 32A-6n415V-3P-PE PV4.
XM-023 32A-6n415V-3P-PE PV4.
XM-015 16A-6n415V-3P-NE-PE IP44,
XM-014 16A-6n415V-3R-PE IP44,
XM-013 16A-6n250V-2P-PE IP44.
XM-013 16A-6n250V-2P-PE IP44.
Sufficient samples of the product have been based and found to be a conformity with
Test Standard:
EN 60309-1:1999+A1 2007+AC:2014, EN 60309-2:1999+A2:2012

As shown in the

Test Report Number(s):

Date of issue: Date of expiry:

Conclusion

This Verification of LVD Compliance has been granted to the applicant based on the results of the TCF, performed by Global Testing Services Co., 143 on the sample of the above-mentioned product in accordance with the provisions of the nelevant specific plandards and the Directive 2414/35/EU. The CE mark as shown below can be used, under the responsibility of the manufacturer, after compliation of an EU Declaration of Conformity and compliance with all relevant EU Directives. The affixing of the CE marking presumes in addition that the conditions in aminers it and IV of the Directive are fulfilled.

Approved by: Hormann Weiher

For and on behalf of Global Testing Services Co., Ltd



Global Testing Services Cv., Edd E-mail anticipge-lab com: http://www.grs-lab.com Flow 2nd, Building D-1, No. 124, Shorda Road, Minhang Destict, Shanghai, China.

Copyright of this certificate is owned by Global Testing Services Co., Ltd and may not be reproduced other than in full and with the prior approved of the General Manager.

Verification No.: CLZJ20073026098

VERIFICATION OF LVD COMPLIANCE

Zheijang XXXMan Electric Co., Ltd. Applicant: No. 2-4, ReXMin North Road, Belbaixiang Town, Yueging City. Address of applicant: Zheijang Province Zhejiang XXMan Electric Co., Ltd. Manufacturer:

No. 2-4, ReXMin North Road, Belbaixiang Town, Yueging City. Zhejiang Province

Plug for Industrial Purposes Product Description: XM-035 63A-6h/415V -- 3P+N+PE IP67.

Model No.: XM-034 63A-6h/415V~3P+PE IP67,

XM-033 63A-6h/250V ~ 2P+PE IP67 XM-025 32A-6h/415V~3P+N+PE IP44. XM-024 32A-6h/415V--3P+PE IP44. XM-023 32A-6h/250V-2P+PE-P44 XM-015 16A-6h/415V-3P+N+PE-P44 XM-014 16A-6h/415V-3P+PE-P44 XM-013 16A-6h/250V-2P+PE-P44

Sufficient samples of the product have been tested and found to be a conformity with
Test Standard: EN 60309-1:1999+AI 2007+AC:2014, EN 60309-2:1999+AI:2012

As shown in the Test Report Number(s):

by Global Testing Services Co., add on the sample of the above-mentioned product in accordance with the provisions of the relevant specific affordards and the Directive 2014/35/EU. The CE mark as shown below can be used, under the responsibility of the manufacturer, after completion of an EU Declaration of Conformity and compliance with all relevant EU Directives. The affixing of the CE marking presumes in addition that the conditions in

pliance with all relevant EU Directives. The ixes III and IV of the Directive are fulfilled round by: Harmann Winher

For and on behalf of Global Testing Services Co., Ltd.

Global Testing Services Co., Ltd E-mail solicitypolab com http://www.gro-lab.com Floor 2nd, Building D-1, No. 12K, Shenda Road, Mi

Copyright of this certificate is owned by Global Testing Services Co., Ltd and may not be reproduced other than in full and with the prior approval of the General Manager.

About Payment

- 1. We accept all payment methods listed by Aliexpress. Click to View More.
- 2. Payment must be made within 3 days of order.
- 3. If you have decided to buy this item, please pay as soon as you can, so we can immediately arrange delivery for you.

About Shipment

1. If the parcels wight below 2kg and less than standard volume for shipping will be sent via the shipping method you have choice, and they will be all traceable; If the parcels wight over 2kg or bigger than standard size for shipping will be sent via commercial Express(UPS,Fedex,DHL ...);if there is a difference in freight, please make up for it. Thank you for your understanding.

- 2. After parcel sent out, it will become uncontrollable. We will appreciate your patience during the delivery period. Estimate delivery time is 15~45 days for most of the countries (except for Brazil).But delivery time may be longer during holiday or promotion period.
- 3. We are not responsible for any taxes or VAT on the customs of buyer's country.
- 4. If after 45 days you don't receive the parcel, please contact us. We will submit a search with the shipping agent and help to track the logistics information for you. If after 60 days, you still do not receive the parcel, you can contact with us to fully refund to you.

About After-sale Service

- 1. For products with quality problem, please provide us some photos or vedio. We will discuss the solution for you.
- 2. If you want to return/exchange products because of personal reason, it is available. You have 7 days to contact us and 30 days to return it from the date it was received. If this item is in your possession more than 7 days, it is considered used and we will not issue you a refund or replacement. You also need to afford the returned shipping cost.
- 3. All returned items must be in the original packaging and you must provide us with the shipping tracking number, reason for the return, and your order number.

About Feedback

- 1. We appreciate your early receipt confirmation.
- 2. Your feedback is very important for our store, we sincerely invite you to leave positive feedback(Five Stars)for us. Welcome to share our products to your solical website, such as Facebook, Twitter, Instagram, Yandex and so on. You can send the screenshots to us, so you can get a \$1.00 coupon as a discount for next order..
- 3. Please don't leave negative feedback or open dispute without communication with us. No matter what problem you meet, we will try our best to provide you a solution. Please actively contact us before leaving any negative or neutral feedback. Thank you for your understanding!



Links

Ranking Keywords

mink lashes

This product belongs to Home