Photography LED Lighting Kit Model: HLS40 User Manual



In the Box












Product Parameters

Power: 24W


Brightness range: 0-100% Colour temperature: 5500K CRI (Color Rendering Index): >80 Light housing material: Aluminum

Photography LED Lighting Kit Instruction

1. Tripod installation:




1. Take out the folded tripod.



2. Open the tripod legs.



Tighten the knob of the tripod stand.




4. adjust the height as needed.



5. Install the soft tube and tighten the knob.



6. Install the light bar and tighten the knob.



 $\begin{tabular}{ll} {\bf 7.} Connect the power supply. \end{tabular}$



8. The installation is complete.

2. 0~100% Brightness Adjustable



Risk of electric shock dry location use only.

Pour utilisation a linterieur seulement.

3. 180° Angle Adjustable



Dear Valued Customer,

We appreciate your trust in choosing Heysliy's LED Lighting Kit. Your satisfaction is our top priority.

We believe this product will significantly enhance your photography experiences.

For any queries or issues, please feel free to contact us; our dedicated team is ready to assist promptly and efficiently.

Thank you for your patronage.

Best Regards, Heysliy Service Team

UK REP

EVATOST CONSULTING LTD

Suite 11, First Floor, Moy Road Business Centre, Taffs Well, Cardiff, Wales, CF15 7QR contact@evatmaster.com

EC REP

eVatmaster Consulting GmbH

Bettinastr.30 60325 Frankfurt am Main, Germany contact@evatmaster.com

Product name: Photography LED Lighting Kit

Modle: HLS40 Trademark: Heysliy

E-mail: heysliyeu@foxmail.com

