

Tailulu Air Purifier

User Manual



True HEPA Filter



3- Stage
Filtration System



Low Noise Level



Child Lock




Model: D09

CUSTOMER SERVICE

Our customer service team is standing by to assist you if you have any questions or concerns.

 www.tailulu.com

 support@tailulu.com

 1-833-368-8825

CAUTIONS

IMPORTANT

Warning	1
Attention	1

PRODUCT TECHNICAL FEATURES

Air purification process	4
--------------------------	---

PARTS TO INTRODUCE

Appearance diagram	5
Operating unit	6

OPERATING INSTRUCTIONS BEFORE USE

Placement	7
Replace the filter	7
Install the filters	8
External power supply	8

INSTRUCTIONS FOR USE

Power setting	9
Fan speed setting	9
Timing setting	10
Resetting	10
Child lock setting	11
Night light setting	11

TECHNICAL PARAMETERS

Parameters	12
Filter parameters	12

IMPORTANT

To prevent harm or damage happened to users or others, be sure to comply with the requirement as below:

Warning/Attention

 **Warning** It reminds that misusing or mishandling may cause death.

 **Attention** It reminds that misusing or mishandling may cause hurt.




FORBID



FORCE

WARNING



Please supervise your children and avoid them from touching or using machine.



AVOID WET

Do not connect or disconnect the power with wet hand.

It may cause electrical shocking.

No disassembly, repair and reconstruction.

It may cause fire or damage.
Please send it to the retailer for repair.



NO DISASSEMBLE

Do not use the over run socket or wiring connector. Do use the rated voltage.

It may cause fire.



FORBID

Do plug the power into the socket completely.

It may cause fire because of heating or electrical shocking.
Do not use the damaged plug or loose socket.



Avoid any water on the surface of the unit.

It may cause short circuit or electrical shocking.



AVOID WET

The appliance must be disconnected from the supply mains before cleaning or other maintenance.

Otherwise the unit may start working in a sudden which may cause electrical shocking or hurt.



DISCONNECT POWER

Do not insert any metal objects into the unit.

It may cause hurt or electric shocking.



FORBID

Do not repair it when the cord or plug is damaged.

It may cause short circuit, electric shocking or fire.
Please send it to the retailer for repair.



FORBID

If there is dust on the plug, it may weaken the insulation, even cause fire.

Take out the plug and clean it with dry cloth.
Please remove the plug from the socket if not using for a long period.



IMPORTANT

Do not power the unit on when using insecticide in the room.

Otherwise the insecticide may be stored in the unit and will blow out during the normal working time. It is harmful to the health. Please ventilate completely after having used the insecticide before turn on the unit.



FORBID

Please hold the plug instead of the cord when unplugging the power.


Otherwise it may cause short circuit, breaking of the cord, electric shocking or fire.



! ATTENTION


Do not use in the room with lampblack such as kitchen.

It may cause hurt because the machine is not a ventilator.




Do not blow in any combustible or fired cigarette into the unit.

It may cause fire.



Do not use in the watery or high temperature room such as the bathroom etc.

Otherwise it may cause creepage, electric shocking or fire.




Keep away from alcohol, organic impregnant or insecticide.

It may cause cracking, short circuit, electric shocking, hurt or fire.



Please ventilate timely when used with fire in the room.

Otherwise it may cause poisoning of Co1 as the machine is not a ventilator




Please remove the plug from the socket if any conditions as below:

- If all switches do not work.
- If the power cord or plug hot singularly.
- If any peculiar smell, exceptional noise or vibration.
- Any other abnormality or failure.

If the power cord is damaged, please send it to the retailer or service center or technician for repairing. Do not change or repair it by yourself.

PURIFICATION PROCESSING



COMPONENT INTRODUCTION


DIAGRAM OF THE OUTLOOK



COMPONENT INTRODUCTION

OPERATION PANEL

◆ Diagram of Control Panel



USE AND OPERATION

PLACEMENT

- ◆ Please keep the machine air inlet and outlet 30cm or more far away from the wall and home furniture.
- ◆ Do not use the machine in front of hot source outlet.

REPLACEMENT OF THE FILTERS

- ◆ Filter replacement reminder
When using the machine for a certain period of time, The filter should replace when the remind light on.
Operate as below:
- ◆ Take out filter
 1. Turn it off first, then unplug it;
 2. Put the machine upside down, one hand to hold tight the machine body, the other hand press down the cover while turning left, can open the base cover;
 3. Remove the used filter



USE AND OPERATION

INSTALL THE FILTER

1. Remove the protective bag of the new filter, and then install the new filter;
2. One hand to hold tight the machine body, the other hand press down the cover while turning right, can install the filter.
3. After replacement , press the filter remind button and hold it for 3 seconds to reset the using time.



EXTERNAL POWER SOURCE

◆ DC Adapter



Machine socket



Adapter

- ◆ Please do not mistakenly connect the external power source different from the power adapter specification of this machine, and firmly insert the plug into the power socket.
- ◆ Connect the power, the power adapter's DC plug into the machine's DC socket, and then plug the power adapter into the ac socket.
- ◆ When power is cut off, first unplug the ac plug of the power adapter, and then unplug the DC plug from the unit.

USE AND OPERATION

POWER SETTING

Press the “⏻” button turn on/off the unit.
(remark:no“beep”sound)



Standby mode



Power on

The night light is defaulted on,in low fan speed.

FAN SPEED SETTING

Press the “⚙” button to switch the fan speed to “LOW”, “HIGH” Speed and “Sleep Mode” .



In sleep mode, the button lights will turn off automatically after 30s if there is no operation, you can wake the button lights by tapping any button.

FAN SPEED SETTING



Low fan speed



High fan speed



Sleep mode




USE AND OPERATION

TIMING SETTING

Press the "⌚" button to setting the working time.

There are 3 timer settings to choice from: 2 hours(2H),4 hours(4) and 8 hours(8H).The timer function indicator lights will show the selected timer setting.

The air purifier will automatically switch off after the selected time has expired.



RESET AFTER REPLACING THE FILTER

If the "↻" indicator light is lighted,it means the filters life time(1440hrs)comes to the end,please replace new filters.After replacing new filters,please long press the "⌘" button for approx.3 seconds, then "↻" indicator light will be switched off,the machine starts to record the filters using time.



"↻" indicator light is on



Press the "⌘" button for approx.3 seconds to reset

USE AND OPERATION

CHILD LOCK SETTING

Use the child lock to temporarily lock the control panel. Tap the "🔒" button to turn on the function, press and hold the "🔒" button for 3 seconds to deactivate the function.



Turn on 🔒



Deactivate 🔒

NIGHT LIGHT SETTING

To turn on/off the night light function, press "💡" on the control panel



Turn on 💡



Turn off 💡



TECHNICAL PARAMETERS

TECHNICAL PARAMETERS

Model No.:	D09
Power supply:	DC 24V/1A
Net Weight:	1.6 kgs
Power cord length	≥1.2m
Power consumption (W):	22W
Dimensions (wxdxh):	φ190xH325(mm)

FILTER PARAMETER

Item name	Dimensions	Life time
3 in 1 Multi-function filter	φ140xH147(mm)	1440H

Tailulu



www.tailulu.com



support@tailulu.com



1-833-368-8825



Made in China