

LED High Bay Light (Power Adjustable Version)





Switchable Wattage, Less SKU, optimize inventory turnover

Add: Room 803, Chevalier House, No 45-51 Chatham Road South, Tsim Sha Tsui. Hong Kong Tel: +1 (715) 440-5721 E-mail: sales@jc-lgl.com

Features:

- * Light Efficiency: 150lm/W;
- * Unique design, multiple power settings controlled by a dip switch
- * High bright EPISTAR LEDs;
- * Optics of 120°/ 90°/60° available on request;
- * High-transmittance and anti-UV Polycarbonate lens;
- * Excellent thermal management design;
- * Die-casting aluminum with polyester powder coat finish;
- * IP65/IK08 rating for outdoor usage;
- * Hook hanging and U-bracket installation are available;
- * Energy savings, no UV and IR radiations, emits low heat;
- * 0-10V dimming for low power consumption;
- * ETL/cETL/SAA/DLC/C-TICK/FCC/CE/RoHS approval;
- * 5 years warranty


Specifications:

Model	RMS-HB-XXXW-AJ
Wattage	100W(80W/60W),150W(120W/90W), 200W(150W/120W),240W(200W/150W)
Luminous Flux	150LM/W
Beam Angle	120°/90°/60°
Color Temperature	3000K~6000K
Input Voltage	AC100-277V, 50-60Hz
LED Brand	EPISTAR
CRI	Ra>70
PF	>0.9
Life Hours	50,000
Operation Temperature	-35℃~55℃
IP Rating	IP65

Dimension:

Unit: mm





100W(80W/60W),150W(90W/120W)

200W(150W/120W),240W(200W/150W)



ĎLĜ

CC (E 🔬 FC)

Details:			
	• High bright EPISTAR SMD 2835, Lm80 listed. Whole lamp is 150LPW	Liffud [®]	• LIFUD LED driver, 0-10V dimming , high reliable, offer 5 years warranty
	 The switch selector allows customers to simply select different wattages. 		 Die cast hook mount standard for ease of installation, surface mounted baracket optional.
	 Die cast aluminum alloy body, cooling fins provide maximum heat dissipation. 	00° 90°	• 3 kinds of beam angle options to suit different lighting requirements in different areas.
	 60°/90° of PC/ Aluminum Reflectors are optional. 	() IP65	 IP65 waterproof for wet location

(CID).

🕬 🕐 (E 🎑 FC 🕮

Application:

LED UFO high bay fixtures are ideal for Warehouses, Manufacturing Facilities Gymnasi-ums, Aviation Hangars, Convention Centers, Big Box Retail Stores, Cold Storage Facilities.



Lan at






1. Hook hanging Installation








2.Bracket Mounted Installation



SAA



Optional Accessories:

