

# LED Full Cutoff Wall Pack light

**Wattages: 28W,42W,56W,70W**



The Full Cutoff Wall Pack LED Lighting Series can be widely used for Indoor or Outdoor (Wet Location) Excellent for Museums, Art Galleries, Shopping Malls, Office Buildings, Walls and many other applications.

**WATT/CCT  
SELECTABLE**



## Features:

- Lumileds LED, high luminous efficiency and long working life .
- High efficiency LED Driver, the wide range input voltage AC120-277V.
- Die Cast aluminium cooling design,high quality and better cooling for LED Tj < 85°C .
- Excellent Optics design, greatly improve the light utilization and evenness.
- **The 1-10V Dimming type is continuous.**

## Packaging information:

❖ **WSD-FWP2842567W27-345K:**


Carton Size:395MMX230MMX140MM  
15.55" X9.06" X5.51" (1Pcs/CTN)

SPECIFICATION				
TYPE	WSD-FWP2842567W27-345K			
WATTAGE	28W	42W	56W	70W
LUMEN	4116 lm (28W&4000K)	6174 lm (42W&4000K)	7840 lm (56W&4000K)	9800 lm (70W&4000K)
EFFICACY	> 140 lm/W			
CCT	3000K,4000K,5000K			
CRI	> 70			
INPUT VOLTAGE	AC120-277V			
LIGHTING ANGLE	99.5X77.6°			
FACTORY SETTINGS	70W & 4000K			
LED TYPE	2835			
PF	> 0.95			
DRIVER EFFICIENCY	> 89%			
PROTECTION LEVEL	WET			
LIFE TIME	> 50000 hours			
WARRANTY	5 year limited			

# LED Full Cutoff Wall Pack light

**Wattages: 28W,42W,56W,70W**

## DIMENSION:




## Specifications:

Shell materials: Aluminum & PC.  
 Net weight : 6.26 lbs  
 Finish: Dark Bronze(Standard)  
 Product Size:347.8mmX126.4mmX207.7mm  
 13.97"X4.98"X8.18"

## Control Module:

The LED Full Cutoff Wall Pack light can adjust the power and color temperature of the whole lamp, which is convenient and fast. The power and color temperature can be selected according to the actual needs of customers.



**WATT/CCT  
SELECTABLE**

## ORDERING INFORMATION:

### EXAMPLE:

**WSD-FWP2842567W27-345K-Z[D,W,B,S]-Y[Blank,P]**

WSD	FWP	2842567	27	345K	Z	Y
COMPANY	PRODUCT	POWER	VOLTAGE	CCT	FINISH	CONTROL
WSD LED INC	FWP Full Cutoff Wall Pack light	2842567 28W/42W 56W/70W	27 AC120-277V	345K 3000K/4000K/5000K	D (Dark Bronze) W (White) B (Black) S (Silvery)	P (Photocell)


# LED Full Cutoff Wall Pack light

Wattages: 28W,42W,56W,70W


## PHOTOMETRICS:

For complete IES files, please visit our website.


### WSD-FWP2842567W27-345K (28W&4000K)



### WSD-FWP2842567W27-345K (42W&4000K)



### WSD-FWP2842567W27-345K (56W&4000K)



# LED Full Cutoff Wall Pack light

**Wattages: 28W,42W,56W,70W**

**PHOTOMETRICS:**

*For complete IES files, please visit our website.*

WSD-FWP2842567W27-345K (70W&4000K)

