

LECV-UFO XXD/R Emergency LED Driver









Features

- UL Listed for US and Canada.
- Listed for factory or field installation-UL924 & CSA C22.2 NO.141
- Constant power output: 30W/40W/60W
- Multi-voltage input: 100-347Vac, 50/60Hz
- Battery protections:over charge protection, over discharge protection, short circuit protection
- Self testing monthly
- Wireless remote control for emergency testing
- Easy installation, directly connect to AC input of UFO LED High Bay
- 5 years warranty
- Meets CEC Title 20 standards

Specifications

Input Voltage	100-347VAC, 50/60Hz	Test Switch/Charging Indicator Light	Remote Control
Output Voltage	120-180Vdc	Battery	Li-ion battery
Input Current	460mA max.	Charging time	≤ 24Hours
Input Power	15W max	Output power	□30W□40W □60W
Emergency Time	90Minutes	Output power	
Warranty	5 Years	Weight	
Ambient Temp	-30°C to +60°C	Dimensions	

Model No.

Model NO	Input Voltage	Emergency power	Battery Capacity	Emergency Time
LECV-UFO30D/R	100-347V/AC	30	29.6V/2200mAh	90Minutes
LECV-UFO40D/R	100-347V/AC	40	29.6V/2600mAh	90Minutes
LECV-UFO60D/R	100-347V/AC	60	29.6V/5200mAh	90Minutes

LECV-UFO XXD/R

30W /40W /60W

The Wisdom UFO XX D/r Series Led Emergency Drivers Are Designed For Use With UFO Led High Bay Fixtures With 0/1-10V Dimmable LED Drivers.it Allows The LED UFO High Bay To Be Used For Both Normal And Emergency Operation.





Colors












Note: Orange is default color. Black White, yellow, green and more colors are available with MOQ requirement. Please consult the factory.


Product Size









0-10V Dimmer+Additional switch






UFO LED High Bay

— 7 —




— 8 —

With Wall Switch(without Dimmer)



— 9 —

Without Dimmer& Switch, 24hours Lighting



— 10 —

READ AND FOLLOW ALL SAFETY INSTRUCTIONS.

- Risk of fire or electric shock.Luminaire wiring and electrical parts may be damaged when drilling for installation of LED Emergency Backup. Check for enclosed wiring and components.
- •Risk of fire or electric shock. This LED Emergency Backup installation requires knowledge of luminaire. electrical systems. If not qualified, do not attempt installation. Contact a qualified electrician.
- •Before installing, make certain the AC power to the fixture is off.
- •The electrical rating of this product is 100 —347Vac.Installer must confirm that there is 100 —347Vac to the fixture before installation.
- •To prevent electrical shock only mate unit connector after installation is complete and before the AC power to the fixture is back on.
- Do not use outdoors.
- •This LED Emergency Backup unit requires an un —switched AC power source of 100-347 Vac, 50/60 Hz The AC driver must be on the same branch circuit as the LED Emergency Backup unit.
- •Do not let power supply cords touch hot surfaces.
- Do not mount near gas or electric heaters.
- Do not connect battery pack connector until all other wiring is complete and AC power is on .
- Equipment should be mounted in locations and at heights where it is not be subjected to tampering by unauthorized personnel.
- •The use of accessory equipment is not recommended by the manufacturer and may cause an unsafe condition.
- •Do not use this equipment for other than its intended use.
- •Use with grounded, UL Listed, dry or damp location rated fixtures.
- Make sure the load is not greater than 300W, more than this parameter wil result in shortening discharge time.
- •Repairs and maintenance must be carried out by qualified personnel





WSD LED INC