

Φ28

Extreme Skin Roman Rod System

Skin-feeling material with ultimate matte finish
Smooth and soft touch

Material: Aluminum profile

Process: Lamination

Size: 6.7m/pc

Hermès orange



ANYHI



128616

Bracket with cover
Hidden screws are more beautiful

■ 28247

Innovative technology of Skin-feeling material

Smooth to the touch, like a baby's skin,
Presenting the ultimate matte finish, soft touch,
Anti-fingerprint design as well as thermal repair of minor surface scratches.
Latest trend in home decoration is carefully crafted to show the beauty of calm and elegance!



■ 28615



■ 28031



■ 28611



■ 28299



Φ28

Extreme Skin

Roman Rod System

Skin-feeling material
with ultimate matte finish
Smooth and soft touch

Material: Aluminum profile

Process: Lamination

Size: 6.7m/pc



28615



28611



28616



28031



28299



28247



28031



28615



28611



28616



28299



28247

φ28

Extreme Skin
Roman Rod System

Material: Aluminum profile
Process: Lamination
Size: 6.7m/pc



Section



loop



Connector



odd or even code

Bracket with cover
Hidden screws for better aesthetics

High grade gray



28611



28616



28031



28299



28247

28615



Skin-feeling material
with ultimate matte finish
Smooth and soft touch



φ28 Extreme SkinRoman Rod System

Material: Aluminum profile

Process: Lamination


Size: 6.7m/pc

故宫红

尊贵蓝



- 28615
- 28611
- 286 16
- 28031
- 28299
- 28247
- 28615
- 28611
- 28616
- 28031
- 28299
- 28247



Φ28

Extreme Skin Roman Ro
Skin-feeling materia
with ultimate matte
Smooth and soft touc

Material: Aluminum profile
Process: Lamination
Size: 6.7m/pc

Skin black



Metallic brass texture
Exquisite design and full appearance

$\phi 28$

Light luxury Roman rod series

Material: iron

Process: electroplating

Size: 6.7m/pc

Copper

28031

28003





Bracket with cover
Hidden screws are more beautiful

Semi-hanging rings can be added at will

No need to disassemble the decorative head, can snap it into the Roman pole with just one click, allowing you to add hanging rings at will.

φ 28

Light luxury Roman rod series

Material: iron

Process: electroplating

Size: 6.7m/ pc



Matte white



φ28

Light luxury Roman rod series

Material: iron

Process: electroplating

Size: 6.7m/ pc

Dumb green ancient



128609

2 8611

128615

28616

128031

28113

128614

28299

Φ28

Light luxury Roman rod series

Material: iron
Process: electroplating
Size: 6.7m/ pc

Matt black



28609



128611



28615



128616



28601



28112



28113




128614



128299



128031



截面



环



封口



连接器



单双码

Bracket with cover
Hidden screws are more beautiful



Combination of sand texture and
flash silver technology

The aesthetic essence of minimalism creates a personalized space for
you that integrates functionality and beauty

φ28 LUXURY

Flash silver sand pattern Roman Rod

Material: aluminum

Process: Frosted spraying

Size: 6.7m/ pc



Section



Loop



Seal



Odd and even code



Connector



φ 28 LUXUTY

Flash silver sand pattern Roman Rod

Material: aluminum
Process: Frosted spraying
Size: 6.7m/ pc



■ 28613 Matte White ■ 28613 Matte Gray ■ 28613 Matte Brown ■ 28613 Matte Black

Light luxury is in fashion

L I G H T L X U R Y

■ 28611 Matte Black

φ 28

Flash silver sand pattern Roman Rod

Material: aluminum

Process: Frosted spraying

Size: 6.7m/pc

28611 Matte Brown

■ 28611 Matte White

■ 28611 Matte Gray



Brushed texture, light luxury quality

The surface texture is smooth and clear, and the color is warm and moist.
Low-key luxury, highlighting quality, creating an extraordinary life



φ28 LUXURY

Oxidized Brushed Roman Rod

Material: aluminum

Process: oxidation wire drawing

Size: 6.7m/ pc

ANYHI



Section



Loop



Seal



Connector

■ 28614 Brushed gentleman gray

■ 28614 Brushed titanium

■ 28614 Brushed Champagne

■ 28614 Brushed Black

XIE

φ28 LUXURY
Oxidized Brushed Roman Rod

Material: aluminum
Process: oxidation wire drawing
Size: 6.7m/ pc



28615
Brushed titanium

Bracket with cover
Hidden screws are more beautiful



28615
Brushed Champagne



28615 拉丝绅士灰



28615 拉丝黑

KEEWO WINDOW DECOR.



Patented product prevents light leakage

Built-in mute strip

The design that combines both feature and aesthetic sense is most touching
Living in such a space filled with pure beauty, we certainly have a closer
affection for home.

Urban Elite Series

Anti-light leakage

Nanocomposite square rail

Patented product prevents light leakage
Built-in nano silent strip

Material: aluminum alloy

Process: spraying

Size: 6.7m/ pc



■ QW-001 Excellent white

音 8 8 8 8 0

■ QW -001 High grade gray

6606oS

■ QW 001 Wisdom black

24.5mm





Patented product prevents light leakage



The appearance is outstanding, the function is excellent, and the heart is moved but not rashly.

Urban Elite Series

Anti-light leakage

Nanocomposite small square rail

Material: aluminum alloy
Process: spraying
Size: 6.7m/pc



ANYHI

800050

QW-002 高级灰

066666

QW-002 睿智黑



Orbital drilling
Code-free installation

Show energy series
Built-in track

Really implement hidden installation
Can be equipped with snake curtain accessories

Material: aluminum alloy
Process: spraying
Size: 6.7m/pc



■ QW-006 象牙白



■ QW-006 珍珠黑

现代极简风格
无码粘贴轨道

Show energy series

V-shaped track

Can be equipped with snake curtain access

Material: aluminum alloy

Process: Electrophoresis

Size: 6.7m/ pc



1. 强力自粘安装
保证轨道与墙面粘得紧，
粘得稳，粘得久。



2. 轨道打孔
免码安装



● QW-007 象牙白



● QW-007 珍珠黑



KWenitko@becon.

Show energy series

Elf track

Superinvisible water hose

Self-adhesive without drilling

Material: aluminum alloy

Process: electrophoresis

Qw-008 珍珠黑



2. 轨道打孔免钉安装



Qw-008 Ivory white





■ QW-009 哑光白

■ QW-009 摩卡蓝

■ QW-009 高级灰

Colorful series

Composite track

Built-in silent nano strip
Wear-resistant, smooth and quiet
Material: aluminum alloy
Process: spraying
Size: 5.8m/ pc, 6.7m/ pc



■ QW -009 Matte Black



■ 28163 Matte black

■ 28163 Matte white

28163 Mocha blue

□ 28163 High grade gray

Colorful series
Colorful series

φ28 Colorful Series

Material: aluminum alloy
 Process: spraying
 Size: 5.8m/ pc, 6.7m/ pc





ANYTH



隐藏式内卡安装码



纳米静音条

截面



防漏光连接器



隐藏式连接器

Urban Elite Series

Anti-light leakage

Nanocomposite large square rail

Material: aluminum alloy

Process: spraying

Size: 6.7m/ pc

Patented product prevents light leakage

Built-in nano silent strip

Hidden installation of internal card

Can be equipped with snake curtain accessories

■ QW-03 Excellent white



■ QW-03 高级灰



■ QW-03 睿智黑



Seal



Connector



Wheel



Unilateral code



Single top code



Double top code



隐藏式内卡安装码



工程塑料
更静音更顺滑

巨力轮
不锈钢回字形结构设计，更承重
单轮承重20kg



防漏光连接器



隐藏式连接器

Anti-light leakage

Light luxury brushed track

Patented product to prevent light leakage
 Internal card hidden installation design
 Equipped with giant wheels to bear load more smoothly
 Can be equipped with snake curtain accessories
 Material: aluminum alloy
 Process: oxidation wire drawing
 Size: 6.7m/ pc



■ QW-005 拉丝绅士灰

UTJU

■ QW-005 Brushed titanium


U

Τσσν

■ QW-005 Brushed Champagne



■ QW-005 Brushed Black



工程塑料静音滑槽
拉动更顺滑更静音

QW-010

Nanocomposite curved rail

Can be equipped with snake curtain a Nano-silent, straight and bendable

Material: aluminum alloy

Process: spraying

Size: 6.7m/ pc



Section



Seal



Wheel



Double top code



Unilateral code



single top code



卓越白



高级灰



睿智黑

T150**Baroque medium curved rail series**

Material: aluminum alloy

Process: electrophoresis process

Size: 6.7m/ pc



Section



Wheel



Unilateral code



Single top code



Double top Code



Seal



象牙白



珍珠黑

ANYHI

T300**Irish medium curved rail series**

Can be equipped with snake curtain accessories

Material: aluminum alloy

Process: electrophoresis process

Size: 6.7m/ pc



Section



Wheel



象牙白



珍珠黑

KE... WDECOR

φ23 Alaska

Electrophoresis rod series

Material: aluminum profile

Process: electrophoresis

Size 5.8m/pc, 6.7m/pc



■ 23495 Ivory white



■ 23495 Champagne



■ 23495 Cinnamon



■ 23495 Black

φ 23 Alaska

Electrophoresis pole series

Material: aluminum
 Process: electrophoresis
 Size: 5.8m/ pc, 6.7m/ pc



Sect



Odd and even code



LOOP



Seal



Connector



■ 23494 坚美象牙白

■ 23496 坚美黑

ANYHI



■ 23494 Champagne



■ 23494 Cinnamon



■ 23494 Black



■ 23496 Ivory white



■ 23496 Champagne



■ 23496 Cinnamon

Made of native Jianmei aluminum material, the surface is processed by electrophoresis process. It has high hardness, strong pressure resistance and strong wear resistance.

Anti-corrosion, anti-rust, environmentally friendly and durable

φ28

Electrophoresis three-wire rod series

Material: aluminum

Process: electrophoresis

Size: 5.8m/ pc, 6.7m/ pc



■ 28234 Black



■ 28234 Cinnamon



■ 28234 Champagne



■ 28234 Ivory white

φ28

Electrophoresis three-wire pole series

Material: Jianmei aluminum

Technology: Jianmei
electrophoresis

Size: 5.8m/ pc, 6.7m/ pc



■ 28398Black



■ 28398Cinnamon



28398Champagne



2 8398Ivory white



■ 28456Black



■ 28456Cinnamon




■ 28456Champagne



■ 28456Ivory white

東
方
世
界
境



在尘
世
中
找尋自己的轉世靈魂
將心靈的
品位，就是懂得如何與生
活

生活是有寓意的，生活是有思想的。

伊凡



φ28 Peace and Auspiciousness

New Chinese style wood grain rod

Material: aluminum

Technology: 3D wood grain/spraying

Size: 5.8m/ pc, 6.7m/ pc



White (transparent)



黑色 (透明)



黑色



White wood grain



Yellow oak



Red oak



Black oak



Black

White

φ 28 Over joyed

New Chinese style wood grain rod

Material: aluminum

Process: 3D wood grain/spraying

Size: 5.8m/ pc, 6.7m/ pc



白木纹



黄橡木



红橡木



黑橡木


φ28 Two happy events
come one after the other

New Chinese style wood grain rod

Material: aluminum

Technology: 3D wood grain/spraying

Size: 5.8m/ pc, 6.7m/ pc



Section



Loop



Seal



Connector



Odd and even code



■ 黑橡木



■ 红橡木



■ 黄橡木



■ 白木纹



■ 黑色

φ28

Classic wood grain rod series

Material: aluminum

Technology: wood grain transfer

Size: 5.8m/ pc, 6.7m/ pc



■ 28303 White Oak



■ 28303 Teak



■ 28303 Cherry wood



■ 28303 Black walnut



■ 28481 White Oak



■ 28481 Teak



■ 28481 Cherry wood



■ 28481 Black walnut

φ28

Transfer wood grain rod series

Material: aluminum

Technology: wood grain transfer

Size: 5.8m/ pc, 6.7m/ pc



■ 28398 White Oak

■ 28398 Fragrant sandalwood

■ 28398 Cherry wood

■ 28398 Black walnut



■ 28397 White Oa

■ 28397 Fragrant sandalwood

■ 28397 Cherry wood

■ 28397 Black walnut



φ 28 Saint mark
Transfer wood grain rod series

Material: aluminum
 Technology: wood grain transfer
 Size: 5.8m/ pc, 6.7m/ pc



截面



■ 28555 白橡木



■ 28556 白橡木



■ 28555 香檀木



■ 28556 香檀木



■ 28555 櫻桃木



■ 28556 櫻桃木



■ 28555 胡桃木




■ 28556 胡桃木



φ 28 Duke Rod

3D Wood grain rod series

Material: aluminum
 Craftsmanship: 3D wood grain
 Size: 5.8m/ pc, 6.7m/ pc



■ 28557 White grain ■ 28557 Yellow oak ■ 28557 Red oak ■ 28557 Black oak

中22VINICE

Spray curtain rod series

Material: aluminum

Process: spraying

Size: 5.8m/ pc, 6.7m/ pc



22551
White

22551
Pink

22551
Blue

22551
Black



22552
White

22552
Pink

22552
Blue

22552
Black



22553
White

22553
Pink

22553
Blue

22553
Black



Section



Loop



Connector



Seal



Odd and even code

支架带封盖
隐藏螺丝更美观

φ16 Elf

Shed yarn pole series



Section

16562

PM16-2

PM16-1



■ 16562 Matte White

■ PM16-1 Matte Black

■ 16562 Matte Black

■ PM16-1 Matte White

■ PM16-2 Matte White

■ PM16-2 Matte Black

Simple And Elegant Space
Does Not Require Complicated Decoration

Three-in-one curtain box

Cloth curtain + gauze curtain + curtain head

Double layer aluminum

Anti-dust, no light leakage

Increased size and good packaging



Simple shaping design and rhythmic lines



简约的造型设计，富有韵律的线条
动静之间 兼容并蓄

The moving and the still

QW-011

Curtain box series

Material: aluminum
Process: Electrophoresis
Size: 6.7m/ pc



Faint reward

D300

Lawson heavy-duty square rail series

Can be equipped with snake curtain accessories

Material: aluminum

Process: electrophoresis process

Size: 6.7m/pc



象牙白



珍珠黑



Section



Seal



Wheel



Unilateral code



Single top code



Double top code



Connector

W100

Normandy square rail series

Can be equipped with snake curtain accessories

Material: aluminum

Process: electrophoresis process

Size: 6.7m/pc



simple shaping design and thiyihncal lines
The mowing and life still



■ 象牙白

■ 珍珠黑



Section



Seal



Wheel



Unilateral code



Single top code



Double top code



Connector

X100

Small square rail series

Material: aluminum

Process: electrophoresis

Size: 6.7m/ pc



Section



Seal



Wheel



Unilateral code



Single top code



Double



■ 坚美象牙白



■ 坚美银白



■ 坚美消光棕



■ 坚美消光蓝

H100

Small square rail series

Material: aluminum

Process: electrophoresis

Size: 6.7m/ pc



Section



Seal



Wheel



Unilateral code



Single top code



Double top code



■ 坚美象牙白



■ 坚美银白



■ 坚美消光棕



■ 坚美消光蓝

D200

Large square rail series

Material: aluminum
Process: electrophoresis
Size: 6.7m/ pc



Section



Seal



Wheel



Unilateral code



Single top code



Double top code



■ 坚美象牙白



■ 坚美香槟



■ 坚美古铜



■ 坚美黑

T200

Middle square rail series

Material: aluminum
Process: electrophoresis
Size: 6.7m/ pc



Section



Seal



Wheel



Unilateral code



Single top code



Double top code



■ 坚美象牙白



■ 坚美香槟



■ 坚美古铜



■ 坚美黑

D100

Middle square rail series

Material: aluminum

Process: Transfer wood grain

Size: 6.7m/ pc



Section



Seal



Wheel



Unilateral code



Single top code



Double top code



象牙白



白橡木



胡桃木



香檀木

E300

Large curved rail series

Material: aluminum

Process: Transfer wood grain

Size: 5m/6m/6.7m/ pc



Section



Wheel



Seal



Unilateral code



Single top code



Double top code



象牙白



白橡木



胡桃木



香檀木



I200

Large curved rail series

Material: aluminum
 Process: electrophoresis
 Size: 6.7m/ pc



■ Ivory white



■ Silvery white



■ Matte benzine



■ Matt blue



Section



Wheel



Seal



Unilateral code



Single top code



Double top code



Wheel/Seal



■ 313 Composite square rail ivory white



■ A100 Chinese rail ivory white



Section

Wheel /Seal



■ C100 Chinese rail ivory white



Section





Wheel/Seal



■ 180 Small curved rail ivory white

Magic rail series

KEEWO WINDOWDECOR



Mounting bracket dimensions



MOTORIZED CURTAIN

DT82TN

真流静音全功能电机

功能介绍

- 轻触启动功能
- 停电手动功能
- 通用停止功能
- ~优选运行
- 遥控反弹校正功能
- 行程微调功能
- 电子记忆限位
- 第三行程点
- 外接平衡点开关
- 外接强电开关
- 酒店插卡取电
- RS485功能

可拓展智能控制

WiFi技术

无及术

红外遥控

KNX

4-in-1技术

incoan无线技术

Bluetooth

TCP/IP



还有更多电机型号
可供您选择
(Page:103-108)

CEILING FIXED BRACKET
顶装轨道支架
DS157-08

RUBBER BELT
橡胶皮带
DS157-07D

UPPER AND LOWER COVER
上下盖
DS157-00G-03

END HOOK
末端窗帘吊钩
DS157-34

CURTAIN MOTOR
开台帘电机
DT82TN

SLIP PARTS ASSEMBLY
吊钩
DS157-20F

BELT FASTENING BUTTON
皮带固定扣
DS157-10

S* TRACK
S* 轨道
DS147-05


COVERBOARD
上下盖盖板
DS157B-00G-08-07

CONNECTION PARTS
吊钩
DS157-22

RUNNERS
吊轮
DS157-30

SINGLE-CHANNEL CONTROL - EMITTER
单通道双控发射器
DC 000

RESERVE SIZE
双轨电池盒面布置预留最小尺寸



RESERVE SIZE



	额定扭矩 (Nm)	运行速度 (Rpm)	无线频率 (MHz)	运行噪音 (dB)	最小宽度 (mm)	最大宽度 (mm)	最大高度 (mm)	最大重量 (kg)	额定电压 (V)	电流 (A)	额定功率 (W)	防护等级 [IP]	运行时间 (min)	工作温度 (°C)	电源类别
DT82TN-1.2/14 直流变频电机	12	14	433	33	0.9	12	6	50	100-240	0.15	16	20	4	-10~50	2类
1 档/档别	12	14	433	33	0.9	12	6	50	100-240	0.15	16	20	4	10~50	2类
DT82TN-MV-1.2N 小形255体电机	1.2	14	433	33	0.9	12	6	30	100-240	0.15	16	20	4	-10~50	2类
DT82TN-MA-1.2N 涂鸦换电机	1.2	14	433	33	0.9	12	6	50	100-240	0.15	16	20	>4	-10~50°C	2类
DT82T 彩灯涂鸦功能	1.2	20	433	33	0.9	12	6	50	14.8	11	16	20	>4	-10~50	/
DT82LB-1.2N/20CM 锂电池电机	12	20	433	33	0.9	12	6	50	14.8	11	16	20	>4	-10~50°C	

DT82系列

MOTORIZED UP AND DOWN CURTAIN

DM45R

双轨机械行星电机




功能介绍:

- 机械行星 -100% 大扭力 - 单轨双轨均可


可扩展智能控制:



机械行星




无线遥控



电机行星，双轨行星应用



最大承重100kg



		额定 扭矩 (Nm)	运行 速度 (Rpm)	无缺 频率 (MHz)	运行 噪音 (dB)	最小 宽度 (m)	最大 宽度 (m)	最大 高度 (m)	最大 重量 (kg)	额定 电流 (A)	额定 功率 (W)	防护 等级 (IP)	最大 圈数 (turn)	运行 时间 (min)	工作 温度 (C)	长度 L1/L2 (mm)
DM45R-50/12	230V	50	12	433	40	0.76	2.5	6	100	0.89	205	44	22	24	-10c-50℃	646/614
DM45R-50/12	230V	50	12	/	40	0.65	2.5	6	100	0.89	205	44	22	24	10c-50c	555/523

备注: 以上参数仅供参考, 具体以实际规格为准。

List of display tools



