

# Specification

## Sync/async player

### L2

V2.1 2019 Mar

#### Summary : ---

L2 is a sync/async player released by Linsn. It is with HDMI input and allows you to play program over WIFI, LAN or USB flash drive. It supports up to 650 thousand pixels and applies to advertising machine.

**Features :** 

---


1. Supports up to 650 thousand pixels;
2. Supports synchronous display by inputting HDMI signal;
3. Supports importing program by WIFI、 LAN、 USB、 USB flash drive;
4. Supports setting up LED screen over internet;
5. Supports up to 1920 horizontally or up to 1080 vertically;
6. Supports multiple media formats, like videos, pictures and animations;
7. Supports multiple content formats, like video/image files, word, and database;
8. Supports most of driver ICs;
9. Supports scan mode ranges from static to 32 scan mode (both real and virtual pixel type);
10. Supports customize gray scale, up to 16bit, 65536 levels;
11. Refresh rate: up to 3840Hz for scanning display, up to 6000Hz for static display.

Interface : \_\_\_\_\_



RUN	Output indicator	RESET	Factory setup
CLOUD	WIFI/hotspot indicator	SWITCH	WIFI/hotspot switch
PWR	Power indicator	DC 12V	Power supply
SYS	Indicator for system	WIFI antenna	WIFI antenna
Audio OUT	3.5mm audio output	LAN/WAN	For LAN/WAN
USB	Play USB flash drive	LED OUT	Output to LED
HDMI IN	HDMI input		

**Dimensions :**



**Working Conditions:**

<b>Power adapter</b>	<b>12/2A</b>
<b>Consumption</b>	<b>15W</b>
<b>Working temperature ( °C )</b>	<b>-20°C ~ 75°C</b>
<b>Working humidity ( % )</b>	<b>0% ~ 95%</b>
<b>Weight (KG)</b>	<b>0.5</b>

END