

LAB CONSUMABLES

Sample Vial Syringe filter Membrane



Innovative / Reproducible Rugged

Welch Materials, Inc.

Web: www.welch-us.com/www.welchlab.com Email: info@welchmat.com






Welch Materials, Inc.

COMPANY PROFILE

Welch Materials is a multinational company that develops and manufactures laboratory consumables including analytical and preparative HPLC columns, Solid Phase Extraction (SPE) columns, GC columns, bulk packing materials, protein purification products and other consumables. Welch Materials (Shanghai), Inc. was established in 2003 at Shanghai, China and Welch Materials (Zhejiang), Inc. was opened in 2011 at Jinhua, Zhejiang, China. We also have set Welch Materials, Inc. at West Haven, CT, USA and Welch Materials India Pvt., Ltd. at Gurgaon, India. To meet customer's requirements, Welch introduces the lab biological consumables product lines such as pipette filter tips, centrifuge tube, transfer pipette, cryovial tube, nasal swab, collection tube, urine cup, pcr tube, pcr plate and other plastic

For more infomation about lab consumables, please visit our website: www.welchlab.com.



CONTENTS

New Products	New Products01/05> Laboratory Reagent Bottle02> 12ML Breath Testing Vial03> Liquid Scintillation Counting Vials04> Glass Solvent Filter05
Ultra Clean Vials	Ultra Clean Vials 06/09 > Ultra Clean Vials & Closures 07/08 > EPA/TOC Vials & Closures 09
Autosampler Vials & Closures	Autosampler Vials & Closures 10/22 > Screw Neck ND8 11/12 > Short Neck ND9 13/16 > Bonded Caps & Septa 17 > Crimp Neck ND11 17/18 > Snap Neck ND11 19/20 > Short Thread ND13 21/22 > Shell Vial 22
Headspace Vials & Closures	Headspace Vials & Closures 23/27 > Screw Headspace ND18 24 > Crimp Headspace ND20 25/27
Sample Vials & Closures	Sample Vials & Closures 28/40 > Sample Vials & Closures 29/33 > Narrow Mouth Bottle 34/36 > Wide Mouth Bottle 37/40
Tools	Tools 41/42 > Vial Rack 42 > Crimper & Decrimper 42

Welchrom General Syringe Filter	Welchrom Ge
Welchrom Prefilter Syringe Filter	Welchrom Press > Nylon > PES > PTFE (Hydrophobic/Hydr
Welchrom Sterile Syringe Filter	Weichrom Ster > Nylon > PES > PTFE (Hydrophobic/Hydro
Doprah Economy Syringe Filter	Doprah Econo
Laboratory Syringe	Laboratory Sy
Welchrom Membrane Filter	Welchrom Me

eneral Syringe Filter — 43/54

	 	44
	 	45
lydrophilic) -	 	46/47
lydrophilic) -	 	48/49
	 	50
	 	51
	 	52
	 	53
	 	54

refilter Syringe Filter — 55/65

	 	 	56
	 	 	57
lydrophilic)	 	 	58/59
Hydrophilic)	 	 	60/61
	 	 	62
	 	 	63
	 	 	64
	 	 	65

terile Syringe Filter —— 63/69

	67
	68
lydropholic)	69/70
lydropholic)	71/72

nomy Syringe Filter — 73/75

Syringe	76/77
yinge	10/11

embrane Filter — 78/81



ZO

LABORATORY REAGENT BOTTLE

- Crafted from high borosilicate glass (3.3), compliant with USP EP Type I glass specifications.
- Chemical and heat-resistant bottle, available in various sizes. Withstands temperatures from -150°C to +500°C, threaded cap and anti-drip ring heat-resistant up to +130°C.
- Utilizes a polypropylene (PP) screw cap with an O-ring anti-drip pouring ring, preventing liquid spillage on external threads during pouring and ensuring a secure seal for the glass reagent bottle
- Transparent bottle body with graduations and a white enamel marking area for long-lasting durability.
- Complies with ISO GL45 screw cap standards, compatible with ISO R115 and DIN 168 standards.
- The bottle's glass thickness measures 3.8mm, with uniform wall thickness, maintaining an error tolerance of no more than 0.1mm.



P/N	1
DH2122	100mL GL45 Clear Laboratory Glass Tubi
DH2123	250mL GL45 Clear Laboratory Glass Tubi
DH2124	500mL GL45 Clear Laboratory Glass Tubi
DH2125	1000mL GL45 Clear Laboratory Glass Tub

New Products





Welch

Description

ing Bottle 3.3 Borosilicate. Blue PP Closed Screw Cap.1 set/pk.

- ing Bottle 3.3 Borosilicate. Blue PP Closed Screw Cap. 1 set/pk.
- ing Bottle 3.3 Borosilicate. Blue PP Closed Screw Cap. 1 set/pk.
- ubing Bottle 3.3 Borosilicate. Blue PP Closed Screw Cap. 1 set/pk

12ML BREATH TESTING VIAL

- It is compatible with a wide range of gas detection instruments, offering reliable sealing performance and a lack of impurities to effectively prevent cap displacement during both heating and sampling procedures. Additionally, it is well-suited for diverse breath tests and the storage of gases to be analyzed by a variety of breath mass spectrometers.
- The silicone coating provides clear instructions without any interference with the analysis.
- Cap colors can be customized to your specifications.
- The vial is made from high-quality borosilicate glass, while the cap is constructed from premium polypropylene, ensuring both durability and high performance.

P/N	Description
DM2111	12mL 15.5x101mm Breath Sampling Vial. White Open Top Screw Cap with Butyl Septa. Flat Bottom.Non Coated Vial. Non Evacuated. 100pcs/pk.
DM2112	12mL 15.5x101mm Breath Sampling Vial. White Open Top Screw Cap with Butyl Septa. Flat Bottom. Coated Vial. Non Evacuated. 100pcs/pk.
DM2113	12mL 15.5x101mm Breath Sampling Vial. White Open Top Screw Cap with Butyl Septa. Flat Bottom. Coated Vial. Evacuated. 100pcs/pk.
DM2269	12mL 15.5x98mm Crimp Breath Sampling Vial. Open Top Aluminum Crimp Cap with Butyl Septa. Rounded Bottom. Non Coated Vial. Evacuated. 100pcs/pk
DM2271	12mL 15.5x98mm Crimp Breath Sampling Vial. Open Top Aluminum Crimp Cap with Butyl Septa.

Rounded Bottom. Non Coated Vial. Evacuated. 100pcs/pk

SCINTILLATION COUNTING VIALS

- Chemical inertness, suitable for strong solvents and high-purity chemicals;
- Available with various cap liners to maintain sealing integrity;
- Consistent and low background counting; High ultraviolet transmittance;
- HDPE scintillation vials are an economical choice.

BOTTLE:

- Glass Material: Made from 3.3 high borosilicate glass, it exhibits better temperature resistance and can be used for experiments at various ultra-high temperatures.
- HDPE Plastic Material: Utilizing high-density polyethylene with lightweight and thick-walled bottle construction to enhance counting efficiency

CAP LINERS:

• 22-400 solid threaded cap with PE liner / 15-425 solid threaded cap with aluminum foil liner Choose the appropriate cap liner based on your needs.



P/N	
DM2252	20mL Clear Glass Scintillation Vial 27.5x5 and PE Liner. Vial + Cap + Septa are pre-
DM2363	20mL Clear Glass Scintillation Vial 27.5x5 Aluminum Foil Liner. Vial + Cap + Septa a
DM2444	7mL Clear Glass Scintillation Vial 17×54n Foil Liner. Vial + Cap + Septa are pre-ass







Description

57.5mm with 22-400 White Closed Top PP Cap e-assembled together. Packed with dividers. 100pcs/pk.

57.5mm with 22-400 White Closed Top PP Cap and Silver are pre-assembled together. Packed with dividers. 100pcs/pk.

mm with 15-425 White Closed Top PP Cap and Silver Aluminum sembled together. Packed with dividers. 200pcs/pk.



GLASS SOLVENT FILTER

- Versatile and suitable for nearly all laboratory filtration needs.
- Offers a large effective filtration area, reducing membrane costs and increasing filtration speed.
- Exhibits excellent pressure tolerance, making it suitable for high-temperature and high-pressure applications.
- The fixed clamps are constructed from anodized aluminum alloy, providing corrosion resistance.
- The bottles are made from high borosilicate glass, ensuring optical clarity, no bubbles, and uniform wall thickness.
- Can be individually equipped with GL45 screw thread adapter for connection to GL45 cap reagent bottles.



P/N	Description
D02171	GL45 screw thread conversion adapter (for use with glass solvent filters)
D02172	500mL, glass solvent filter, 1 set/box
D02173	1000mL, glass solvent filter, 1 set/box
D02174	2000mL, glass solvent filter, 1 set/box







ULTRA CLEAN



ULTRA CLEAN VIALS & CLOSURES


- Resealable box is used to prevent contamination during use.
- Constructed with PTFE/ Silicone septa for contamination free sampling.
- Optimized Ultra Clean PTFE/ Silicone septa for gas chromatography and mass spectrometry.

ULTRA CLEAN VIALS - 2ML VIALS KIT

P/N	Picture	Description
DK1170		2mL Clear Glass 12×32mm Flat Base 9-425 Screw Thread Vial with Label. Blue 9-425 Open Top Ribbed Screw Cap with 9mm Red PTFE/White Silicone Septa 1mm Thick (UltraClean). Blue Kit Packing.100 sets/pk.
DK1172	Ĩ .→	2mL Amber Glass 12×32mm Flat Base 9-425 Screw Thread Vial with Label. Blue 9-425 Open Top Ribbed Screw Cap with 9mm Red PTFE/White Silicone Septa 1mm Thick (UltraClean). Blue Kit Packing.100 sets/pk.

ULTRA CLEAN CLOSURES

P/N	Picture	Description
DL1117		Black 8-425 Open Top Screw Cap with 8mm Red PTFE/White Silicone Septa 1.5mm Thick (UltraClean). 100 pcs/pk.
DL1118	-	Blue 11mm Open Top Snap Cap with Red PTFE/White Silicone Septa 1mm Thick (UltraClean). 100 pcs/pk.
DL1119	۲	Blue 9-425 Open Top Ribbed Screw Cap with 9mm Red PTFE/White Silicone Septa 1mm Thick (UltraClean). 100 pcs/pk.
DL9121		Blue 9-425 Open Top Ribbed Screw Cap with 9mm Red PTFE/White Silicone Septa 1mm Thick PRE-SLIT (UltraClean). 100 pcs/pk.



ULTRA CLEAN CLOSURES - ND 18



ULTRA CLEAN CLOSURES - ND 20

P/N	Picture	
DL1972		20mm Open Top A Transparent Silicor
DL1973	500	20mm Open Top A Transparent Silicor



welch

Description

Red 9-425 Open Top Smooth Screw Cap with 9mm Red PTFE/White Silicone 1mm Thick (UltraClean). 100 pcs/pk.

Blue 9-425 Open Top Ribbed Screw Cap with 9mm White PTFE/ Red Silicone Septa 1mm Thick (UltraClean). 100 pcs/pk.

Description

18mm Silver Color Open Top Metal Cap (8mm hole) with 17.5mm White PTFE/Blue Transparent Silicone Septa 1.5mm Thick (UltraClean). 100 pcs/pk.

18mm Silver Color Open Top Metal Cap (8mm hole) with 17.5mm Natural PTFE/Blue Transparent Silicone Septa 1.5mm Thick (UltraClean). 100pcs/pk.

Description

Aluminum Crimp Cap (10mm hole) with 20mm White PTFE/Blue one Septa 3mm Thick (UltraClean). 100 pcs/pk.

Aluminum Crimp Cap (10mm hole) with 20mm Natural PTFE/Blue one Septa 3mm Thick (UltraClean). 100 pcs/pk.

EPA/TOC VIALS & CLOSURES

• Certificated EPA Screw Vial kit is provided by Welch to meet the the requirements of your TOC measurements.

- Carbon content: <10ppb.
- Teflon lined caps and protective dust covers.
- Excellent vial to vial consistency.
- Application: air, water, soil, pesticide residue, pharmaceutical and forensic, etc.
- 20mL, 40mL and 60mL vials are available.

ULTRA CLEAN VIALS - EPA/TOC

P/N	Picture	Description
DK1338		20mL 27.5x57mm Amber Glass EPA/TOC Vial 24-400 White Open Top PP Screw Cap with 22mm Natural PTFE/White Silicone 3.0mm thick Septa (EPA Quality) and Dust Cover. 100pcs/pk.
DK1339		20mL 27.5x57mm Amber Glass EPA/TOC Vial 24-400 White Open Top PP Screw Cap with 22mm Natural PTFE/White Silicone 3.0mm thick Septa (EPA Quality) and Dust Cover. 100pcs/pk.
DK1342		40mL 27.5×95mm Clear Glass EPA/TOC Vial 24-400 White Open Top PP Screw Cap with 22mm Natural PTFE/White Silicone 3.0mm thick Septa (EPA Quality) and Dust Cover, 72 pcs/pk.
DK1343		40mL 27.5×95mm Amber Glass EPA/TOC Vial 24-400 White Open Top PP Screw Cap with 22mm Natural PTFE/White Silicone 3.0mm thick Septa (EPA Quality) and Dust Cover, 72 pcs/pk





AUTOSAMPLER VIALS & CLOSURES





ND 8 VIALS

SCREW NECK ND8

- Standard 8-425 vials for instruments of Shimadzu, Varian, Gilson, etc.
- A variety of ID 5mm micro inserts are provided to transform vials from limited liquid volume to full-capacity.
- Micro inserts with flat bottom, conical base and plastic spring are available.

ND 8 CLOSURES



5MM MICRO INSERT



P/NPictureDescriptionDA1010Image: Clear Glass 12×32mm Flat Base 8-425 Screw Thread Vial, 100 pcs/pk.DA1010Image: Clear Glass 12×32 mm Flat Base 8-425 Screw Thread Vial with Label, 100 pcs/pk.DA1012Image: Clear Glass 12×32 mm Flat Base 8-425 Screw Thread Vial with Label, 100 pcs/pk.DA1013Image: Clear Glass 12×32 mm Flat Base 8-425 Screw Thread Vial, 100 pcs/pk.DA1014Image: Clear Glass 12×32 mm Flat Base 8-425 Screw Thread Vial, 100 pcs/pk.





Description

Black 8-425 Open Top Screw Cap with 8mm Red PTFE/White Silicone Septa 1.5mm Thick, 100pcs/pk.

Black 8-425 Open Top Screw Cap with 8mm Red PTFE/White Silicone Septa 1.5mm Thick, PRE-SLIT. 100pcs/pk.

Description

5×29mm Insert Clear Glass Conical Base with Polyspring. 100pcs/pk.

5×31mm Insert Clear Glass Conical Base. 100pcs/pk.

5×31mm Insert Clear Glass Flat Base. 100pcs/pk.



Welch

SHORT NECK ND9


- Standard wide opening 9-425 vials is compatible with all common auotsamplers, such as Agilent, Thermo, Waters, Varian, etc.
- Vial bottom intergrated 0.2mL micro insert are available.
- Polypropylene vials which is chemically resistance can be used for AAS, capillary electrophoresis, ion chromatography, etc.
- Micro inserts with flat bottom, conical base and plastic spring are available.
- Kit packing vials can reduce the risk of comtamination in lab.

ND 9 VIALS

P/N	Picture	Description
DA1016		2mL Clear Glass 12×32mm Flat Base 9-425 Screw Thread Vial. 100pcs/pk.
DA1018	1.5 1.0 0.5ml 0.5ml	2mL Clear Glass 12×32mm Flat Base 9-425 Screw Thread Vial with Label. 100pcs/pk.
DA1011		2mL Amber Glass 12×32mm Flat Base 9-425 Screw Thread Vial. 100pcs/pk.
DA1111		2mL Amber Glass 12×32mm Flat Base 9-425 Screw Thread Vial with Label. 100pcs/pk.



ND 9 CLOSURES





Welch

Description

0.3mL 9-425 PP Screw Thread Micro-Vial Transparent. 12×32mm. 100pcs/pk.

2mL 9-425 Wide Opening PP Screw Vial with Graduations Transparent .

2mL 9-425 12×32mm Clear Screw Thread Vial Bottom with Integrated 0.2ml Glass Micro-insert. 100pcs/pk.

2mL 9-425 12×32mm Amber Screw Thread Vial Bottom with Integrated 0.2 ml Glass Micro-insert. 100pcs/pk.

Description

Blue 9-425 Open Top Ribbed Screw Cap with 9mm Red PTFE/White Silicone Septa 1mm Thick. 100pcs/pk.

9-425 Blue Open Top Ribbed Screw Cap with 9 mm White PTFE/Red Silicone Septa 1.0mm Thick. 100pcs/pk.




P/N	Picture	Description
DC1148		Blue 9-425 Open Top Ribbed Screw Cap with 9mm Red PTFE/White Silicone Septa 1mm Thick PRE-SLIT. 100pcs/pk.
DC1149		Blue 9-425 Open Top Ribbed Screw Cap with 9mm Blue PTFE/White Silicone Septa 1mm Thick PRE-SLIT. 100pcs/pk.
DC1151-P		9-425 Blue Open Top Ribbed Screw Cap with 9 mm Red PTFE/White Silicone /Red PTFE Septa 1.0mm Thick. 100pcs/pk.
DC9151	()	9-425 Blue Open Top Ribbed Screw Cap with 9 mm Red PTFE/White Silicone Septa 1.0mm Thick Pre-Slit(Mercedes Shape). 100pcs/pk.
DC1152		9-425 Blue Open Top Ribbed Screw Cap with 9 mm White PTFE/Red Silicone Septa 1.0mm Thick Pre-Slit. 100pcs/pk.

ND 9 VIALS KIT

P/N	Picture	Description
DM1961		2mL Amber Glass 12×32mm Flat Base 9-425 Screw Thread Vial with Label. Blue 9-425 Open Top Ribbed Screw Cap with 9mm White PTFE/Red Silicone Septa 1mm Thick. Kit Packing.100pcs/pk.
DM1962	+	2mL Clear Glass 12×32mm Flat Base 9-425 Screw Thread Vial with Label. Blue 9-425 Open Top Ribbed Screw Cap with 9mm White PTFE/Red Silicone Septa 1mm Thick. Kit Packing.100pcs/pk.

6MM MICRO INSERT







Description

6×29mm Insert Clear Glass Conical Base with Polyspring. 100pcs/pk.

6×31mm Insert Clear Glass Conical Base. 100pcs/pk.

6×31mm Insert Clear Glass Flat Base. 100pcs/pk.

6×29mm PP Insert Conical Base. 100pcs/pk.

CRIMP NECK ND11

- Suitable for instrument of Agilent, PE, Varian.
- Vials with intergrated Micro-insert are available in clear and amber glass.
- Septa materials: PTFE/silicone, Natural Rubber/TEF septa, etc.
- 3-layer septa of Natural rubber/Red Butyl/TEF combines the good physical properties of Nat.
- Contact Welch for more info for customize service.

ND 11 CLOSURES

DB1129

P/N	Picture	
DC1165	995	SILVER 1 Septa 1m
DC1169		SILVER 1 Rubber re

 Available in 1-3mm septa thickness. Suitable for medical devices, diagnostic packaging and specialty chemicals. P/N Picture Description 	
P/N Picture Description	
DC1144 Blue 9-425 Open Top Ribbed Screw Cap Bonded with 9mm Red PTFE/Whi Silicone Septa 1mm Thick. 100pcs/pk.	te
DC1359 Blue 9-425 Open Top Ribbed Screw Cap Bonded with 9mm Red PTFE/Whi Silicone Septa 1mm Thick PRE-SLIT. 100pcs/pk.	te

BONDED CAPS & SEPTA

- Caps and septa are boned together using a mechanical way without any adhesives or chemicals.
- No glue contamination.

welch

- nt liner fallout • Pr
- Av
- S

P/N	Picture	
DA1114	HH	2mL Clear Glass Flat I
DA1115	1.5 1.5 1.5 1.5 1.5 1.5	2mL Clear Glass Flat I
DA1116		2mL Amber Glass Flat
DA1118		2mL Amber Glass Flat 100pcs/pk.

100pcs/pk.



welch

Description

Base 11mm Crimp Vial Wide Opening. 100pcs/pk.

Base 11mm Crimp Vial Wide Opening with Label. 100pcs/pk.

at Base 11mm Crimp Vial Wide Opening. 100pcs/pk.

at Base 11mm Crimp Vial Wide Opening with Label.

2mL 11mm Crimp Top Clear Vial Bottom with Integrated 0.2ml Glass Micro-insert.

Description

11mm Open Top Crimp Cap with Red PTFE/ White Silicone mm Thick. 100pcs/pk.

11mm Open Top Crimp Cap with Transparent TEF/Natural red-orange Septa 1mm Thick. 100pcs/pk.

SNAP NECK ND11

- Suitable for the instruments of Agilent, CTC, Thermo Scientific, Waters, etc.
- Snap Ring finish eliminates the need for crimping or decapping.
- The intergrated Micro-insert are available for in clear and amber glass, micro-inserts can be delivered preassembled in vials.
- Soft Snap Ring Caps which is easy for handling(pushing/removal) are also available in the color of transparent and blue.

• Pre-slit Septa shape options: single type, snow type.

ND 11 VIALS

P/N	Picture	Description
DA9121		2mL Clear Glass Flat Base 11mm Snap Vial Wide Opening. 100pcs/pk.
DA1121	1.5 1.0 0.5ml 0.05ml	2mL Clear Glass Flat Base 11mm Snap Vial Wide Opening with Label. 100pcs/pk.
DA1122		2mL Amber Glass Flat Base 11mm Snap Vial Wide Opening. 100pcs/pk.



ND 11 CLOSURES

P/N	Picture	
DC1171		CLEAR Septa 1r
DC1174		CLEAR ⁻ Septa 1r



Welch

Description

2mL Amber Glass Flat Base 11mm Snap Vial Wide Opening with Label. 100pcs/pk.

2mL 11mm Snap Top Clear Vial Bottom with Integrated 0.2ml Glass Micro-insert. 100pcs/pk.

Description

11mm Open Top Snap Cap with Red PTFE/White Silicone

11mm Open Top Snap Cap with Red PTFE/White Silicone

SHORT THREAD ND13

- The vials are used on instruments of Dionex, Shimadzu, VWR, Waters, etc.
- 4ML vials are widely used in compound storage as well as for Chromatography vials, available as closed or open top screw seals with 13-425 thread.

ND 13 VIALS

P/N	Picture	Description
DA1124		4mL Clear Glass 15×45mm Flat Base 13-425 Screw Thread Vial. 100pcs/pk.
DA1125	-30 -30 -30	4mL Clear Glass 15×45mm Flat Base 13-425 Screw Thread Vial with Label. 100pcs/pk.
DA1126		4mL Amber Glass 15×45mm Flat Base 13-425 Screw Thread Vial. 100pcs/pk.
DA1127	440 - 3.0 - 2.0 - 1.0m	4mL Amber Glass 15×45mm Flat Base 13-425 Screw Thread Vial with Label. 100pcs/pk.


ND 13 CLOSURES



SHELL VIAL

- The vial with soft plug is used on Waters and Shimadzu, the star-shaped plug is for easy penetration.
- The normal size is 8×40mm, and 8×30mm is also available.

ND 13 CLOSURES







Description

BLACK PP 13-425 Open Top Screw Cap with Red PTFE/White Silicone Septa 1mm Thick. 100pcs/pk.

BLACK PP 13-425 Open Top Screw Cap with Red PTFE/White Silicone Septa 1mm Thick. PRE-SLIT. 100pcs/pk.

Description

1mL 8×40mm Flat Base Clear Glass Shell Vial with Plug. 200pcs/pk.

1mL 8×40mm Flat Base Amber Glass Shell Vial with Plug. 200pcs/pk.

SCREW HEADSPACE ND18

- Pre-assembling vial+closure service is available upon request.
- The magnetic screw caps can be used for headspace as well as for SPME.
- Type of Cap: Magnetic Precision screw cap, Closed Precision screw cap.

Picture

P/N

E	

HEADSPACE VIALS & CLOSURES

DE1128	10mL Clear Glass
DE1129	10mL Amber Glas
DE1131	20mL Clear Glass
DE9131	20mL Amber Glas
DF1218	18mm Silver Colo Silicone Septa 1.5

Doprab



welch

Description

s Screw Headspace Vial 22.5×46mm. 100pcs/pk.

ss Screw Headspace Vial 22.5×46mm. 100pcs/pk.

s Screw Headspace Vial 22.5×75mm. 100pcs/pk.

ss Screw Headspace Vial 22.5×75mm. 100pcs/pk.

or Open Top Metal Cap (8mm hole) with 17.5mm Blue PTFE/White 5mm Thick. 100pcs/pk.

welch

CRIMP HEADSPACE ND20

- GC Headspace technology for the analysis of volatile organic solids and liquid samples after gasification.
- The headspace volume has 6mL, 10mL, 20mL clear/amber to choose, the bottom has flat, rounded and rounded-flat.
- Type of Cap: Aluminum Cap, Bimetal cap, Magnetic crimp cap.
- Type of Liner: Butyl, Butyl/PTFE, Pharma-fix liner, PTFE/silicone, Butyl stopper.

P/N	Picture	Description
DE1132		6mL Clear Glass 22×38mm. 20mm Beveled Edge. Flat Bottom. Short Neck. Crimp Headspace Vial. 100pcs/pk.
DE1133	II C	10mL Clear Glass 22.5×46mm. 20mm Beveled Edge. Flat Bottom. Crimp Headspace Vial. 100pcs/pk.
DE1134	FF	10mL Clear Glass 22.5×46mm. 20mm Beveled Edge. Rounded-flat Bottom. Crimp Headspace Vial. 100pcs/pk.
DE1135		10mL Amber Glass 22.5×46mm. 20mm Beveled Edge. Flat Bottom. Crimp Headspace Vial. 100pcs/pk.

P/N	Picture	
DE1136		20mL Clear Glass Headspace Vial.
DE1877		20mL Clear Glass Scale. 20mm Bev
DE1138	FF	20mL Clear Glass Crimp Headspac
DE1139		20mL Clear Glass Crimp Headspac
DE1141		20mL Amber Gla Crimp Headspac



Description

iss 22.5×75mm. 20mm Beveled Edge. Flat Bottom. Crimp I. 100pcs/pk.

ss 22.5×75mm Crimp Headspace Vial with Writing Spot with eveled Edge. Flat Bottom. 100pcs/pk.

ass 22.5×75mm. 20mm Beveled Edge. Rounded-Flat Bottom. ace Vial. 100pcs/pk.

ass 22.5×75mm. 20mm Beveled Edge. Rounded-Flat Bottom. ace Vial. Short Neck. 100pcs/pk.

lass 22.5×75mm. 20mm Beveled Edge. Rounded-Flat Bottom. ace Vial. Short Neck. 100pcs/pk.

ND 20 CLOSURES

P/N	Picture	Description
DF1196		20mm Open Top Aluminum Crimp Cap (10mm hole) with 20mm Natural PTFE/White Silicone Septa 3mm Thick. 100pcs/pk.
DF1197		20mm Open Top Aluminum Crimp Cap (10mm hole) with 20mm Natural PTFE/Blue Silicone Septa 3mm Thick. 100pcs/pk.
DF1198	00	20mm Open Top Aluminum Crimp Cap (10mm hole) with 20mm White PTFE/White Silicone Septa 3mm Thick. 100pcs/pk.
DF1199		20mm Open Top Aluminum Crimp Cap (10mm hole) with 20mm White PTFE/Blue Silicone Septa 3mm Thick. 100pcs/pk.
DF1215		20mm Open Top Gold Magnetic Crimp Cap (10mm hole) with 20mm Natural PTFE/White Silicone Septa 3mm Thick. 100pcs/pk.
DF1213		20mm Open Top Aluminum Crimp Cap (10mm hole) with Moulded Grey PTFE/Butyl Septa one ring 3.0mm Thick. 100pcs/pk.
DF1216	000	20mm Open Top Bi-Metallic Crimp Cap (8mm hole) Blue & Silver with 20mm Natural PTFE/White Silicone Septa 3mm Thick. 100pcs/pk.







SAMPLE VIALS & CLOSURES





SAMPLE VIALS & CLOSURES

- Screw vials for storage purpose, vials with different volumes are available.
- Vial Color: Clear, Amber.
- Cap Color: White, Black, Red, Blue, Yellow, Green, etc.
- Septa material: PE, PTFE/Silicone, Silicone only, etc.
- Pre-assemble service is available.

P/N	Picture	Description
DA1016		2mL Clear Glass 12×32mm Flat Base 9-425 Screw Thread Vial. 100pcs/pk.
DG1141		2mL Amber Glass 12×32mm Sample Vial 9-425 Screw Thread.100pcs/pk.
DA1124		4mL Clear Glass 15×45mm Flat Base 13-425 Screw Thread Vial. 100pcs/pk.
DG1144		4mL Amber Glass 15×45mm Sample Vial 13-425 Screw Thread. 100pcs/pk.
DG1148		7mL Clear Glass 22×40mm Sample Vial 18-400 Screw Thread. 100pcs/pk.
DG1149		7mL Amber Glass 22×40mm Sample Vial 18-400 Screw Thread. 100pcs/pk.





Welch

Description

8mL Clear Glass 17×60mm Sample Vial 15-425 Screw Thread. 100pcs/pk.

8mL Amber Glass 17×60mm Sample Vial 15-425 Screw Thread. 100pcs/pk.

10mL Clear Glass 22×52mm Sample Vial 18-400 Screw Thread. 100pcs/pk.

10mL Amber Glass 22×52mm SampleVial 18-400 Screw Thread. 100pcs/pk.

16mL Clear Glass 22×72.5mm Sample Vial 18-400 Screw Thread. 100pcs/pk.

16mL Amber Glass 22×72.5mm Sample Vial 18-400 Screw Thread. 100pcs/pk.

20mL Clear Glass 27.5×57mm Sample Vial 24-400 Screw Thread. 100pcs/pk.

20mL Amber Glass Sample Vial 27.5×57mm 24-400 Screw Thread. 100pcs/pk.

P/N	Picture	Description
DG1159		30mL Clear Glass 27.5×84mm Sample Vial 24-400 Screw Thread. 100pcs/pk.
DG9161		30mL Amber Glass 27.5×84mm Sample Vial 24-400 Screw Thread. 100pcs/pk.
DG1161		40mL Clear Glass 27.5×95mm Sample Vial 24-400 Screw Thread. 100pcs/pk.
DG1162		40mL Amber Glass 27.5×95mm Sample Vial 24-400 Screw Thread. 100pcs/pk.
DG1165		60mL Clear Glass 27.5×140mm Sample Vial 24-400 Screw Thread. 100pcs/pk.
DG1166		60mL Amber Glass 27.5×140mm Sample Vial 24-400 Screw Thread. 100pcs/pk.





Welch

Description

9-425 Blue Smooth Closed PP Top Cap, with Red PTFE/White Silicone Septa 1.0mm Thick. 100pcs/pk.

9-425 Blue Smooth Closed PP Top Cap, with White PE Septa 1.0mm Thick. 100pcs/pk.

13-425 Black Closed PP Top Cap, with Red PTFE/White Silicone Septa 1.0mm Thick. 100pcs/pk.

13-425 White Closed PP Top Cap, with White PTFE/Red Silicone Septa 1.0mm Thick. 100pcs/pk.

13-425 Black Closed PP Top Cap, with White PE Septa 1.0mm Thick.

13-425 White Closed PP Top Cap, with White PE Septa 1.0mm Thick.

15-425 Black Closed PP Top Cap, with Natural PTFE/White Silicone Septa 1.0mm Thick. 100pcs/pk.

15-425 White Closed PP Top Cap, with Natural PTFE/White Silicone Septa 1.0mm Thick. 100pcs/pk.

15-425 White Closed PP Top Cap, with White PE Septa 1.0mm Thick.

15-425 Black Closed PP Top Cap, with White PE Septa 1.0mm Thick.

P/N	Picture	Description
DI9221		18-400 Black Closed PP Top Cap, with Natural PTFE/White Silicone Septa 1.5mm Thick. 100pcs/pk.
DI1221		18-400 White Closed PP Top Cap, with Natural PTFE/White Silicone Septa 1.5mm Thick. 100pcs/pk.
DI1222		18-400 Black Closed PP Top Cap, with White PE Septa 1.0mm Thick. 100pcs/pk.
DI1223		18-400 White Closed PP Top Cap, with White PE Septa 1.0mm Thick. 100pcs/pk.
DI1215		24-400 Black Closed PP Top Cap, with Natural PTFE/White Silicone Septa 1.5mm Thick. 100pcs/pk.
DI1216		24-400 White Closed PP Top Cap, with Natural PTFE/White Silicone Septa 1.5mm Thick. 100pcs/pk.
DI1217		24-400 Black Closed PP Top Cap, with White PE Septa 1.0mm Thick. 100pcs/pk.
DI1218		24-400 White Closed PP Top Cap, with White PE Septa 1.0mm Thick. 100pcs/pk.
DF1211		24-400 White Open PP Top Cap, with 22mm Natural PTFE/Natural Silicone Septa 3.0mm Thick. 100pcs/pk.
DF1214		24-400 White Open PP Top Cap, with 22mm Natural PTFE/White Silicone Septa 3.0mm Thick. 100pcs/pk.

NARROW MOUTH BOTTLE

- Boston bottles are widely used for packing of Pharmaceutical intermediate, High value- added chemicals, Fragrance sesame oil, and etc.
- The PTFE/silicone perfect sealing is suitable for long time storage and transportation, PE liner is for an economical choice.
- Pre-assemble service is available.

Picture	
	30mL 20-400 Bo
	30mL 20-400 Bo
	60mL 20-400 Bo
Ą	60mL 20-400 Bo
	120mL 22-400 B
R. C.	120mL 22-400 B



Description

oston Round Amber Glass Bottle. 32.8×78.58mm. 48pcs/ctn.

oston Round Clear Glass Bottle. 32.8×78.58mm. 48pcs/ctn.

oston Round Amber Glass Bottle. 38.6×93.66mm. 48pcs/ctn.

oston Round Clear Glass Bottle. 38.6×93.66mm. 48pcs/ctn.

Boston Round Amber Glass Bottle. 48.8×112.73mm. 24pcs/ctn.

Boston Round Clear Glass Bottle. 48.8×112.73mm. 24pcs/ctn.



P/N	Picture	Description
DH1123		250mL 24-400 Boston Round Amber Glass Bottle. 61.6×140.8mm. 30 pcs/ctn.
DH1124		500mL 28-400 Boston Round Amber Glass Bottle. 83×176.5mm. 12 pcs/ctn.
DH1125		1000mL 33-400 Boston Round Amber Glass Bottle. 94×219mm. 8 pcs/ctn.

NARROW MOUTH BOTTLE CLOSURES

P/N	Picture	Description
DI1126		20-400 Black Closed PP Top Cap, with Natural PTFE/White Silicone Septa 2.0mm Thick. 48 pcs/pk.
DI1127		20-400 Black Closed PP Top Cap, with White PE Septa 1.0mm Thick. 48 pcs/pk.

P/N	Picture	
DI1128		22-40 Septa
DI1129		22-40 24 pcs
DI1130		24-40 Septa
DI1131		24-40 30 pc
DI1229		28-40 Septa
DI9231		28-40 12 pcs
DI1231		33-40 Septa
DI1233		33-40 Thick.
DI1235		33-40 8 pcs/



Welch

Description

100 Black Closed PP Top Cap, with Natural PTFE/White Silicone ta 2.0mm Thick. 24 pcs/pk.

100 Black Closed PP Top Cap, with White PE Septa 1.0mm Thick.

100 Black Closed PP Top Cap, with Natural PTFE/White Silicone ta 1.5mm Thick. 30 pcs/pk.

400 Black Closed PP Top Cap, with White PE Septa 1.0mm Thick. pcs/pk.

100 Black Closed PP Top Cap, with Natural PTFE/White Silicone ta 1.5mm Thick. 12 pcs/pk.

100 Black Closed PP Top Cap, with White PE Septa 1.0mm Thick.

100 Black Closed PP Top Cap, with Natural PTFE/White Silicone ta 1.5mm Thick. 8 pcs/pk.

100 Black Closed Top PP Cap with White PTFE Septa 0.5mm k. 8 pcs/pk.

100 Black Closed PP Top Cap, with White PE Septa 1.0mm Thick. s/pk.

	Wide mouth bottles are widely used for packing of Pharmaceutical intermediate, High val chemicals, etc.
•	Offer packaging customized service.

Picture

welch

P/N

DH9115

- alue-added
 - Description 60mL Wide Mouth Amber Glass bottle 44.5×75.5mm 33-400. 48 pcs/pk.

DH9117	100mL Wide Mouth Amber Glass bottle 50×87.5mm 38-400. 24 pcs/pk.
DH9118	120mL Wide Mouth Amber Glass bottle 52.8×95mm 38-400. 24 pcs/pk.
DH9119	150mL Wide Mouth Amber Glass bottle 56×100mm 45-400. 24 pcs/pk.
DH9111	200mL Wide Mouth Amber Glass bottle 61.4×109.5mm 45-400. 24 pcs/pk.







Description

250mL Wide Mouth Amber Glass bottle 64×119mm 45-400. 24 pcs/pk.

300mL Wide Mouth Amber Glass bottle 68.3×126.4mm 53-400. 24 pcs/pk.

500mL Wide Mouth Amber Glass bottle 80.6×146.5mm 53-400. 12 pcs/pk.

P/N	Picture	Description	P	P/N	Picture	
DI1231		33-400 Black Closed Top PP Cap with Natural PTFE/White Silicone Septa 1.5mm Thick. 8pcs/pk.	DI1	11258		45-400 Black Clo 1.5mm Thick. 24
DI1233		33-400 Black Closed Top PP Cap with White PTFE Septa 0.5mm Thick. 8pcs/pk.	DI1	11259		45-400 Black Clo 24 pcs/pk
DI1235		33-400 Black Closed Top PP Cap with White PE Septa 1.0mm Thick. 8pcs/pk.	D19	19261		45-400 Black Cl pcs/pk
DI1255		38-400 Black Closed PP Top Cap, with Natural PTFE/White Silicone Septa 1.5mm Thick. 24 pcs/pk	DI1	11261		53-400 Black Clo Septa 1.5mm Th
DI1256		38-400 Black Closed PP Top Cap, with White PTFE Septa 0.5mm Thick. 24 pcs/pk	DI1	1262		53-400 Black Clo 12 pcs/pk
DI1257		38-400 Black Closed PP Top Cap, with White PE Septa 1.0mm Thick. 24 pcs/pk	DI1	11263		53-400 Black Clo 12 pcs/pk⊡
		•				



welch

Description

Closed PP Top Cap, with Natural PTFE/White Silicone Septa 24 pcs/pk

Closed PP Top Cap, with White PTFE Septa 0.5mm Thick.

Closed PP Top Cap, with White PE Septa 1.0mm Thick. 24


Closed PP Top Cap, with Natural PTFE/White Silicone Thick. 12 pcs/pk

Closed PP Top Cap, with White PTFE Septa 0.5mm Thick.

Closed PP Top Cap, with White PE Septa 1.0mm Thick.

VIAL RACK

- Wide mouth bottles are widely used for packing of Pharmaceutical intermediate, high value-added chemicals, etc.
- Offer packaging customized service.



CRIMPER & DECRIMPER

P/N	Picture	
DJ1264		Crimper for 2
DJ1265		Crimper for 1
DJ1266		Stainless Stee
DJ1267		Stainless Stee
DJ1268		Decrimper for
DJ1269		Decrimper for

TOOLS

Doprab™





Description

PP Vial Rack 50 Positions for 2mL Vials Blue Color. 1pc/pk.

PP Vial Rack 50 Positions for 4mL Vials Blue Color. 1pc/pk.

PP Vial Rack for EPA/TOC vials, white color, 1pc/pk

Description

20mm Aluminum Crimp Cap Stainless Steel. 1pc/pk.

11mm Aluminum Crimp Cap Stainless Steel. 1pc/pk.

eel Crimper for 13mm Flip off Cap. 1pc/pk

eel Crimper for 20mm Flip off Cap. 1pc/pk.

or 11mm Aluminum Crimp Cap Stainless Steel. 1pc/pk.

or 20mm Aluminum Crimp Cap Stainless Steel. 1pc/pk.

NYLON

- · High mechanical and tensile strength.
- Universal application for analytical procedures.
- Broad compatibility with aqueous and organic solvents, with stable hydrophilicity, not suitable for highly acidic samples.
- Nylon binds protein, do not use when high protein recovery is desired.

ORDERING INFORMATION





WELCHROM GENERAL SYRINGE FILTER

Welchrom



welch

Description

Syringe Filter, Nylon, Dia. 13mm 0.22µm, 100pcs/pk

Syringe Filter, Nylon, Dia. 13mm 0.45µm, 100pcs/pk

Syringe Filter, Nylon, Dia. 25mm 0.22µm, 100pcs/pk

Syringe Filter, Nylon, Dia. 25mm 0.45µm, 100pcs/pk

Syringe Filter, Nylon, Dia. 33mm 0.22µm, 100pcs/pk

Syringe Filter, Nylon, Dia. 33mm 0.45µm, 100pcs/pk

, welch

PES

- Both for mechanical and tensile high level of strength.
- Used for most mid-polar liquids and organic solvents.
- Low level extractable makes them suitable for environment analysis.

• High level flow rate because of symmetric structure.

ORDERING INFORMATION

P/N	Picture	Description
00802-04201		Syringe Filter, Pes, Dia. 13mm 0.22µm, 100pcs/pk
00802-04202		Syringe Filter, Pes, Dia. 13mm 0.45µm, 100pcs/pk
00802-04203		Syringe Filter, Pes, Dia. 25mm 0.22µm, 100pcs/pk
00802-04204		Syringe Filter, Pes, Dia. 25mm 0.45µm, 100pcs/pk
00802-04211		Syringe Filter, Pes, Dia. 33mm 0.22µm, 100pcs/pk
00802-04210		Syringe Filter, Pes, Dia. 33mm 0.45µm, 100pcs/pk

PTFE Hydrophobic

- This type of filter has broad chemical compatibility and high pH resistance.
- Versatile filters for use with aggressive organic solvent-based solutions.
- Specially ideal for HPLC sample preparation.
- Suitable for Solvents/Gases/Acids/Bases.

ORDERING INFORMATION

	P/N	Picture	
	00802-05201		Syringe
-	00802-05202		Syringe
-	00802-05203		Syringe
	00802-05204		Syringe
-	00802-05211		Syringe
-	00802-05210		Syringe
1			





d high pH resistance. t-based solutions.

Description

ge Filter, Hydrophobic PTFE, Dia. 13mm 0.22µm, 100pcs/pk

ge Filter, Hydrophobic PTFE, Dia. 13mm 0.45µm, 100pcs/pk

ge Filter, Hydrophobic PTFE, Dia. 25mm 0.22µm, 100pcs/pk

ge Filter, Hydrophobic PTFE, Dia. 25mm 0.45µm, 100pcs/pk

ge Filter, Hydrophobic PTFE, Dia. 33mm 0.22µm, 100pcs/pk

ge Filter, Hydrophobic PTFE, Dia. 33mm 0.45µm, 100pcs/pk

PTFE Hydrophilic

- Both for mechanical and tensile high level of strength.
- Used for most mid-polar liquids and organic solvents.
- Filtering aqueous and organic solutions as well as organic solution and chemical.

• Low IC extractables.

ORDERING INFORMATION

P/N	Picture	Description
00802-02201		Syringe Filter, Hydrophilic PTFE, Dia. 13mm 0.22µm, 100pcs/pk
00802-02202		Syringe Filter, Hydrophilic PTFE, Dia. 13mm 0.45µm, 100pcs/pk
00802-02203		Syringe Filter, Hydrophilic PTFE, Dia. 25mm 0.22µm, 100pcs/pk
00802-02204		Syringe Filter, Hydrophilic PTFE, Dia. 25mm 0.45µm, 100pcs/pk
00802-02211		Syringe Filter, Hydrophilic PTFE, Dia. 33mm 0.22µm, 100pcs/pk
00802-02210		Syringe Filter, Hydrophilic PTFE, Dia. 33mm 0.45µm, 100pcs/pk

PVDF Hydrophobic

- Filtration of water-soluble oligomers and polymers. e.g. protein solutions.
- Filtration of hydrophobic substances in different organic solvents.
- Naturally hydrophobic membrane provides excellent flow rates and high loading.
- Exceptional temperature stability provides extended sampling range over other membranes.

ORDERING INFORMATION

ĺ	P/N	Picture	
	00802-13201		Syringe
	00802-13202		Syringe
	00802-13203		Syringe
	00802-06204		Syringe
	00802-13211		Syringe
	00802-13210	and a second	Syringe





Description

je Filter, Hydrophobic PVDF, Dia. 13mm 0.22µm, 100pcs/pk

je Filter, Hydrophobic PVDF, Dia. 13mm 0.45µm, 100pcs/pk

je Filter, Hydrophobic PVDF, Dia. 25mm 0.22µm, 100pcs/pk

je Filter, Hydrophobic PVDF, Dia. 25mm 0.45µm, 100pcs/pk

je Filter, Hydrophobic PVDF, Dia. 33mm 0.22µm, 100pcs/pk

je Filter, Hydrophobic PVDF, Dia. 33mm 0.45µm, 100pcs/pk

PVDF Hydrophilic

• Low protein-binding for filtration of non-aggressive aqueous and mild organic solutions.

- Low UV absorbing extractables and low nonspecific protein binding.
- Filtering aqueous and organic solutions as well as organic solution and chemical.
- It has superior performance to prevent leak of sample solvent.

ORDERING INFORMATION

P/N	Picture	Description
00802-06201		Syringe Filter, Hydrophilic PVDF, Dia. 13mm 0.22µm, 100pcs/pk
00802-06202		Syringe Filter, Hydrophilic PVDF, Dia. 13mm 0.45µm, 100pcs/pk
00802-06203		Syringe Filter, Hydrophilic PVDF, Dia. 25mm 0.22µm, 100pcs/pk
00802-06225		Syringe Filter, Hydrophilic PVDF, Dia. 25mm 0.45µm, 100pcs/pk
00802-06211	and and	Syringe Filter, Hydrophilic PVDF, Dia. 33mm 0.22µm, 100pcs/pk
00802-06210		Syringe Filter, Hydrophilic PVDF, Dia. 33mm 0.45µm, 100pcs/pk

CA

- Biologically inert mixtures of cellulose acetate and cellulose nitrate.
- Membranes in analytical and research applications.
- Ideal for capturing and culturing microorganisms in the Water and wastewater industry.
- Used to determine particulate contamination of lubricating oil and hydraulic fluid in patch test kits.

ORDERING INFORMATION

P/N	Picture	
00802-03201-P		Syring
00802-03202-P		Syring
00802-03203-P		Syring
00802-03204-P		Syring
00802-03211-P		Syring
00802-03210-P		Syring



Description

ige Filter, Double layers, CA, Dia. 13mm 0.22µm, 100pcs/pk

nge Filter, Double layers, CA, Dia. 13mm 0.45µm, 100pcs/pk

ige Filter, Double layers, CA, Dia. 25mm 0.22µm, 100pcs/pk

ige Filter, Double layers, CA, Dia. 25mm 0.45µm, 100pcs/pk

ige Filter, Double layers, CA, Dia. 33mm 0.22µm, 100pcs/pk

nge Filter, Double layers, CA, Dia. 33mm 0.45µm, 100pcs/pk

MCE

- Biological inert mixtures of cellulose acetate and cellulose nitrate.
- Membranes in analytical and research applications.
- Best for capturing and culturing microoranisms in the water and waste water industry.

• Compatible with gamma irradiation.

ORDERING INFORMATION

P/N	Picture	Description
00802-01201	0	Syringe Filter, MCE, Dia. 13mm 0.22µm, 100pcs/pk
00802-01202		Syringe Filter, MCE, Dia. 13mm 0.45µm, 100pcs/pk
00802-01203		Syringe Filter, MCE, Dia. 25mm 0.22µm, 100pcs/pk
00802-01204		Syringe Filter, MCE, Dia. 25mm 0.45µm, 100pcs/pk
00802-01211		Syringe Filter, MCE, Dia. 33mm 0.22µm, 100pcs/pk
00802-01210		Syringe Filter, MCE, Dia. 33mm 0.45µm, 100pcs/pk

PP

- Hydrophobic membrane with good thermal stability.
- Good chemical compatibility in both aqueous solution and alcohol solution.
- It can effectively bind protein, DNA and RNA.

ORDERING INFORMATION

P/N	Picture	
00802-07201-P		Syringe
00802-07202-P		Syringe
00802-07203-P		Syringe
00802-07204-P		Syringe
00802-07211-P		Syringe
00802-07210-P		Syringe



Description

ge Filter, Double layers, PP, Dia. 13mm 0.22µm, 100pcs/pk

ge Filter, Double layers, PP, Dia. 13mm 0.45µm, 100pcs/pk

ge Filter, Double layers, PP, Dia. 25mm 0.22µm, 100pcs/pk

ge Filter, Double layers, PP, Dia. 25mm 0.45µm, 100pcs/pk

ge Filter, Double layers, PP, Dia. 33mm 0.22µm, 100pcs/pk

ge Filter, Double layers, PP, Dia. 33mm 0.45µm, 100pcs/pk

Welch

GF

- Natural hydrophobicity.
- High flux; large pollutant carrying capacity.
- Good mechanical strength.
- Maximum operating temperature: 45°C.
- Housing: medical grade, virgin polypropylene.



RC

- The best option for reliable and leachable free sterilisation of liquids.
- The very low non-specific binding characteristics of this membrane makes it a perfect choice for biomolecule solutions and other dissolved substances.

ORDERING INFORMATION

P/N	Picture	
00802-10201		Syringe
00802-10202	0 ?	Syringe
00802-10203		Syringe
00802-10204		Syringe

ORDERING INFORMATION

P/N	Picture	Description
00802-09207		Syringe Filter, GF, Dia. 13mm 0.7µm, 100pcs/pk
00802-09208		Syringe Filter, GF, Dia. 13mm 1.0µm, 100pcs/pk
00802-09215		Syringe Filter, GF, Dia. 25mm 0.7µm, 100pcs/pk
00802-09213		Syringe Filter, GF, Dia. 25mm 1.0µm, 100pcs/pk

Description

e Filter, RC, Dia. 13mm 0.22µm, 100pcs/pk

je Filter, RC, Dia. 13mm 0.45µm, 100pcs/pk

e Filter, RC, Dia. 25mm 0.22, 100pcs/pk

je Filter, RC, Dia. 25mm 0.45µm, 100pcs/pk

NYLON

- Both for mechanical and tensile high level of strength.
- Largely used for mid-polar liquids and solvents.
- Provides two times greater throughput than standard filter without pre-filtration
- Nylon binds protein, do not use when high protein recovery is desired.

ORDERING INFORMATION

P/N	Picture	
00802-02201-P	ALL OF CONTRACT OF CONTRACT.	Syringe 13mm
00802-02202-P		Syringe 13mm
00802-02203-P		Syringe 25mm
00802-02204-P		Syringe 25mm
00802-02211-P		Syringe 33mm
00802-02210-P	we are	Syringe 33mm



WELCHROM PREFILTER SYRINGE FILTER

Welchrom



filter without pre-filtration covery is desired.

Description

ge Filter, Double layers, NYLON with Printing, Dia. n 0.22μm, 100pcs/pk

ge Filter, Double layers, NYLON with Printing, Dia. n 0.45μm, 100pcs/pk

ge Filter, Double layers, NYLON with Printing, Dia. n 0.22μm, 100pcs/pk

ge Filter, Double layers, NYLON with Printing, Dia. n 0.45μm, 100pcs/pk

ge Filter, Double layers, NYLON with Printing, Dia. n 0.22µm, 100pcs/pk

ge Filter, Double layers, NYLON with Printing, Dia. n 0.45μm, 100pcs/pk

, w∕elch

PES

• Low protein binding, high flow rate and low concentration of extractable substances.

- Suitable for prefiltration and filtration of buffers and culture media.
- Provides two times greater throughput than standard filter without pre-filtration.
- Faster flow rate than PVDF.

ORDERING INFORMATION

P/N	Picture	Description
00802-04201-P	0	Syringe Filter, Double layers, PES with Printing, Dia. 13mm 0.22µm, 100pcs/pk
00802-04202-P		Syringe Filter, Double layers, PES with Printing, Dia. 13mm 0.45µm, 100pcs/pk
00802-04203-P		Syringe Filter, Double layers, PES with Printing, Dia. 25mm 0.22µm, 100pcs/pk
00802-04204-P		Syringe Filter, Double layers, PES with Printing, Dia. 25mm 0.45µm, 100pcs/pk
00802-04211-P		Syringe Filter, Double layers, PES with Printing, Dia. 33mm 0.22µm, 100pcs/pk
00802-04210-P		Syringe Filter, Double layers, PES with Printing, Dia. 33mm 0.45µm, 100pcs/pk

PTFE Hydrophobic

- Both for mechanical and tensile high level of strength.
- Used for most mid-polar liquids and organic solvents.
- Hydrophobic PTFE membrane has great temperature resistance.
- Suitable for solvents/Acids/Bases/Gases.

ORDERING INFORMATION

P/N	Picture	
00802-05201-P		Syringe Dia. 13mm (
00802-05202-P		Syringe 13mm
00802-05203-P		Syringe 25mm
00802-05204-P		Syringe 25mm
00802-05211-P		Syringe Dia. 33mm (
00802-05210-P	AND	Syringe 33mm (

_	_	_	_	_	_	/
-	-	-	-	<u> </u>	(

Welch

. .

Description

ge Filter, Double layers, PTFE Hydrophobic with Printing,

n 0.22µm, 100pcs/pk

ge Filter, Double layers, PTFE Hydrophobic with Printing, Dia. n 0.45µm, 100pcs/pk

ge Filter, Double layers, PTFE Hydrophobic with Printing, Dia. n 0.22µm, 100pcs/pk

ge Filter, Double layers, PTFE Hydrophobic with Printing, Dia. n 0.45µm, 100pcs/pk

ge Filter, Double layers, PTFE Hydrophobic with Printing,

n 0.22µm, 100pcs/pk

ge Filter, Double layers, PTFE Hydrophobic with Printing, Dia. n 0.45µm, 100pcs/pk

PTFE Hydrophilic

• For reducing signal-to-noise ratios and maintaining flat baseline and removing particulates.

- Filtering aqueous and organic solutions as well as organic solution and chemical.
- Provides two times greater throughput than standard filter without pre-filtration.

ORDERING INFORMATION

P/N	Picture	Description
00802-14201-P		Syringe Filter, Double layers, PTFE Hydrophilic with Printing, Dia. 13mm 0.22µm, 100pcs/pk
00802-14202-P		Syringe Filter, Double layers, PTFE Hydrophilic with Printing, Dia. 13mm 0.45µm, 100pcs/pk
00802-14203-P		Syringe Filter, Double layers, PTFE Hydrophilic with Printing, Dia. 25mm 0.22µm, 100pcs/pk
00802-14204-P		Syringe Filter, Double layers, PTFE Hydrophilic with Printing, Dia. 25mm 0.45µm, 100pcs/pk
00802-14211-P		Syringe Filter, Double layers, PTFE Hydrophilic with Printing, Dia. 33mm 0.22µm, 100pcs/pk
00802-14210-P		Syringe Filter, Double layers, PTFE Hydrophilic with Printing, Dia. 33mm 0.45µm, 100pcs/pk

PVDF Hydrophobic

- Filtration of water-soluble oligomers and polymers, e.g. protein solutions.
- Filtration of hydrophobic substances in different organic solvents.
- Provides two times greater throughput than standard filter without pre-filtration.
- This membrane features stability and hydrophobic interactions.

ORDERING INFORMATION

P/N	Picture	
00802-13201-P		Syring Dia. 13mm
00802-13202-P		Syring 13mm
00802-13203-P		Syring Dia. 25mm
00802-13204-P		Syring 25mm
00802-13211-P		Syring Dia. 33mm
00802-13210-P		Syring 33mm





Description

ge Filter, Double layers, PVDF Hydrophobic with Printing,

n 0.22µm, 100pcs/pk

ge Filter, Double layers, PVDF Hydrophobic with Printing, Dia. n 0.45µm, 100pcs/pk

ge Filter, Double layers, PVDF Hydrophobic with Printing,

n 0.22µm, 100pcs/pk

ge Filter, Double layers, PVDF Hydrophobic with Printing, Dia. n 0.45µm, 100pcs/pk

ge Filter, Double layers, PVDF Hydrophobic with Printing,

n 0.22µm, 100pcs/pk

ge Filter, Double layers, PVDF Hydrophobic with Printing, Dia. n 0.45µm, 100pcs/pk

PVDF Hydrophilic

• Low protein-binding filtration of non-aggressive aqueous and mild organic solutions.

- Low UV absorbing extractables and low nonspecific protein binding.
- Provides two times greater throughput than standard filter without pre-filtration.
- Excellent chemical compatibility, even with aggressive acids and alcohols.

ORDERING INFORMATION

P/N	Picture	Description
00802-06201-P		Syringe Filter, Double layers, PVDF Hydrophilic with Printing, Dia. 13mm 0.22µm, 100pcs/pk
00802-06202-P	00802-06202-P Syringe Filter, Double layers, PVDF Hydrophilic with Printing, Dia. 13mm 0.45μm, 100pcs/pk	
00802-06203-P	\mathbf{O}	Syringe Filter, Double layers, PVDF Hydrophilic with Printing, Dia. 25mm 0.22µm, 100pcs/pk
00802-06204-P		Syringe Filter, Double layers, PVDF Hydrophilic with Printing, Dia. 25mm 0.45µm, 100pcs/pk
00802-06211-P		Syringe Filter, Double layers, PVDF Hydrophilic with Printing, Dia. 33mm 0.22µm, 100pcs/pk
00802-06210-P		Syringe Filter, Double layers, PVDF Hydrophilic with Printing, Dia. 33mm 0.45µm, 100pcs/pk

CA

- CA membranes are used in tissue culture media filtration.
- Ideally suited for biological/clinical analyse requiring maximum protein recovery and general filtration.
- High temperature stability can use with heated liquids.
- Provides two times greater throughput than standard filter without pre-filtration.
- Naturally hydrophobic membrane filter.

ORDERING INFORMATION

P/N	Picture	
00802-03201-P		Syring
00802-03202-P		Syring
00802-03203-P		Syring
00802-03204-P		Syring
00802-03211-P		Syring
00802-03210-P		Syring





Description

nge Filter, Double layers, CA, Dia. 13mm 0.22µm, 100pcs/pk

nge Filter, Double layers, CA, Dia. 13mm 0.45µm, 100pcs/pk

nge Filter, Double layers, CA, Dia. 25mm 0.22µm, 100pcs/pk

ige Filter, Double layers, CA, Dia. 25mm 0.45µm, 100pcs/pk

ige Filter, Double layers, CA, Dia. 33mm 0.22µm, 100pcs/pk

ige Filter, Double layers, CA, Dia. 33mm 0.45µm, 100pcs/pk

MCE

- Biologically inert mixtures of cellulose acetate and cellulose nitrate.
- Used to determine particulate contamination of lubricating oil and hydraulic fluid in patch test kits.

- Provides two times greater throughput than standard filter without pre-filtration.
- Compatible with gamma irradiation.

ORDERING INFORMATION

P/N	Picture	Description		
00802-01201-P		Syringe Filter, Double layers, MCE, Dia. 13mm 0.22µm, 100pcs/pk		
00802-01202-P		Syringe Filter, Double layers, MCE, Dia. 13mm 0.45µm, 100pcs/pk		
00802-01203-P		Syringe Filter, Double layers, MCE, Dia. 25mm 0.22µm, 100pcs/pk		
00802-01204-P		Syringe Filter, Double layers, MCE, Dia. 25mm 0.45µm, 100pcs/pk		
00802-01211-P		Syringe Filter, Double layers, MCE, Dia. 33mm 0.22µm, 100pcs/pk		
00802-01210-P	Becom	Syringe Filter, Double layers, MCE, Dia. 33mm 0.45µm, 100pcs/pk		

PP

- Hydrophobic membrane with good thermal stability.
- Good chemical compatibility in both aqueous solution and alcohol solution.
- It can effectively bind protein, DNA and RNA.
- Provides two times greater throughput than standard filter without pre-filtration.

ORDERING INFORMATION

P/N	Picture	
0802-07201-P		Syringe
)802-07202-P		Syringe
)802-07203-P		Syringe
)802-07204-P		Syringe
)802-07211-P		Syringe
)802-07210-P	ER SWE	Syringe
	0802-07201-P 0802-07202-P 0802-07203-P 0802-07204-P 0802-07211-P	D802-07201-P Image: Constraint of the second se





Description

ge Filter, Double layers, PP, Dia. 13mm 0.22µm, 100pcs/pk

ge Filter, Double layers, PP, Dia. 13mm 0.45µm, 100pcs/pk

ge Filter, Double layers, PP, Dia. 25mm 0.22µm, 100pcs/pk

ge Filter, Double layers, PP, Dia. 25mm 0.45µm, 100pcs/pk

ge Filter, Double layers, PP, Dia. 33mm 0.22µm, 100pcs/pk

ge Filter, Double layers, PP, Dia. 33mm 0.45µm, 100pcs/pk

GF

- Natural hydrophobicity.
- High flux; Large pollutant carrying capacity.
- Good mechanical strength.
- Maximum operating temperature: 45°C.
- Provides two times greater throughput than standard filter without pre-filtration.

ORDERING INFORMATION

P/N	Picture	Description
00802-09207-P	۱	Syringe Filter, Double layers, GF, Dia. 13mm 0.7µm, 100pcs/pk
00802-09208-P		Syringe Filter, Double layers, GF, Dia. 13mm 1.0µm, 100pcs/pk
00802-09215-P		Syringe Filter, Double layers, GF, Dia. 25mm 0.7µm, 100pcs/pk
00802-09213-P		Syringe Filter, Double layers, GF, Dia. 25mm 1.0µm, 100pcs/pk









////

WELCHROM STERILE SYRINGE FILTER





NYLON

- Individually packaged.
- Good for sterile filtration.
- 100% integrity tested.
- Low extractables, high protein binding. Recommended for alcohols and weak solvents.

ORDERING INFORMATION

P/N	Picture	Description	
00802-02201-S	For Spring File	Syringe Filter, Nylon, Dia. 13mm 0.22µm, 100pcs/pk	
00802-02202-S	Part Springer Filter Handwards	Syringe Filter, Nylon, Dia. 13mm 0.45µm, 100pcs/pk	
00802-02203-S	Asia Springe Filter	Syringe Filter, Nylon, Dia. 25mm 0.22µm, 100pcs/pk	
00802-02204-S	Note Springe Filter Un Ankensen Strategiese Strategiese Filter Springe Filter Un Ankensen Strategiese Filter Springe Filter Un Ankensen Strategiese Filter Springe Filter Un Ankensen Strategiese Filter Springe Filter Un Ankensen Strategiese Filter Springe Filter Un Ankensen Strategiese Strategiese Filter Springe Filter Un Ankensen Strategiese Strategiese Filter Springe Filter Strategiese Strategiese Filter Springe Filter Strategiese Strategi	Syringe Filter, Nylon, Dia. 25mm 0.45µm, 100pcs/pk	
00802-02211-S	Ryton Syntoge Filter Understanding Syntogen Syntogen Syntogen High Starting Filter Starting Fi	Syringe Filter, Nylon, Dia. 33mm 0.22µm, 100pcs/pk	
00802-02210-S	Parts Springs Fitter The Springs Fitter The Springs Fitter The Springs Fitter Parts Springs Parts Springs	Syringe Filter, Nylon, Dia. 33mm 0.45µm, 100pcs/pk	

PES

- Individually packaged.
- Good for sterile filtration.
- 100% integrity tested.
- For medical use, sterile filtering protein solution, tissue culture media, additives.

ORDERING INFORMATION

P/N	Picture	
00802-04201-S	PS Spring Fiber The strength the strength	Syringe
00802-04202-S	PESping Fiber Hard States PESping Fiber Hard States PESping Fiber Hard States Hard Hard States Hard States Hard Hard Hard Hard Hard Hard Hard Hard	Syringe
00802-04203-S	PS Synge Flac Wirking Right Synge Flace Base of the Base of the	Syringe
00802-04204-S	PE Spinge Fire Hard Base PE Spinge Fire PE	PES Syringe
00802-04211-S	PES Springer File PES Springer File The Springer File PES Springer	Syringe
00802-04210-S	PS Spring File The second sec	Syringe







Description

e Filter, PES, Dia. 13mm 0.22µm, 100pcs/pk

e Filter, PES, Dia. 13mm 0.45µm, 100pcs/pk

e Filter, PES, Dia. 25mm 0.22µm, 100pcs/pk

e Filter, PES, Dia. 25mm 0.45µm, 100pcs/pk

e Filter, PES, Dia. 33mm 0.22µm, 100pcs/pk

e Filter, PES, Dia. 33mm 0.45µm, 100pcs/pk

69

PTFE Hydrophobic

- Individually packaged.
- Good for sterile filtration.

welch

- 100% integrity tested.
- For degassing/clarifying aqueous and solvent samples.

ORDERING INFORMATION

P/N	Picture	Description
00802-05201-S	FTE Sping F2E Hardware H	Syringe Filter, Hydrophobic PTFE, Dia. 13mm 0.22µm, 100pcs/pk
00802-05202-S	FFE Spring Filter The Spring Fi	Syringe Filter, Hydrophobic PTFE, Dia. 13mm 0.45µm, 100pcs/pk
00802-05203-S	FTE Synge File The Network Synthesis The Synthesis The Synthes	Syringe Filter, Hydrophobic PTFE, Dia. 25mm 0.22µm, 100pcs/pk
00802-05204-S	FTE Synta Filer Hardwards the second second the second second the second second the second second the second second second the second second second second second the second sec	Syringe Filter, Hydrophobic PTFE, Dia. 25mm 0.45µm, 100pcs/pk
00802-05211-S	PTE Synge File View of the state of the st	Syringe Filter, Hydrophobic PTFE, Dia. 33mm 0.22µm, 100pcs/pk
00802-05210-S	PTE Spinge Filter Hardwards State and an United States Sta	Syringe Filter, Hydrophobic PTFE, Dia. 33mm 0.45µm, 100pcs/pk

PTFE Hydrophilic

- Individually packaged.
- Good for sterile filtration.
- 100% integrity tested.
- For degassing/clarifying aqueous and solvent samples.

ORDERING INFORMATION

00802-14202-S Image: Syringe 00802-14203-S Image: Syringe 00802-14203-S Image: Syringe 00802-14204-S Image: Syringe Image: Syringe Image: Syringe	P/N	Picture	
00802-14202-S Syringe 00802-14203-S Syringe 00802-14204-S Syringe 00802-14204-S Syringe 00802-14211-S Syringe	00802-14201-S	PTE Sprage Hare Hardware PTE Sprage Hare	Syringe
00802-14203-S Syringe 00802-14204-S Syringe 00802-14211-S Syringe	00802-14202-S	FTE Spring Flat The Sp	Syringe
00802-14204-S Syringe 00802-14211-S Syringe	00802-14203-S	And New Statistical Countries (2008) Countries (2008)	Syringe
00802-14211-S Syringe	00802-14204-S	PTE Synap Fize - Synap Synap - Synap	Syringe
PTE Syntage Fiber	00802-14211-S	Lat No. 1360001 Damenter 3792 Damenter 35en Aus Sind 25an Lo Bencio22an	Syringe
00802-14210-S Syringe	00802-14210-S	PTE Spring File The Spring File The Spring The Spri	Syringe





Description

Filter, Hydrophilic PTFE, Dia. 13mm 0.22µm, 100pcs/pk

Filter, Hydrophilic PTFE, Dia. 13mm 0.45µm, 100pcs/pk

Filter, Hydrophilic PTFE, Dia. 25mm 0.22µm, 100pcs/pk

Filter, Hydrophilic PTFE, Dia. 25mm 0.45µm, 100pcs/pk

Filter, Hydrophilic PTFE, Dia. 33mm 0.22µm, 100pcs/pk

Filter, Hydrophilic PTFE, Dia. 33mm 0.45µm, 100pcs/pk

PVDF Hydrophobic

- Individually packaged.
- Good for sterile filtration.
- 100% integrity tested.
- For sterilization/clarification of water, buffers and salt solutions.

ORDERING INFORMATION

P/N	Picture	Description
00802-13201-S	Picif Syrings Filter Handware to the series Picif Syrings Filter Handware Picif Syrings Filter Handware Handware Picif Syrings Filter Handware Picif Syrings Filter Handware Picif Syrings Filter Handware Handware Picif Syrings Filter Handware Picif Syrings Filter Handware Picif Syrings Filter Handware Handware Picif Syrings Filter Handware Picif Syrings Filter Handware Handware Handware Handware Handware Handware Handware Handware Handware Handware Handware Handware Handware Handware Handware Handw	Syringe Filter, Hydrophobic PVDF, Dia. 13mm 0.22µm, 100pcs/pk
00802-13202-S	POC Springe Filter The Sp	Syringe Filter, Hydrophobic PVDF, Dia. 13mm 0.45µm, 100pcs/pk
00802-13203-S	Part System File Part System Part System	Syringe Filter, Hydrophobic PVDF, Dia. 25mm 0.22µm, 100pcs/pk
00802-13204-S	PDF Spring File Spring File Spring	Syringe Filter, Hydrophobic PVDF, Dia. 25mm 0.45µm, 100pcs/pk
00802-13211-S	PVCF Syringe Filter	Syringe Filter, Hydrophobic PVDF, Dia. 33mm 0.22µm, 100pcs/pk
00802-13210-S	POP Synap File Hereits and the synaptic synapti	Syringe Filter, Hydrophobic PVDF, Dia. 33mm 0.45µm, 100pcs/pk

PVDF Hydrophilic

- Individually packaged.
- Good for sterile filtration.
- 100% integrity tested.
- For sterilization/clarification of water, buffers and salt solutions.

ORDERING INFORMATION

P/N	Picture	
-06201-S	PCF System Filer	Syringe
·06202-S	Pict Sytop File The Weith Res the	Syringe
06203-S	PCF Synge Face Has taken of the state of the state of the state of the state of the state of the state of the state of the state of the	Syringe
·06204-S	Participant States of Stat	PES Syringe
-06211-S	PCF Syntax Electronic Syntax S	Syringe
-06210-S	PUT Springe Filter Hand Barrier The State State Put State State Put State State Put State State Put State State Put State State Put Sta	Syringe
	P/N -06201-S -06202-S -06203-S -06204-S -06211-S -06210-S	-06201-S Image: Sector of the sector of



welch

Description

ge Filter, PES, Dia. 13mm 0.22µm, 100pcs/pk

ge Filter, PES, Dia. 13mm 0.45µm, 100pcs/pk

ge Filter, PES, Dia. 25mm 0.22µm, 100pcs/pk

ge Filter, PES, Dia. 25mm 0.45µm, 100pcs/pk

ge Filter, PES, Dia. 33mm 0.22µm, 100pcs/pk

ge Filter, PES, Dia. 33mm 0.45µm, 100pcs/pk



Doprah Economy Syringe Filter

- Cost-efficiency with high quality.
- Simple packing to reduce the packing volume.
- No printing on the syringe filter to reduce produce cost.
- To meet different customer's requirements, Welch Materials introduces Doprah Series Syringe filter with outer ring as well.

ORDERING INFORMATION

P/N	Dimension	Material	Packing	Color
DM02015	Dia. 13mm 0.22 µm	NYLON	100pcs/pk	Light Yellow
DM02025	Dia. 13mm 0.45 µm	NYLON	100pcs/pk	Yellow
DM02035	Dia. 25mm 0.22µm	NYLON	100pcs/pk	Light Yellow
DM02045	Dia. 25mm 0.45µm	NYLON	100pcs/pk	Yellow
DM04015	Dia. 13mm 0.22 µm	PES	100pcs/pk	Light Green
DM04025	Dia. 13mm 0.45 µm	PES	100pcs/pk	Green
DM04035	Dia. 25mm 0.22µm	PES	100pcs/pk	Light Green
DM04045	Dia. 25mm 0.45µm	PES	100pcs/pk	Green
DM01015	Dia. 13mm 0.22 µm	MCE	100pcs/pk	Light Green
DM01025	Dia. 13mm 0.45 µm	MCE	100pcs/pk	Green
DM01035	Dia. 25mm 0.22µm	MCE	100pcs/pk	Light Green
DM01045	Dia. 25mm 0.45µm	MCE	100pcs/pk	Green
DM14015	Dia. 13mm 0.22 µm	Hydrophilic PTFE	100pcs/pk	Pink
DM14025	Dia. 13mm 0.45 µm	Hydrophilic PTFE	100pcs/pk	Red
DM14035	Dia. 25mm 0.22µm	Hydrophilic PTFE	100pcs/pk	Pink
DM14045	Dia. 25mm 0.45µm	Hydrophilic PTFE	100pcs/pk	Red

DOPRAH ECONOMY SYRINGE FILTER

Doprah





Welch

P/N	Dimension	Material	Packing	Color
DM13015	Dia. 13mm 0.22 µm	Hydrophobic PTFE	100pcs/pk	Pink
DM13025	Dia. 13mm 0.45 µm	Hydrophobic PTFE	100pcs/pk	Red
DM13035	Dia. 25mm 0.22µm	Hydrophobic PTFE	100pcs/pk	Pink
DM13045	Dia. 25mm 0.45µm	Hydrophobic PTFE	100pcs/pk	Red
DM06015	Dia. 13mm 0.22 µm	Hydrophilic PVDF	100pcs/pk	Light Purple
DM06025	Dia. 13mm 0.45 µm	Hydrophilic PVDF	100pcs/pk	Purple
DM06035	Dia. 25mm 0.22µm	Hydrophilic PVDF	100pcs/pk	Light Purple
DM06045	Dia. 25mm 0.45µm	Hydrophilic PVDF	100pcs/pk	Purple
DM05015	Dia. 13mm 0.22 µm	Hydrophobic PVDF	100pcs/pk	Light Purple
DM05025	Dia. 13mm 0.45 µm	Hydrophobic PVDF	100pcs/pk	Purple
DM05035	Dia. 25mm 0.22µm	Hydrophobic PVDF	100pcs/pk	Light Purple
DM05045	Dia. 25mm 0.45µm	Hydrophobic PVDF	100pcs/pk	Purple









LABORATORY SYRINGE



Laboratory Syringe

- Made from high-quality PP material, it has excellent chemical resistance.
- All batches of this product are produced in a clean environment that complies with the ISO 9001 standard.

• In addition, all syringes are designed to be compatible with Welch syringe filters and can also be used with Welch vials.



ORDERING INFORMATION


P/N	Picture	Description	
00822-91749	A Participant of the second se	2mL Disposable HPLC Laboratory syringe.100pcs/pk.	
00822-91750	Sent 2 2	5mL Disposable HPLC Laboratory syringe.100pcs/pk.	
00822-91751		10mL Disposable HPLC Laboratory syringe.100pcs/pk.	
00822-91752	- 10 - 15 - 20mi	20mL Disposable HPLC Laboratory syringe.100pcs/pk.	







WELCHROM MEMBRANE FILTER





Membrane Filter

- Widely used for gravimetric analysis, microanalysis, colloid separation and sterility test.
- Material: polyetherdsulfone (PES), Nylon, MCE, PTFE, PVDF, CA, RC, GF etc.
- The microporous membrane filter is mainly used for the filtration of mobile phase and samples during the chromatographic analysis, especially for preventing chromatographic column and infusion pump line system and sample valve from pollution.

1 Routine cleaning and filtration.	
2 Sample preparation.	
	Applicat
3 Environmental monitoring and analysis	s
4 Filtration of aqueous ar organic phase solution	

ORDERING INFORMATION

Material	Pore Size(µm)	Diameter(mm)
PES	0.05-1.0	13, 25, 37, 47, 90,142, 293
MCE	0.22-5.0	13, 25, 37, 47, 90, 142, 293/grid, black, sterile
Nylon	0.1- 5.0	13, 25, 37, 47, 90, 142, 293
PVDF Hydrophilic	0.22-0.45	13, 25, 37, 47, 90,142, 293
PVDF Hydrophobic	0.22-0.45	13, 25, 37, 47, 90,142, 293
PTFE Hydrophilic	0.1 -5.0	13, 25, 37, 47, 90,142, 293
PTFE Hydrophobic	0.1 -5.0	13, 25, 37, 47, 90,142, 293
PP	0.22-5.0	13, 37, 47, 90,125,142, 293
CA	0.22-3.0	13, 25, 37, 47, 90,142, 293
PP Mesh	25,45,80	25, 47, 90,142
Nylon Mesh	10-180	25, 47, 90, 30cmx3m
PC	0.05-8.0	13, 25, 37, 47, 90,142
RC	0.22-0.45	13, 25, 37, 47, 50, 90,142, 293
GF	0.22-1.0	13, 25, 37, 47, 90,142, 293

47MM MCE GRID MEMBRANE FILTER

P/N	Dimension	Material	Packing
00803-01204-G-100	Dia. 47mm, Pore: 0.45µm, Grid, Non-sterile	MCE	100pcs/pk
00803-01204-SG-100	Dia. 47mm, Pore: 0.45µm, Grid, Sterile	MCE	100pcs/pk



ORDERING INFORMATION

P/N	Dimension	Material	Packing
00803-02201-100	Dia. 50mm, Pore: 0.22µm	NYLON	100pcs/pk
00803-02202-100	Dia. 50mm, Pore: 0.45µm	NYLON	100pcs/pk
00803-02203-100	Dia. 47mm, Pore: 0.22µm	NYLON	100pcs/pk
00803-02204-100	Dia. 47mm, Pore: 0.45µm	NYLON	100pcs/pk
00803-04201-100	Dia. 50mm, Pore: 0.22µm	PES	100pcs/pk
00803-04202-100	Dia. 50mm, Pore: 0.45µm	PES	100pcs/pk
00803-04203-100	Dia. 47mm, Pore: 0.22µm	PES	100pcs/pk
00803-04204-100	Dia. 47mm, Pore: 0.45µm	PES	100pcs/pk
00803-01201-100	Dia. 50mm, Pore: 0.22µm	MCE	100pcs/pk
00803-01202-100	Dia. 50mm, Pore: 0.45µm	MCE	100pcs/pk
00803-01203-100	Dia. 47mm, Pore: 0.22µm	MCE	100pcs/pk
00803-01204-100	Dia. 47mm, Pore: 0.45µm	MCE	100pcs/pk
00803-12201-100	Dia. 50mm, Pore: 0.22µm	Hydrophilic PTFE	100pcs/pk
00803-12202-100	Dia. 50mm, Pore: 0.45µm	Hydrophilic PTFE	100pcs/pk
00803-12203-100	Dia. 47mm, Pore: 0.22µm	Hydrophilic PTFE	100pcs/pk
00803-12204-100	Dia. 47mm, Pore: 0.45µm	Hydrophilic PTFE	100pcs/pk
00803-05201-100	Dia. 50mm, Pore: 0.22µm	Hydrophobic PTFE	100pcs/pk
00803-05202-100	Dia. 50mm, Pore: 0.45µm	Hydrophobic PTFE	100pcs/pk
00803-05203-100	Dia. 47mm, Pore: 0.22µm	Hydrophobic PTFE	100pcs/pk
00803-05204-100	Dia. 47mm, Pore: 0.45µm	Hydrophobic PTFE	100pcs/pk
00803-06201-100	Dia. 50mm, Pore: 0.22µm	Hydrophilic PVDF	100pcs/pk
00803-06202-100	Dia. 50mm, Pore: 0.45µm	Hydrophilic PVDF	100pcs/pk
00803-06203-100	Dia. 47mm, Pore: 0.22µm	Hydrophilic PVDF	100pcs/pk
00803-06204-100	Dia. 47mm, Pore: 0.45µm	Hydrophilic PVDF	100pcs/pk
00803-14201-100	Dia. 50mm, Pore: 0.22µm	Hydrophobic PVDF	100pcs/pk
00803-14202-100	Dia. 50mm, Pore: 0.45µm	Hydrophobic PVDF	100pcs/pk
00803-14203-100	Dia. 47mm, Pore: 0.22µm	Hydrophobic PVDF	100pcs/pk
00803-14204-100	Dia. 47mm, Pore: 0.45µm	Hydrophobic PVDF	100pcs/pk