


# The complete range of ID card printers, all with security built in.



# Welcome to Magicard NEO

# Secure ID card printing for every budget, industry and application

The Magicard NEO range of ID card printers has been developed specifically for Asia, South America, Africa and the Middle East.

Cards have become a part of everyday life. Used for gaining access to buildings and facilities, verifying that individuals are who they say they are or simply being used to purchase goods or services, cards have become the ubiquitous global standard for identity.







# Security features

# HoloKote<sup>®</sup>

We're all about security. That's why we developed the HoloKote® watermark available for all of our printers. HoloKote® technology was pioneered by Magicard to apply a secure watermark to each card during the printing process.

## HoloPatch<sup>®</sup>

Unique to Magicard, HoloPatch® cards have a highly reflective gold 'super diffuser' seal. When the HoloKote® watermark is printed on to the seal, the watermark becomes clearly visible under all lighting conditions. HoloKote® with HoloPatch® has a similar appearance to hologram seals. It provides a security mark which is visible from a distance, allowing a security guard or colleague to easily verify badge authenticity.

# Custom HoloKote®

This feature, which is available on the 360 NEO, facilitates the implementation of a personalised HoloKote<sup>®</sup> watermark into the standard print process. This watermark could be an organisation's logo, or some other unique security design.



# The Magicard NEO printer range



#### 360 NEO

#### **Professional**

	Print speed
⊢	Up to 190 full colour cards per hour* Up to 720 monochrome cards per hour*
T.	Card capacities
	100 card input 70 card output
	Visual security
 	Standard HoloKote <sup>®</sup> watermark (x10) HoloPatch <sup>®</sup> cards Custom HoloKote <sup>®</sup> watermark
	Encoding options
() — —	Magnetic stripe encoding: HiCo and LoCo ISO 7811, JIS2 Smart card encoding: Contact chip, MIFARE*, DESFire* and iClass* Others available
	Warranty
	2 year Magicover NEO limited warranty
	2 year magicover rice minica warranty

#### Enduro NEO

#### Standard

Print speed Up to 100 full colour cards per hour\* Up to 500 monochrome cards per hour\*

Card capacities 100 card input . 30 card output

Visual security Standard HoloKote® watermark (x4) HoloPatch® cards

Encoding options Magnetic stripe encoding: HiCo and LoCo ISO 7811, JIS2

Warranty 2 year Magicover NEO limited warranty

(See your local dealer for validity in India)

(See your local dealer for validity in India) Print technology 300dpi colour dye sublimation, monochrome thermal printing and rewritable technology. Feed system Manual/automatic Upgrade Electronic double-sided upgrade kit - 3652-6052E Electronic custom HoloKote® - R0058 Electronic repeat custom HoloKote - R0059 Connectivity USB Ethernet Compatibility Win 10 / Win 8.1 / Win 8 / Win 7(SP1), both 32/64 bit Windows server 2016 (64bit) /2012 (64 bit) / 2008 R2 (SP1) (64 bit) / 2003 R2 (SP2) (32 bit) Mac OS X 10.9.0 upwards (Mojave OS) Linux with CUPS support. Card thickness 0.50mm to 1.27mm / 20mil to 50mil O Dimensions 220 W x 250 H x 470 D mm Inch 8.6 W x 9.8 H x 18.5 D Weight 4.9kg / 10.8lb Operating environment Sheltered office 10°C - 30°C/50°F - 85°F

Print technology

300dpi colour dye sublimation, monochrome thermal printing and rewritable technology.

Feed system Manual/automatic Upgrade Double-sided upgrade kit 3633-0052-MN/4 •

Connectivity

USB

•

•

•

Compatibility

Win 10 / Win 8.1 / Win 8 / Win 7(SP1), both 32/64 bitWindows server 2016 (64bit) /2012 (64 bit) / 2008 R2 (SP1) (64 bit) / 2003 R2 (SP2) (32 bit) Mac OS X 10.9.0 upwards (Mojave OS) Linux with CUPS support.

Card thickness

0.50mm to 1.27mm / 20mil to 50mil

Dimensions	
mm Inch Weight	206 W x 233 H x 453 D 8.1 W x 9.2 H x 17.8 D 4.4kg / 9.7lb
Operating environment	

10°C - 30°C/50°F - 85°F

Sheltered office

Standard Option

# Pronto NEO

#### Hand-fed

Print speed
1 full colour card per 35 seconds*
1 monochrome card per 7 seconds*
Card capacities
Hand-fed
Visual security
Standard HoloKote® watermark (x4)
HoloPatch® cards
Encoding options
Magnetic stripe encoding: HiCo and LoCo ISO 7811
Warranty
2 year MagiCover NEO limited warranty
(See your local dealer for validity in India)
Print technology
300dpi colour dye sublimation, monochrome thermal
printing and rewritable technology.
Feed system
Manual
Upgrade
N/A
Connectivity
USB

Compatibility

•

Win 10 / Win 8.1 / Win 8 / Win 7(SP1), both 32/64 bit Windows server 2016 (64bit) / 2012 (64 bit) / 2008 R2 (SP1) (64 bit) / 2003 R2 (SP2) (32 bit) Mac OS X 10.9.0 upwards (Mojave OS) Linux with CUPS support.

#### Card thickness

0.50mm to 1.27mm / 20mil to 50mil

Dimensions	
mm	215 W x 233 H x 270 D
Inch	8.4 W x 9.2 H x 10.6 D
Weight	2.99kg / 6.7lb

Operating environment Sheltered office

10°C - 30°C/50°F - 85°F



Print speed depends on print design and printing conditions.\*




# Efficient print speeds, high capacity and enhanced quality.

The 360 NEO is a powerful way to create secure ID cards in high volumes. Each full colour, singlesided card with HoloKote<sup>®</sup>, can be printed in under 19 seconds giving the 360 NEO the ability to print up to 190 cards per hour.



## Printer highlights







### HoloKotes® for 360 NEO

180 480 480 480 480 480 480 180 480 480 480 480 480 180 480 480 480 480 480	0; 0;	
		<b>金金金金金</b> 金金金金金 金金金金金金 金金金金金



# Secure ID card printing you can rely on.

The Enduro NEO is the robust, durable and reliable solution perfect for schools, colleges and medium sized businesses. When it comes to secure and reliable ID card printing, you can trust the Enduro NEO to deliver.



# Printer highlights











HoloKotes® for Enduro NEO

66666	the the the the the the the the	IN WE WE WE WE WE
66666	Unit Unit Unit Unit Unit Unit Unit Unit	
66666		
66666		



# Easy to use, hand-fed card printer.

Incredibly easy to use with drop-in dye film and hand-fed card loading, the Pronto NEO includes the HoloKote<sup>®</sup> visual security system and can print colour, monochrome or rewritable cards. Its plugand-play setup and compact footprint are ideal for portability and lower volume card printing.



## Printer highlights

Magnetic stripe







HoloKotes® for Pronto NEO

666666	the the the the the the the	NAN ANN ANN ANN ANN ANN
666666	the the the the the the the the	HAN HAN HAN HAN HAN HAN HAN
666666	Litrage Ulers Litrage Ulers Litrage Ulers Secure' Secure' Secure' Secure' Secure' Secure'	



# Consumables

# Dye film

Details	Print capacity	Product code	Pronto NEO	Enduro NEO	360 NEO
Colour dye film with overcoat panel (YMCKO)	100	MN100YMCK0/4	•	•	•
Double-sided dye film, prints colour on one side,					
black on reverse (YMCKOK)	250	MN250YMCKOK/4	_	•	•
Half panel, double-sided dye film, prints colour on one side,					
black on reverse with overcoat panel (YMCKOKO)	250	MN250YMCKOKO-HF/4	_	•	•
Colour dye film with overcoat panel (YMCKO)	300	MN300YMCKO/4	•	•	•
Half panel, double-sided dye film, prints colour on one side,					
black on reverse (YMCKOK)	450	MN450YMCKO-HALF/4	_	•	•
Black resin dye film with overcoat panel (KO)	600	MN600K0/4	•	•	•
Monochrome resin dye film - Black	1000	MA1000K-Black	•	•	•
Monochrome resin dye film - White	1000	MA1000K-White	•	•	•
Monochrome resin dye film - Silver	1000	MA1000K-Silver	•	•	•
Monochrome resin dye film - Gold	1000	MA1000K-Gold	•	•	•
Monochrome resin dye film - Green	1000	MA1000K-Green	•	•	•
Monochrome resin dye film - Blue	1000	MA1000K-Blue	•	•	•
Monochrome resin dye film - Red	1000	MA1000K-Red	•	•	•

#### Cards

Details	Product code	
Premium blank white cards - CR80	M9006-793	
Blank white cards with magnetic stripe - CR80	M9006-794	
HoloPatch® blank white cards with gold seal - CR80	M9006-796	
HoloPatch® blank white cards with gold seal and mag stripe - CR80	M9006-797	

# Cleaning kits

Details	Product code	
360 NEO / Enduro NEO cleaning kit 10 cards, 1 pen	3633-0053	
360 NEO / Enduro NEO roller cleaning kit 5 sleeves, 1 roller bar	3633-0054	
Pronto NEO cleaning kit 5 cards, 1 pen	CK1	

# Warranty

The Magicard NEO range is backed by a 2 year limited Magicover NEO warranty\*\*. A further one-year warranty is available on the 360 NEO and Enduro NEO at time of purchase.



\*\* See your local dealer for validity in India.

# **Global contacts**



Headquarters and manufacturing centre Hampshire Road, Weymouth, Dorset DT4 9XD, United Kingdom Tel: +44 (0)1305 47 00 00 Email: info@magicard.com

# Legal

Magicard, HoloKote, Custom HoloKote, HoloPatch, Pronto, Enduro, Rio Pro and Ultima are trademarks or registered trademarks of Magicard Ltd.

All other trademarks, brand names, or product names belong to their respective holders. The information contained in this document reflects the current state of design and we reserve the right to change the specification without notice or obligation.

Issue 1.01