



# E10 PRO



①Power ON/OFF	⑤Next
②U-disk Input	<sup>(6)</sup> Input Mode Switch
③Previous	⑦Screen Display
④Play/Pause	⑧Volume Control



1 Bluetooth Antenna Jack	<sup>®</sup> Subwoofer Output
2 Coaxial Input	⑦Left Speaker Output
③Optical Input	⑧Right Speaker Output
(4)(5)AUX1/2 Input	(9)AC Power Input

## **Bluetooth Instructions:**

Use the MODE button on the power amplifier or remote control to switch to Bluetooth mode (Blue)

1. Devices with Bluetooth function can search for "M8"

2. To pair multiple devices, you need to disconnect all successfully paired Bluetooth devices, turn on the device that needs to be paired (new mobile phone), and follow step 1.

#### Function & Parameters:

Function support: wireless bluetooth/ U-disk lossless playback fiber/coaxial decoding U Disk File: Support APE, FLAC, WAV, MP3

Input interface: coaxial RCA input fiber input 1 group of gold-plated lotus seat AUX input

Output interface: 1 set of pure copper gold-plated crystal banana socket

Frequency response range: 15Hz- 60kHz (+3dB)

Signal to noise ratio (S/N): 92dB

Rated power:  $170W^{*}2/4 \Omega$  220W\*2/3  $\Omega$ 

Harmonic distortion: ≤0.01% (1kHz, 1W) Dimensions: width 351 \* height 65 \* depth 320mm Color: silver Weight: Net weight 3.6kg, Gross weight 5kg

### Safety Precautions:

1. If the power plug is used as the disconnect device, the disconnect device should be kept convenient for operation

2. The equipment is strictly prohibited to prevent exposed flame sources, such as lighted candles, etc.


3. Do not place objects filled with liquids such as vases on the equipment

4. The power cord cannot be squeezed, pulled, bent, knotted, hung heavy objects or trampled to prevent electricity


The insulation layer of the power cord is damaged, causing electric shock!

5. If the machine will not be used for a long time, please unplug the power plug to prevent the machine from being burnt due to lightning strikes

### **Connection Intructions:**



#### **Remote Control Instructions:**



Infrared Remote Control Working Distance: ≤10m